

**SANATOS MULTI SYMPTOM DAYTIME- acetaminophen, dextromethorphan
hbr, phenylephrine hci liquid
Pharmadel LLC**

Sanatos Daytime MS 6 (APTA)

Drug Facts

Active Ingredients & Purposes

Active ingredients

(in each 15 mL, 1 tablespoon)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- minor aches & pains
- headache
- sore throat
- fever
- nasal congestion
- cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adults take more than 4,000 mg of acetaminophen in 24 hours
- child take more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a

doctor promptly.

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product

- do not use more than directed (see overdose warning)
- avoid alcoholic drinks

Stop use and ask a doctor if

- you get nervos, dizzy or sleepless
- new symptoms occur
- fever gets worse or lasts more than 3 days
- pain or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep this and all drugs out of reach of children.

Overdose warning:

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as recommended (see overdose warning)
- use a dosage cup or tablespoon (TBSP)
- do not exceed 4 doses per 24 hrs

age

adults & children 12 years & over
children 6 years to under 12 years
children 4 years to under 6 years
children under 4 years

dose

30 mL (2 TBSP) every 4 hours
15 mL (1 b TBSP) every 4 hours
ask a doctor
do not use

- when using daytime and nighttime products, carefully read each label to ensure correct dosing.

Other information

- **sodium content per tablespoon:** 10 mg
- store at room temperature

TAMPER EVIDENT: Do not use if imprinted band is missing or broken.

Inactive ingredients

citric acid, FD&C yellow #6, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucrose

Questions?

call **1-866-359-3478**

Distributed by:

Pharmadel LLC

Seaford, DE 19973

www.sanatos.com

Principal Display Panel



SANATOS MULTI SYMPTOM DAYTIME

acetaminophen, dextromethorphan hbr, phenylephrine hci liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-055
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUCROSE (UNII: C151H8M554)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	orange	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-055-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2014	12/01/2014
2	NDC:55758-055-25	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2014	

Labeler - Pharmadel LLC (030129680)

Revised: 11/2023

Pharmadel LLC