

NEOSPORIN ORIGINAL- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate

Kenvue Brands LLC

Neosporin Original Ointment Clubtray

Neosporin Original Ointment

Drug Facts

Active ingredients (in each gram)

Bacitracin Zinc (400 units)

Neomycin Sulfate (3.5 mg)

Polymyxin B sulfate (5,000 units)

Purpose

First aid antibiotic

Use

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal

to the surface area of the tip of a finger) on the area 1 to 3 times daily

- may be covered with a sterile bandage

Other information

- store at 20° to 25°C (68° to 77° F)

Inactive ingredients

Petrolatum, Gossypium Herbaceum (Cotton) Seed Oil, Olea Europaea (Olive) Fruit Oil, Theobroma Cacao (Cocoa) Seed Butter, Sodium Pyruvate, Tocopheryl Acetate

Questions?

Call Toll Free **800-223-0182** or **215-273-8755**

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - Kit Package Label

OINTMENT

#1

DOCTOR

RECOMMENDED
BRAND

NEOSPORIN®

ORIGINAL

24-Hour Infection Protection

Effective Germ

Kill Formula

Every Cut.

Every Time.

Use with

BAND-AID

Brand

Bandages

FIRST AID ANTIBIOTIC

OINTMENT

Bacitracin Zinc-Neomycin

Sulfate-Polymyxin B Sulfate

For Home

& On-the-Go!

NO STING

NET WT 2.0 oz (56.7 g)

CONTAINS:

1 Tube -

NEOSPORIN® Original First Aid

Antibiotic Ointment 1 oz (28.3 g)

2 Tubes -

NEOSPORIN® Original First Aid

Antibiotic Ointment 0.5 oz (14.2 g) each

#1 DOCTOR
RECOMMENDED
BRAND



NEOSPORIN®



Every Cut.
Every Time.
Use with
BAND-AID®
Brand
Bandages

ORIGINAL

24-Hour Infection Protection
Effective Germ
Kill Formula



NO STING

For Home
& On-the-Go!

FIRST AID ANTIBIOTIC
OINTMENT
Bacitracin Zinc-Neomycin
Sulfate-Polymyxin B Sulfate

NET WT 2.0 oz (56.7g)

CONTAINS:

- 1 Tube - Neosporin® Original First Aid Antibiotic Ointment 1 oz (28.3 g)
- 2 Tubes - Neosporin® Original First Aid Antibiotic Ointment 0.5 oz (14.2 g) each

ORIGINAL OINTMENT

NEOSPORIN®

Original Ointment

- Triple Antibiotic Ointment
- 24-Hour Infection Protection
- Effective Germ Kill Formula



Every Cut.
Every Time.
Use with
BAND-AID®
Brand
Bandages



NEOSPORIN® ORIGINAL Ointment
with unique HELIDERM® Technology, provides
a nourishing environment for skin.*

Drug Facts

Active Ingredients (in each gram)
Bismuth Salicylate (400 mg)..... First aid antibiotic
Neomycin Sulfate (35 mg)..... First aid antibiotic
Polymyxin B Sulfate (10 mg)..... First aid antibiotic

Use - Apply to the wound infection in relief:
- Cuts
- Scrapes
- Burns

Warnings
For external use only.

Do not use
- If you are allergic to any of the ingredients
- If the ointment causes irritation or if the skin
becomes red, swollen, itchy, or if you have
- A rash or hives
- If you have a fever
- If you have a sore throat
- If you have a rash or hives
- If you have a fever
- If you have a sore throat

Stop use and ask your doctor if:
- Irritation persists or gets worse
- Get a doctor's advice if you have a rash or hives
- Get a doctor's advice if you have a fever
- Get a doctor's advice if you have a sore throat

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or
contact a Poison Control Center right away.

Directions
- Apply to the wound.
- Apply a small amount of this product (an amount equal to the
surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other Information
- Contains 1.75% of Neomycin Sulfate.
- Contains 0.1% of Polymyxin B Sulfate.
- Contains 0.1% of Bismuth Salicylate.
- Contains 0.1% of Benzocaine.
- Contains 0.1% of Lidocaine.
- Contains 0.1% of Prilocaine.
- Contains 0.1% of Tetracaine.
- Contains 0.1% of Chlorbutol.
- Contains 0.1% of Menthol.
- Contains 0.1% of Eucalyptol.
- Contains 0.1% of Camphor.
- Contains 0.1% of Thymol.
- Contains 0.1% of Clove Oil.
- Contains 0.1% of Peppermint Oil.
- Contains 0.1% of Wintergreen Oil.
- Contains 0.1% of Rosemary Oil.
- Contains 0.1% of Lavender Oil.
- Contains 0.1% of Tea Tree Oil.
- Contains 0.1% of Echinacea Extract.
- Contains 0.1% of Aloe Vera Extract.
- Contains 0.1% of Vitamin E.
- Contains 0.1% of Vitamin K.
- Contains 0.1% of Zinc Oxide.
- Contains 0.1% of Titanium Dioxide.
- Contains 0.1% of Iron Oxide.
- Contains 0.1% of Carbon Black.
- Contains 0.1% of Silica.
- Contains 0.1% of Polyethylene Glycol.
- Contains 0.1% of Stearic Acid.
- Contains 0.1% of Cetyl Alcohol.
- Contains 0.1% of Myristic Acid.
- Contains 0.1% of Lauric Acid.
- Contains 0.1% of Behenic Acid.
- Contains 0.1% of Squalene.
- Contains 0.1% of Tocopherol.
- Contains 0.1% of Ascorbyl Palmitate.
- Contains 0.1% of Hydroquinone.
- Contains 0.1% of Resorcinol.
- Contains 0.1% of Salicylic Acid.
- Contains 0.1% of Glycolic Acid.
- Contains 0.1% of Lactic Acid.
- Contains 0.1% of Citric Acid.
- Contains 0.1% of Malic Acid.
- Contains 0.1% of Tartaric Acid.
- Contains 0.1% of Fumaric Acid.
- Contains 0.1% of Maleic Acid.
- Contains 0.1% of Succinic Acid.
- Contains 0.1% of Gluconic Acid.
- Contains 0.1% of Saccharic Acid.
- Contains 0.1% of Tartaric Acid.
- Contains 0.1% of Citric Acid.
- Contains 0.1% of Malic Acid.
- Contains 0.1% of Lactic Acid.
- Contains 0.1% of Fumaric Acid.
- Contains 0.1% of Maleic Acid.
- Contains 0.1% of Succinic Acid.
- Contains 0.1% of Gluconic Acid.
- Contains 0.1% of Saccharic Acid.



2830002681-C



3 12547 94489 2

Product images may not match packaging inside.

The names of NEOSPORIN® do not make them brand products.
© 2007 Johnson & Johnson Consumer Inc.
Skillman, NJ 08558
www.neosporin.com
BAND-AID is a registered trademark of Johnson & Johnson

LOT & EXP.

NEOSPORIN ORIGINAL

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0843
---------------------	----------------	---------------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0843-9	1 in 1 PACKAGE	06/01/2022	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	28.3 g
Part 2	1 TUBE	14.2 g

Part 1 of 2

NEOSPORIN ORIGINAL

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:69968-0056
---------------------------	----------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
OLIVE OIL (UNII: 6UYK2W1W1E)	
COCOA BUTTER (UNII: 512OYT1CRR)	
SODIUM PYRUVATE (UNII: POD38AIF08)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PETROLATUM (UNII: 4T6H12BN9U)	
LEVANT COTTONSEED OIL (UNII: N5CFT140R8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0056-1	1 in 1 CARTON		
1		28.3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/03/2016	

Part 2 of 2

NEOSPORIN ORIGINAL

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:69968-0056
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
OLIVE OIL (UNII: 6UYK2W1W1E)	
LEVANT COTTONSEED OIL (UNII: N5CFT140R8)	
COCOA BUTTER (UNII: 512OYT1CRR)	
SODIUM PYRUVATE (UNII: POD38AIF08)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0056-2	1 in 1 CARTON		
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/03/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	06/01/2022	

Labeler - Kenvue Brands LLC (118772437)

Revised: 2/2025

Kenvue Brands LLC