

## **CHILDRENS ZYRTEC- cetirizine hydrochloride tablet, chewable**

### **A-S Medication Solutions**

-----

#### **Children's Zyrtec Chewable Tablets 2.5mg**

#### ***Drug Facts***

#### **Active ingredient (in each chewable tablet)**

Cetirizine HCl 2.5 mg

#### **Purpose**

Antihistamine

#### **Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

#### **Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

#### **When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

#### **If pregnant or breast-feeding**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- may be taken with or without water
- chew or crush tablets completely before swallowing

children 2 to under 6 years of age	Chew and swallow 1 tablet (2.5 mg) once daily; If needed, dose can be increased to a maximum of 2 tablets (5 mg) once daily or 1 tablet (2.5 mg) every 12 hours. Do not give more than 2 tablets (5 mg) in 24 hours.
adults and children 6 years and over	Chew and swallow 2 tablets (5 mg) or 4 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 4 tablets (10 mg) in 24 hours.
adults 65 years and over	Chew and swallow 2 tablets (5 mg) once daily; do not take more than 2 tablets (5 mg) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is torn or broken**

### Inactive ingredients

betadex, corn starch, flavor, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose

## Questions?

call **1-800-343-7805** (toll-free) or **215-273-8755** (collect)

## HOW SUPPLIED

Product: 50090-6845

NDC: 50090-6845-0 6 TABLET, CHEWABLE in a BLISTER PACK / 4 in a CARTON

## Cetirizine hydrochloride



## CHILDRENS ZYRTEC

cetirizine hydrochloride tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-6845(NDC:50580-790)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	2.5 mg

### Inactive Ingredients

Ingredient Name	Strength
BETADEX (UNII: JV039JZZ3A)	
ZEAMAYS (CORN) STARCH (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

MANNITOL (UNII: 3OWL53L36A)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	8mm	
Flavor	GRAPE	Imprint Code	CTZ	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-6845-0	4 in 1 CARTON	11/29/2023	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
NDA	NDA021621		06/21/2021	

**Labeler** - A-S Medication Solutions (830016429)

## Establishment

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-6845)

Revised: 4/2025

A-S Medication Solutions