

PAIN RELIEF GEL-PATCH- lidocaine and menthol patch
Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.

Liuquanmiao, Lidocaine+Menthol Pain Relief Gel-Patch, Lidocaine 4%, Menthol 1%, 15 Patches

Active ingredients

Lidocaine 4% Purpose: Topical anesthetic

Menthol 1% Purpose: Topical analgesic

Purpose

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adult and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12:Consult a doctor

Inactive ingredients

Dihydroxyaluminium Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

supports@sumifunofficial.com

Package label. Principal display panel

Maximum Strength

CUT OPEN HERE

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

- Fast Acting**
- Stay-put Flexible Patch**
- Cooling & Numbs Pain Away**



4% LIDOCAINE
1% MENTHOL

1 PATCH
5.5" X 3.94"
14cm X 10cm



Drug Facts

Active ingredients	Purpose
Lidocaine 4%	Topical anesthetic
Menthol 1%	Topical analgesic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Guangzhou Lishuamiao Import & Export Trade Co., Ltd.
411 Building A, No. 8, Dongheng San Road,
Zhuou, Tianhe District, Guangzhou, Guangdong, China.

Child Resistant Packaging



6 9 7 4 8 1 7 6 7 7 8 9 9

18
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
INS: @sumifunofficial
TikTok: @sumifunofficial
YouTube: @sumifun
Facebook: @sumifunofficial
Twitter: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

18 PATCHES
6.5"X 3.94"
(16cm X 10cm)

Guangzhou Luquanmiao Import & Export Trade Co., Ltd.
417, Building A, No. 8, Dong Heng San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

unijuns



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredients **Purpose**
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

- Do not use
 - on wounds or damaged skin
 - with a heating pad or device
 - with other ointments, creams, sprays, or liniments
 - if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 19 7 7 3 1 4 3 4 9 1 3 9 1

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
 - Tear off the protective film and apply the exposed part of the patch to the affected area.
 - Carefully remove remaining film while pressing the patch firmly on the skin.
 - Remove patch from the skin after at most 8-hour application.
- Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Citrate Disodium, Glycerin, Hydroacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polycrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com
business@sumifunofficial.com

Child Resistant Packaging

25
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

25 PATCHES
5.8" X 3.94"
(14cm X 10cm)

Guangzhou Liguanniao Import & Export Trade Co., Ltd.
417, Building A, No. 8, Dong Heng San Road,
Zhuocun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

unijuns



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active Ingredients **Purpose**
Lidocaine 4% Topical anesthetic.
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or treatments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 19773 14134914 61

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.

- Remove patch from the skin after at most 8-hour application.
- Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Isobutyl, L-lys-Tartrate Acid, Mineral Oil, Polyborate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

Lidocaine + Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 WeChat: @sumifunofficial
 Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine + Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING 8H

4% LIDOCAINE 1% MENTHOL

31 PATCHES
5.5" x 3.84" (14cm x 9.8cm)

Guangzhou Lidaomedical Import & Export Trade Co., Ltd.
 #17 Building A, No. 8, Dong Heng San Road,
 Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun®

Drug Facts

Active ingredients **Purpose**
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only
 • on wounds or damaged skin
 • with a heating pad or device
 • with other ointments, creams, sprays, or liniments
 • if you are allergic to any ingredients of this product

When using this product
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or rashes
 • do not bandage tightly

Stop use and ask a doctor if
 • skin reactions such as redness, swelling, blistering or other discomfort occur
 • symptoms persist for more than 7 days

If pregnant or breast-feeding,
 ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8-hour application.
Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydrogenphosphorus, Hydroxyacetophenone, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
 Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 3 1 4 1 3 4 9 1 5 3 1

15

PATCHES

Lidocaine +Menthol

www.sumifun.com | YouTube: @sumifun
 Instagram: @sumifunofficial | Facebook: @sumifunofficial
 Email: info@sumifunofficial | Twitter: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away

LONG LASTING

8H

4% LIDOCAINE
1% MENTHOL

15

PATCHES
EFTS 3.83*
UNAN 8.18**

Sumifun® Lidocaine +Menthol 4% Patch Patch Co., Ltd.
 417 Building A, No. 9, Dong Heng San Road,
 Zhongyuan Industrial Zone, Guangzhou, Guangdong, China.

Usage

- 1

Remove patch from outer package
- 2

Partially peel back protective film
- 3

Place on affected area
- 4

Remove remaining film while pressing patch to skin

Knee

Back

Neck

Elbow

Shoulder

Drug Facts

Active Ingredients Purpose
 Lidocaine HCl Topical anesthetic
 Menthol No Topical analgesic

Uses
 Temporarily relieves muscle aches and minor joint pains in the wrist, elbow, back, neck, hip, shoulders, elbows.

Warnings
For external use only
 • on wounds or damaged skin
 • with a heating pad or device
 • with other ointments, creams, sprays, or lotions
 • if you are allergic to any ingredients of this product

Do not use
 • on wounds or damaged skin
 • with a heating pad or device
 • with other ointments, creams, sprays, or lotions
 • if you are allergic to any ingredients of this product

When using this product
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or other surfaces
 • do not bandage tightly

Stop use and ask a doctor if
 • skin reactions such as redness, swelling, itching or other discomfort occur
 • symptoms persist for more than 7 days

Keep out of reach of children.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8 hour application.
Children under age of 12: Consult a doctor

Inactive ingredients
 Ethylhexylglycerin, Arachidonic Acid, Ethylhexyl Diacrylate, Citronellol, Hydroxyacetophenone, Hexyl, L-Ascorbic Acid, Methylol, Polyurethane 60, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Triethylamine, Stearic Acid

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com
 Child Resistant Packaging

172-01

Maximum Strength

CUT OPEN HERE

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

- Fast Acting**
- Stay-put Flexible Patch**
- Cooling & Numbs Pain Away**

LONG LASTING

-8H-

4% LIDOCAINE
1% MENTHOL

1 PATCH
5.5" X 3.94"
14cm X 10cm

Drug Facts

Active ingredients Purpose
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Guangzhou Lishuwan Import & Export Trade Co., Ltd.
411 Building A, No. 8, Dong Heng San Road,
Zhuou, Tianhe District, Guangzhou, Guangdong, China.

Child Resistant Packaging

6 9 7 4 8 1 7 6 7 7 8 9 9

PAIN RELIEF GEL-PATCH

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-172
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888119H)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MINERAL OIL (UNII: T5L8T28FGP)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
GLYCERIN (UNII: PDC6A3C0OX)
EDETATE DISODIUM (UNII: 7FLD91C86K)
POVIDONE K90 (UNII: RDH86HJV5Z)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-172-15	15 in 1 BOX	11/28/2023	
1		12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:83602-172-18	18 in 1 BOX	10/14/2024	
2		12 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:83602-172-25	25 in 1 BOX	10/14/2024	
3		12 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:83602-172-31	31 in 1 BOX	10/14/2024	
4		12 g in 1 PATCH; Type 0: Not a Combination Product		
5	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product	11/28/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/28/2023	

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Registrant - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 7/2025

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.