GOODYS HANGOVER- aspirin and caffeine powder Medtech Products Inc.

Goodys Hangover

Drug Facts

Active ingredients (in each powder)

Purposes

Aspirin (NSAID*) 1000 mg.......Pain reliever

Caffeine 150 mg.....Alertness aid

Uses

Temporarily relieves minor aches and pains due to:

- hangover
- headache
- muscle aches

Helps restore mental alertness when experiencing fatigue or drowsiness associated with a hangover

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause severe allergic reaction which may include:

hives • facial swelling • shock • asthma (wheezing).

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)

^{*}nonsteroidal anti-inflammatory drug

- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed.

Caffeine warning:

The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

Do not use

- for more than 2 days for a hangover unless directed by a doctor. Not intended for use as a substitute for sleep. If fatigue or drowsiness persists or continues to recur, consult a doctor.
- if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- in children under 12 years of age

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

taking a prescription drug for ■ diabetes ■ gout ■ arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away
- you experience any of the following signs of stomach bleeding
- •feel faint vomit blood have bloody or black stool
- have stomach pain that does not get better
- any new symptoms appear
- ringing in the ears or a loss of hearing occurs

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- •Adults and children 12 years and over: place 1 powder on tongue every 6 hours, while symptoms persist. Drink a full glass of water or other liquid.
- •Do not take more than 4 powders in 24 hours unless directed by a doctor.
- •Children under 12 years: ask a doctor.

Other information

Store below 25°C (77°F)

Inactive ingredients

colloidal silicon dioxide, flavor, guar gum, mannitol, microcrystalline cellulose, sucralose, xylitol.

Questions?

1-866-255-5197 goodyspowder.com

PRINCIPAL DISPLAY PANEL

Goody's® Hangover

Berry Citrus Boost

ASPIRIN (NSAID) / PAIN RELIEVER, CAFFEINE /ALERTNESS AID

16 powder stick packs



TAMPER EVIDENT: DO NOT USE IF PACK IS DAMAGED OR OPEN.

TO OPEN CHILD-RESISTANT PACKAGE







Pinch and tear at either arrow or use scissors.

Drug Facts

Active ingredients Purposes
(in each powder)
Aspirin (NSAID*) 1000 mg Pain reliever
Caffeine 150 mg Alertness aid
*nonsteroidal anti-inflammatory drug

Uses Temporarily relieves minor aches and pains due to:

hangover =headache = muscle aches. Helps restore
mental alertness when experiencing fatigue or drowsiness
associated with a hangover.

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause severe allergic reaction which may include:

hives
facial swelling
shock
asthma (wheezing).

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you = are age 60 or older = have had stomach ulcers or bleeding problems = take a blood thinning (anticoagulant) or steroid drug = take other drugs

Drug Facts (continued)

containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others) •have 3 or more alcoholic drinks every day while using this product •take more or for a longer time then directed


Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

Do not use I for more than 2 days for a hangover unless directed by a doctor. Not intended for use as a substitute for sleep. If fatigue or drowsiness persists or continues to recur, consult a doctor. If you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer in children under 12 years of age

Ask a doctor before use if stomach bleeding warning applies to you syou have a history of stomach problems, such as heartburn you have high blood pressure, heart disease, liver cirrhosis, or kidney disease you are taking a diuretic you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for #diabetes #gout #arthritis

Stop use and ask a doctor if an allergic reaction occurs. Seek medical help right away. you experience any of the following signs of stomach bleeding: afeel faint



GOODYS HANGOVER

aspirin and caffeine powder

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63029-665

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	150 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	1000 mg

Inactive I	Inared	lients

Strength

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

GUAR GUM (UNII: E89I1637KE)

MANNITOL (UNII: 30WL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XYLITOL (UNII: VCQ006KQ1E)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor	BERRY (Berry Citrus)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-665- 16	16 in 1 CARTON; Type 0: Not a Combination Product	11/15/2019	
2	NDC:63029-665- 24	24 in 1 CARTON; Type 0: Not a Combination Product	11/15/2019	
3	NDC:63029-665- 04	4 in 1 CARTON; Type 0: Not a Combination Product	11/15/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/15/2019	

Labeler - Medtech Products Inc. (122715688)

Revised: 10/2024 Medtech Products Inc.