

PAIN RELIEVER- acetaminophen tablet, film coated
Walgreen Company

Pain Reliever

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain of arthritis

- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 6 hours while symptoms persist or as directed by a doctor
 - do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

Compare to the active ingredient in
Panadol® Extra Strength Caplets††

• WALGREENS •
PHARMACIST RECOMMENDED†

NDC 0363-1750-08

Pain Reliever

ACETAMINOPHEN 500 mg / PAIN RELIEVER / FEVER REDUCER

EXTRA STRENGTH

24 CAPLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†Our pharmacists recommend the Walgreens brand.
We invite you to compare to national brands.

††This product is not manufactured or distributed
by Haleon UK IP Limited, owner of the registered
trademark Panadol®.

50844 REV1024A17508

DISTRIBUTED BY: **WALGREEN CO.**

DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com ©2025 Walgreen Co.

TAMPER EVIDENT: DO NOT USE
IF IMPRINTED SAFETY SEAL
UNDER CAP IS BROKEN OR MISSING

Drug Facts
Active Ingredient
(in each caplet)
Acetaminophen 500 mg.....

Purpose
Pain reliever/
fever reducer

Uses
temporarily relieves minor aches and pains due to:
headache muscle aches
backache minor pain from arthritis
temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
more than 4,000 mg of acetaminophen in 24 hours
with other drugs containing acetaminophen
3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
skin redness blisters rash
If a skin reaction occurs, stop use and seek medical help right away.
Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued)
Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if
pain gets worse or lasts more than 10 days
fever gets worse or lasts more than 3 days
redness or swelling is present
any new symptoms appear
If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
do not take more than directed
adults and children 12 years and over
take 2 caplets every 6 hours while symptoms persist or as directed by a doctor
do not take more than 6 caplets in 24 hours, unless directed by a doctor
do not take for more than 10 days unless directed by a doctor
children under 12 years: ask a doctor

Drug Facts (continued)

Other Information
store at 25°C (77°F), excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number

Inactive ingredients
castor oil, hydroxyethylcellulose, polydioxane, sodium starch glycolate, starch, stearic acid

Questions or comments?
1-800-428-9381 8:30 AM-4:00 PM ET, Monday-Friday
Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Haleon UK IP Limited, owner of the registered trademark Paracetamol.
50844 REV1/02/4A17508
NDC 0363-1750-08



DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2025 Walgreen Co.
ITEM 247499 W000000-00000-0
3 1 1917 115506 7

No Print Area
Lot no. & Exp. Date

B-2201-175-08-WDHR
REV1024A17508

No Print
Glue Area

No Print
Glue Area

Walgreens

Compare to the active ingredient in Extra Strength Panadol® Caplets†

Pain Reliever
ACETAMINOPHEN 500 mg / PAIN RELIEVER / FEVER REDUCER

Extra Strength

24 CAPLETS



Walgreens 44-175

PAIN RELIEVER acetaminophen tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1750
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CASTOR OIL (UNII: D5340Y2I9G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;175
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1750-08	1 in 1 CARTON	04/02/1993	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/02/1993	

Labeler - Walgreen Company (008965063)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-1750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-1750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-1750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(0363-1750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-1750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117597853	pack(0363-1750)

Revised: 12/2025

Walgreen Company