

**CHILDRENS ALLERGY RELIEF- diphenhydramine hcl tablet, chewable**  
**Walgreen Company**

-----  
**Walgreens 44-480-Childrens Allergy Relief**

***Active ingredient (in each chewable tablet)***

Diphenhydramine HCl 12.5 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat

***Warnings***

**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- find right dose on chart below
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

<b>Age (yr)</b>	<b>Dose (chewable tablets)</b>
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

### **Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity

### **Inactive ingredients**

dextrates hydrated, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

### **Questions or comments?**

**1-800-426-9391**

### **Principal display panel**

NDC 0363-4810-09

### **Walgreens**

• **WALGREENS** •  
*PHARMACIST RECOMMENDED*<sup>†</sup>

Compare to the active ingredient in  
Children's Benadryl<sup>®</sup> Chewables<sup>††</sup>

**Children's  
Allergy Relief**

DIPHENHYDRAMINE HCl, 12.5 mg /  
CHEWABLE TABLETS / ANTIHISTAMINE

**Dye Free 4-6 Hour Dose**

- Relieves itchy or runny nose,  
sneezing, itchy throat &  
itchy, watery eyes

**AGES**

**6**

YEARS &  
OLDER

ACTUAL SIZE

Grape  
flavor

**20 CHEWABLE  
TABLETS**

**CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING.  
DO NOT SWALLOW TABLETS WHOLE.**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

†Our pharmacists recommend the  
Walgreens brand. We invite you to  
compare to national brands.

††This product is not manufactured or  
distributed by Johnson & Johnson  
Corporation, owner of the  
registered trademark Children's  
Benadryl® Chewables.

DISTRIBUTED BY: **WALGREEN CO.**  
**200 WILMOT RD., DEERFIELD, IL 60015**  
**100% SATISFACTION GUARANTEED**  
**walgreens.com**

©2021 Walgreen Co.

50844 ORG121848009

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
wagreens.com  
©2021 Walgreen Co.

ITEM 881252 W00000-0000-0  
3 11917 20087 3

NDC 0363-4810-09

Compare to the active ingredient in  
Children's Benadryl® Chewables\*

# Children's Allergy Relief

DIPHENHYDRAMINE HCl, 12.5 mg /  
CHEWABLE TABLETS / ANTIHISTAMINE

Dye Free   4-6 Hour Dose

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

AGES  
**6**  
YEARS &  
OLDER

ACTUAL SIZE

Grape  
flavor

**20** CHEWABLE TABLETS   CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.

**Drug Facts (continued)**

**Warnings**

- Do not use
  - with any other product containing diphenhydramine, even one used on skin
  - to make a child sleepy
- Ask a doctor before use if you have
  - glaucoma
  - a breathing problem such as emphysema or chronic bronchitis
  - difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts (continued)**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- Take 1 right dose on chart below
- Chew or crush tablets completely before swallowing; do not swallow tablets whole
- Take every 4 to 6 hours, or as directed by a doctor
- Do not take more than 6 times in 24 hours

**Age (yr)**

Age (yr)	Dose (Chewable Tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity

**Drug Facts (continued)**

**Inactive ingredients** decazine hydrate, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

**Questions or comments?** 1-800-426-9391

50844   ORG121848009

**Drug Facts (continued)**

**Directions**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- Take 1 right dose on chart below
- Chew or crush tablets completely before swallowing; do not swallow tablets whole
- Take every 4 to 6 hours, or as directed by a doctor
- Do not take more than 6 times in 24 hours

**Age (yr)**

Age (yr)	Dose (Chewable Tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. \*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl® Chewables.

W3ORG0222-F

**Do not Print Lot & Exp**

B-2201-480-09-HR  
ORG121848009

Walgreens 44-480

## CHILDRENS ALLERGY RELIEF

diphenhydramine hcl tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-4810
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>DEXTROSE MONOHYDRATE</b> (UNII: LX22YL083G)	
<b>ETHYLCELLULOSE, UNSPECIFIED</b> (UNII: 7Z8S9VYZ4B)	

<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	44;480
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4810-09	4 in 1 CARTON	05/13/2022	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/13/2022	

**Labeler** - Walgreen Company (008965063)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-4810) , pack(0363-4810)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-4810)

Revised: 5/2025

Walgreen Company