

ORGANYS OPEN FORMULA SHEER- zinc oxide lotion
Organys Beauty

Organys Open Formula Sheer

Organys Open Formula Sheer

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply,
 - immediately after towel drying
 - at least every 2 hours.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit your time in the sun, especially from 10am-2pm
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor.

Active Ingredients
Water, Caprylic/Capric Triglyceride, Isaneryl Laurate,
Squalane, Burylcetyl Salicylate, Ujoba Esters, Glycerin,
Caprylyl Glycol, Cetyl Nicotol, Glyceryl Stearate, Silica,
Polyglyceryl-2 Dipolyhydroxystearate, PEG-75 Stearate,
Nishyterpanadid, Alanitol, Pyrus Malus (Apple) Fruit
Extract, Lysolcedithin, Solenstium Gum, Lecithin, Cetearyl
20, Phenylpropanol, Steareth-20, Pullulan, Xanthan
Gum, Bisabolol, Aloe Barbaderis Leaf Juice Powder,
Malloctidrin, Tetrasodium Glutamate Diacetate,
Phenoxyethanol, Ethylhexylglycerin, Hexylene Glycol,
Tocopherol, Sodium Hydroxide.

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Organys Open Formula Sheer

DRUG FACTS	
Active Ingredients	Purpose
Zinc Oxide 12%	Sunscreen

Organys Open Formula Sheer

Warning

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes.
Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Organys Open Formula Sheer

DRUG FACTS	
Active ingredients	Purpose
Zinc Oxide 12%.....	Sunscreen

Organys Open Formula Sheer

Warning

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes.
Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Organys Open Formula Sheer



OPEN
FORMULA

**spf 50 sheer
moisturizer**

100% mineral
broad spectrum
SPF 50 sunscreen

1.5 fl oz | 45 ml

DRUG FACTS

Active Ingredients	Purpose
Zinc Oxide 12%	Sunscreen

Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using the product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - immediately after towel drying
 - at least every 2 hours.
- Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit your time in the sun, especially from 10am-2pm
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor.

Inactive Ingredients

Water, Caprylic/Capric Triglyceride, Isomyl Laurate, Squalane, Butylacetyl Salicylate, Jojoba Esters, Glycerin, Caprylyl Glycol, Distyl Alcohol, Glyceryl Stearate, Silica, Polyglyceryl-2 Dipolyhydroxystearate, PEG-75 Stearate, Methylparabenol, Allantoin, Pyrus Malus (Apple) Fruit Extract, Lysolecithin, Sclerotium Gum, Lecithin, Cetylalcohol, Phenoxyethanol, Stearic Acid, Pullulan, Xanthan Gum, Ribitol, Aloe Barbadensis Leaf Juice Powder, Maltodextrin, Tetrasodium Glutamate Diacetate, Phenoxethanol, Ethylhexylglycerin, Hexylene Glycol, Tocopherol, Sodium Hydroxide.

Other Information

Protect the product in this container from excessive heat and direct sun.

Question or Comments?
Call (312) 812-9999, or
Email: ask@openformula.com
Distributed by: Open Formula
Dee Platteau, IL 60018



ORGANYS OPEN FORMULA SHEER

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83612-1391
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETETH-20 (UNII: I835H2IHHX)	
PULLULAN (UNII: 8ZQ0AYU1TT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ISOAMYL LAURATE (UNII: M1SLX00M3M)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
SQUALANE (UNII: GW89575KF9)	
CYCLODEXTRINS (UNII: 7E6SK9QDT8)	
STEARETH-20 (UNII: L0Q8IK9E08)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83612-1391-1	45 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	08/04/2021	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		08/04/2021	

Labeler - Organys Beauty (077820778)

Revised: 10/2025

Organys Beauty