# TANDEM- ferrous fumarate, polysaccharide iron complex capsule U.S. Pharmaceutical Corporation

-----

## **TANDEM®**

Supplement Facts		
Serving Size: 1 Capsule		
Amount Per Serving		%DV*
Iron	106	589%
11011	mg	J0970
(53 mg from Ferrous Fumarate)		
(53 mg from Polysaccharide Iron Complex)		
* Percent daily value based on 2,000 calorie		
diet		

Other Ingredients: Microcrystalline Cellulose, Gelatin, Silicon Dioxide, Magnesium Stearate, Titanium Dioxide, FDA/E172 Yellow Iron Oxide, FDA/172 Black Iron oxide and FDA/E172 Red Iron Oxide

You should contact your healthcare provider for medical advice about adverse events. To report a serious adverse event, contact US Pharmaceutical Corporation, P.O. Box 360465, Decatur, GA 30036.

**INDICATIONS**: The treatment of iron deficiency anemia, which may occur due to an increased need for iron, a deficient intake of iron or an excessive loss of iron.

#### SIDE EFFECTS:

Gastrointestinal disturbance (anorexia, nausea, diarrhea, constipation) occur occasionally but are usually mild and subside with continuation of therapy.

### **DOSAGE:**

Adults (persons over 12 years of age), one (1) capsule daily, between meals, or as prescribed by a physician. Do not exceed recommended dosage. Do not administer to children under the age of 12. If you are pregnant or nursing a baby, seek the advice of a health professional before using the product.

**HOW SUPPLIED:** Tandem® are light brown opaque capsules printed radially in red with "Tandem" on the cap and 2 parallel lines of repeated "US" logo on the body. Available in box of 90 blister packed capsules (52747-0900-90). The listed product number is not a National Drug Code. Instead, US Pharmaceutical Corporation has assigned this product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

Do not purchase if any portion of product is opened. Store at room temperature 15° to 30°C (59° to 86°F) and dry place.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Ferrous Fumarate / Polysaccharide Iron Complex Supplement Capsules

# **Packaging**



## **TANDEM**

ferrous fumarate, polysaccharide iron complex capsule

Product Inform	ation
----------------	-------

**Product Type DIETARY SUPPLEMENT Item Code (Source)** NHRIC:52747-900

**ORAL Route of Administration** 

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength Strength

FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW89581OWR) FERROUS CATION 53 mg FERRIC CATION 53 mg

IRON POLYMALTOSE (UNII: UM5219H89V) (FERRIC CATION - UNII:9104LML611)

### **Inactive Ingredients**

Ingredient Name	Strength	
MICROCRYSTALLINE CELLULOSE 101 (UNII: 7T9FYH5QMK)		
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
TITANIUM DIOXIDE (UNII: 15FIX9V2IP)		

FERRIC OXIDE YELLOW (UNII: EX43802MRT)

FERROSOFERRIC OXIDE (UNII: XM0M87F357)

FERRIC OXIDE RED (UNII: 1K09F3G675)

P	Packaging			
#	Item Code	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NHRIC:52747-900-90	9 in 1 CARTON		
1		10 in 1 BLISTER PACK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		04/01/2006	

Supplement Facts			
Serving Size :		Serving per Container :	
	<b>Amount Per Serving</b>	% Daily Value	
color			
shape			
size (solid drugs)	19 mm		
scoring	1		
imprint			

**Labeler -** U.S. Pharmaceutical Corporation (079467662)

Revised: 5/2022 U.S. Pharmaceutical Corporation