PROCEUTICALS PRIVATE LABEL BY TIZO TINTED MINERAL SUNSCREEN titanium dioxide, zinc oxide cream Fallien Cosmeceuticals, LTD

DRUG FACTS

ACTIVE INGREDIENTS:

Titanium Dioxide 8%

Zinc Oxide 3.8%

PURPOSE:

Sunscreen

Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
- After 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am-2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI 77491), Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- PA +++

Principal Display Panel - 53 g Bottle Label

PROCEUTICALSPRIVATE LABEL by TiZO

tinted mineral sunscreen

broad spectrum spf 40 water resistant (80 minutes)

net wt. 1.8 oz / 53 g

DRUG FACTS

Zinc Oxide 3.8%

ACTIVE INGREDIENTS: Titanium Dioxide 8% PURPOSE: Sunscreen Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- · Apply liberally 15 minutes before sun exposure.
- · Reapply:
 - · After 80 minutes of swimming or sweating
 - · Immediately after towel drying
 - · At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - · Limit time in the sun, especially from 10 am-2 pm
 - · Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI 77491), Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

OTHER INFORMATION:

- · Protect this product from excessive heat and direct sun
- · May stain some fabrics
- · PA +++

MANUFACTURED FOR: City, State, Zip NDC 58892-203-50



tinted mineral sunscreen

broad spectrum spf 40 water resistant (80 minutes)

net wt. 1.8 oz / 53 g

PROCEUTICALS PRIVATE LABEL BY TIZO TINTED MINERAL SUNSCREEN

titanium dioxide, zinc oxide cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-203	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	80 mg in 1 g	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38 mg in 1 g	

Inactive Ingredients			
Ingredient Name Strei			
Aluminum Hydroxide (UNII: 5QB0T2IUN0)			
Cyclomethicone 6 (UNII: XHK3U310BA)			

Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Dimethicone 20 (UNII: H8YMB5QY0D)	
Dimethicone Crosspolymer (450000 MPA.S AT 12% in Cyclopentasiloxane) (UNII: UF7620L1W6)	
Dimethicone/Vinyl Dimethicone Crosspolymer (Soft Particle) (UNII: 9E4CO0W6C5)	
Dimethiconol (2000 CST) (UNII: T74O12AN6Y)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Lauryl PEG/PPG-18/18 Methicone (UNII: ZJ5S27D9NX)	
Hydrogen Dimethicone (20 cst) (UNII: 12Z59IF64N)	
PEG-10 Dimethicone (600 CST) (UNII: 8PR7V1SVM0)	
Tetrahexyldecyl Ascorbate (UNII: 9LBV3F07AZ)	
.AlphaTocopherol Acetate (UNII: 9E8X80D2L0)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:58892- 203-50	53 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	06/04/2024	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	06/04/2024		

Labeler - Fallien Cosmeceuticals, LTD (958388357)

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	ANALYSIS (58892-203)	

Establishment			
Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc. (FMI)		793406000	MANUFACTURE(58892-203), PACK(58892-203)

Revised: 6/2024 Fallien Cosmeceuticals, LTD