

**SALICYLIC ACID- callus removers patch**  
**Premier Brands of America Inc.**

-----  
**Premier Brands Callus Removers**

***Active ingredient***

Salicylic acid 40%

***Purpose***

Callus remover

***Use***

- for the removal of calluses
- relieves pain by removing calluses

***Warnings***

**For external use only.**

**Do not use**

- if you are a diabetic
- have poor blood circulation
- on irritated skin, on any area that is infected or reddened

**If discomfort persists** see your doctor or podiatrist

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit callus
- apply adhesive side down of medicated patch onto callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)
- may soak callus in warm water for 5 minutes to assist in removal
- continued wearing of pad (without patch) will help prevent recurrence of calluses

***Other information***

store between 15°C to 30°C (59°F to 86°F)

***Inactive ingredients***

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

***Questions?***

call 1-866-964-0939

**Principal Display Panel**

**Premier**

**CALLUS REMOVERS**

Salicylic Acid

Effective callus removal treatment

Protects against pressure & friction

MEDICATED

6 PADS/4 MEDICATED PATCHES



# CALLUS REMOVERS


## Salicylic Acid

Effective callus removal treatment  
Protects against pressure & friction

**MEDICATED**

**6 PADS / 4 MEDICATED PATCHES**

Use for calluses on feet & hands



**Drug Facts**

**Active ingredient Purpose**  
Salicylic acid 40%.....Callus remover

**Uses**  

- for the removal of calluses
- relieves pain by removing calluses

**Warnings**  
For external use only.

**Do not use**  

- if you are diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

**Stop use and ask a doctor** if discomfort persists

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit callus
- carefully adhere medicated patch directly over callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)
- may soak callus in warm water for 5 minutes to assist in removal

**Other information**  
store between 15° and 30°C (59° and 86°F)

**Inactive ingredients**  
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

**Questions?** Call 1-866-964-0939

**Care** ■ Avoid surrounding skin when applying medicated patch

52-005PB

0 34197 00130 4



FPO

Distributed by:  
 ©2020 Premier Brands of America Inc.  
 White Plains, New York 10601  
 www.premier-brands.com  
**Questions? Call 1-866-964-0939**  
 MADE IN USA WITH U.S.  
 AND IMPORTED PARTS



## SALICYLIC ACID

callus removers patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:56104-013
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 4

**Inactive Ingredients**

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-013-04	4 in 1 PACKAGE; Type 0: Not a Combination Product	01/01/2013	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	01/01/2013	

**Labeler** - Premier Brands of America Inc. (063849780)

Revised: 12/2025

Premier Brands of America Inc.