

BACZOL EXPECTORANT- dextromethorphan, guaifenesin liquid
Procaps S.A. de C.V.

BACZOL EXPECTORANT (G)

Drug Facts

Drug Facts

Active Ingredients & Purposes

Active ingredients (in each 5 mL tsp.)

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

Active ingredients (in each 10 mL)

Dextromethorphan HBr 10mg

Guaifenesin 200 mg.....

Purposes

Cough suppressant

Expectorant

Uses

Temporarily relieves common cold symptoms:

- cough due to minor throat & bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if the user has a

- cough that is accompanied by excessive phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma or emphysema

Stop use and ask a doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- only use the dosing cup provided
- do not exceed 6 doses in a 24-hour period

Age

adults and children 12 years and older

children 6 to 12 years

children under 6 years

Dose

20mL every 4 hours

10mL every 4 hours

do not use

Other information

- each 10 mL contains: **potassium** 10mg, **sodium** 10mg
- store between 68-77°F (20-25°C)
- do not refrigerate

Inactive ingredients

citric acid anhydrous, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sorbitol, sucralose, xanthan gum.

Questions or Comments?

+1-754-260-6479 (M-F) 9 AM to 5 PM EST or customer.service@sofgenpharma.com

Mfg. for: & Dist by:

Mfg. for/ Fdo. para:

PROCAPS GROUP

Boulevard de Ejercito Nacional, Km. 5 1/2, Soyapango,

San Salvador, El Salvador, C.A.

Baczol® is a registered trademark of Procaps S.A. De C.V.

Dist. by/ por:

Sofgen Pharmaceuticals LLC

21500 Biscayne Boulevard Ste. 600,

Aventura, FL 33180

Principal Display Panel



BACZOL EXPECTORANT

dextromethorphan, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76864-221
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76864-221-04	1 in 1 CARTON	12/01/2023	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/01/2023	

Revised: 2/2024

Procaps S.A. de C.V.