

EPSOM SALT- magnesium sulfate granule, for solution

Safeway Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Epsom Salt

Active ingredient

Magnesium sulfate USP (heptahydrate) 100%

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week.

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquid with each dose

- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste

adults and children 12 years and over - 2 to 6 level teaspoons (10 to 30 grams) daily

children 6 to under 12 years - 1 to 2 level teaspoons (5 to 10 grams) daily

children under 6 years - consult a doctor

Other information

- magnesium content 495 mg per teaspoon (5 grams)

Tamper Evident Packaging:

Caution: this package has been sealed for your protection. Do not use if package is open, torn or mutilated.

For external use as a soaking aid for minor sprains and bruises.

Directions: Dissolve 2 cupfuls of this product per gallon of water. Apply with bandages or towelling for 30 minutes up to three times a day, or use as a soak or in bath. Use warm water for best results.

CAUTION: If prompt relief is not obtained or there is evidence of infection, discontinue use and consult your physician. Hot or warm soaks should not be used by individuals with diabetes except on the advice of a physician. Keep out of reach of children.

DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99

PLEASANTON, CA 94566-0096

1-888-723-3929

www.betterlivingbrandsLLC.com

OUR PROMISE QUALITY & SATISFACTION 100% GUARANTEED OR YOUR MONEY BACK.

principal display panel

Signature CARE

Quality Guaranteed

Epsom Salt

Magnesium Sulfate U.S.P.

$MgSO_4 + 7H_2O$

Soaking aid for minor sprains & bruises

Saline laxative for relief of occasional constipation

NET WT 16 OZ (1 LB) 454 g



EPSOM SALT

magnesium sulfate granule, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-602
Route of Administration	ORAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE HEPTAHYDRATE	1 g in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-602-06	454 g in 1 POUCH; Type 0: Not a Combination Product	11/12/2002	
2	NDC:21130-602-01	18 14 g in 1 POUCH; Type 0: Not a Combination Product	11/12/2002	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/12/2002	

Labeler - Safeway Inc (009137209)

Registrant - Vi-Jon (790752542)

Establishment

Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(21130-602)

Revised: 4/2020

Safeway Inc