

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CAPUCCINO 310-C- octinoxate, zinc oxide liquid

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 BEIGE 220-C- octinoxate, zinc oxide liquid

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 LATTE 180-F- octinoxate, zinc oxide liquid

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 ALMENDRA 230-N- octinoxate, zinc oxide liquid

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CHAMPAGNE 170-N- octinoxate, zinc oxide liquid

BEL STAR S.A.

L'BEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15

Drug Facts

Active Ingredients

Octinoxate 4.50%

Zinc oxide 2.94%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information


- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethano, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.

May Contain: titanium dioxide, iron oxides.

Product Packaging - CHAMPAGNE 170-N



Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses:
 ■ Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
May Contain: titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONE: CHAMPAGNE 170-N



L'BEL

SOLUTIONS
 PRO - HIALURON
 ÁCIDO HIALURÓNICO




BASE SÉRUM CON EFECTO
 RELLENO DE ARRUGAS
 FPS 15
 WRINKLE FILLER EFFECT
 SÉRUM FOUNDATION
 SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo sin contenido de producto.
 The packaging has a base without product content.

Product Packaging - LATTE 180-F



4.5% Hyaluronic Complex*

*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
May Contain: titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONE: LATTE 180-F

L'

L'BEL

SOLUTIONS
PRO - HIALURON

ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO
RELLENO DE ARRUGAS
FPS 15

WRINKLE FILLER EFFECT
SÉRUM FOUNDATION
SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo
sin contenido de producto.
The packaging has a base
without product content.

Product Packaging - BEIGE 220-C

4.5% Hyaluronic Complex*

*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin

Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
May Contain: titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONE: BEIGE 220-C

L'

L'BEL

SOLUTIONS
PRO - HIALURON

ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO
RELLENO DE ARRUGAS
FPS 15

WRINKLE FILLER EFFECT
SÉRUM FOUNDATION
SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo sin contenido de producto.
The packaging has a base without product content.

4.5% Hyaluronic Complex*

*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ Skin Cancer / Skin

Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
May Contain: titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONE: ALMENDRA 230-N

L'

L'BEL

SOLUTIONS
PRO - HIALURON

ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO
RELLENO DE ARRUGAS
FPS 15

WRINKLE FILLER EFFECT
SÉRUM FOUNDATION
SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo
sin contenido de producto.
The packaging has a base
without product content.

Product Packaging - CAPUCCINO 310-C

4.5% Hyaluronic Complex*

*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

Uses:

- Helps prevent sunburn.

Warnings: ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

Other information: ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
May Contain: titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd.

L'

L'BEL

SOLUTIONS
 PRO - HIALURON
 ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO
 RELLENO DE ARRUGAS
 FPS 15

WRINKLE FILLER EFFECT
 SÉRUM FOUNDATION
 SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo sin contenido de producto.
 The packaging has a base without product content.

TONE: CAPUCCINO 310-C

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CAPUCCINO 310-C

octinoxate, zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-337
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LAURETH-12 (UNII: OAH19558U1)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	

SUCROSE PALMITATE (UNII: 3OSQ643ZK5)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
WATER (UNII: 059QF0KO0R)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BENZYL ALCOHOL (UNII: LKG8494WBH)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
CHLORPHENESIN (UNII: I670DAL4SZ)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-337-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 BEIGE 220-C

octinoxate, zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-335
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LAURETH-12 (UNII: OAH19558U1)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
WATER (UNII: 059QF0KOOR)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 141111			

1	NDC:14141-335-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		12/14/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 LATTE 180-F

octinoxate, zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-334
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LAURETH-12 (UNII: OAH19558U1)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
WATER (UNII: 059QF0K00R)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BENZYL ALCOHOL (UNII: LKG8494WBH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-334-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 ALMENDRA 230-N

octinoxate, zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-336
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZ4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CHLORPHENESIN (UNII: I670DAL4S2)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LAURETH-12 (UNII: OAH19558U1)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-336-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CHAMPAGNE 170-N

octinoxate, zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-333
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LAURETH-12 (UNII: OAH19558U1)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
ISODODECANE (UNII: A8289P68Y2)
GLYCERIN (UNII: PDC6A3C0OX)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
WATER (UNII: 059QF0KO0R)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
GLYCERYL LINOLEATE (UNII: 7B8K5VPO5S)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-333-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

Labeler - BEL STAR S.A. (880160197)