

**LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CAPUCCINO 310-C- octinoxate, zinc oxide liquid**

**LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 BEIGE 220-C- octinoxate, zinc oxide liquid**

**LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 LATTE 180-F- octinoxate, zinc oxide liquid**

**LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 ALMENDRA 230-N- octinoxate, zinc oxide liquid**

**LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CHAMPAGNE 170-N- octinoxate, zinc oxide liquid**

**BEL STAR S.A.**

-----  
**L'BEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15**

## **Drug Facts**

### **Active Ingredients**

Octinoxate 4.50%

Zinc oxide 2.94%

### **Purpose**

Sunscreen

### **Uses**

- Helps prevent sunburn.

### **Warnings**

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

### **Do not use**

on damaged or broken skin.

### **When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**


- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethano, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.

May Contain: titanium dioxide, iron oxides.

**Product Packaging - CHAMPAGNE 170-N**



**Drug Facts**

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

**Uses:**  
 ■ Helps prevent sunburn.

**Warnings:** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information:** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:** Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.  
**May Contain:** titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

**TONE: CHAMPAGNE 170-N**



L'BEL

SOLUTIONS  
 PRO - HIALURON  
 ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO  
 RELLENO DE ARRUGAS  
 FPS 15  
 WRINKLE FILLER EFFECT  
 SÉRUM FOUNDATION  
 SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo sin contenido de producto.  
 The packaging has a base without product content.

**Product Packaging - LATTE 180-F**



4.5% Hyaluronic Complex\*

\*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

### Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 % .....	Sunscreen
Zinc oxide 2.94 % .....	Sunscreen

#### Uses:

- Helps prevent sunburn.

**Warnings:** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information:** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:** Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.  
**May Contain:** titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONE: LATTE 180-F

L'

L'BEL

SOLUTIONS  
PRO - HIALURON

ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO  
RELLENO DE ARRUGAS  
FPS 15

WRINKLE FILLER EFFECT  
SÉRUM FOUNDATION  
SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo  
sin contenido de producto.  
The packaging has a base  
without product content.

Product Packaging - BEIGE 220-C

4.5% Hyaluronic Complex\*

\*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

### Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

#### Uses:

- Helps prevent sunburn.

#### Warnings: ■ Skin Cancer / Skin

**Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information:** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:** Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.  
**May Contain:** titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

**TONE: BEIGE 220-C**

L'

L'BEL

SOLUTIONS  
PRO - HIALURON

ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO  
RELLENO DE ARRUGAS  
FPS 15

WRINKLE FILLER EFFECT  
SÉRUM FOUNDATION  
SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo sin contenido de producto.  
The packaging has a base without product content.

4.5% Hyaluronic Complex\*

\*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

### Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

#### Uses:

- Helps prevent sunburn.

#### Warnings: ■ Skin Cancer / Skin

**Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information:** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:** Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.  
**May Contain:** titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

www.lbel.com

TONE: ALMENDRA 230-N

L'

L'BEL

SOLUTIONS  
PRO - HIALURON

ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO  
RELLENO DE ARRUGAS  
FPS 15

WRINKLE FILLER EFFECT  
SÉRUM FOUNDATION  
SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo  
sin contenido de producto.  
The packaging has a base  
without product content.

# Product Packaging - CAPUCCINO 310-C

4.5% Hyaluronic Complex\*

\*Hyaluronic complex contains: hyaluronic acid, lemon myrtle extract, glycerin and peptides.

## Drug Facts

Active Ingredients	Purpose
Octinoxate 4.50 %	Sunscreen
Zinc oxide 2.94 %	Sunscreen

### Uses:

- Helps prevent sunburn.

**Warnings:** ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor

**Other information:** ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients:** Dimethicone, water, isododecane, trimethylsiloxysilicate, peg-10 dimethicone, glycerin, polysilicone-11, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, hydroxyethyl urea, hdi/trimethylol hexyllactone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, sodium chloride, phenoxyethanol, butylene glycol, silica, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, tocopheryl acetate, sucrose palmitate, glyceryl linoleate, carbomer, laureth-12, backhousia citriodora leaf extract, polysorbate 20, benzyl alcohol, citric acid, potassium sorbate, sodium hyaluronate, ethylhexylglycerin, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.

**May Contain:** titanium dioxide, iron oxides.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd.

L'

L'BEL

SOLUTIONS  
PRO - HIALURON  
ÁCIDO HIALURÓNICO



BASE SÉRUM CON EFECTO  
RELLENO DE ARRUGAS  
FPS 15

WRINKLE FILLER EFFECT  
SÉRUM FOUNDATION  
SPF 15

1.01 fl.oz | 30 ml



El empaque tiene fondo  
sin contenido de producto.  
The packaging has a base  
without product content.

TONE: CAPUCCINO 310-C

# LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CAPUCCINO 310-C

octinoxate, zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-337
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	



<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>SUCROSE PALMITATE</b> (UNII: 3OSQ643ZK5)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>GLYCERYL LINOLEATE</b> (UNII: 7B8K5VPO5S)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-337-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

## LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 BEIGE 220-C

octinoxate, zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-335
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SUCROSE PALMITATE</b> (UNII: 3OSQ643ZK5)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>WATER</b> (UNII: 059QF0KOOR)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GLYCERYL LINOLEATE</b> (UNII: 7B8K5VPO5S)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 141111			

1	NDC:14141-335-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M020		12/14/2023	

## LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 LATTE 180-F

octinoxate, zinc oxide liquid

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-334
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LAURETH-12 (UNII: OAH19558U1)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	

<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>SUCROSE PALMITATE</b> (UNII: 3OSQ643ZK5)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>WATER</b> (UNII: 059QF0K00R)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>GLYCERYL LINOLEATE</b> (UNII: 7B8K5VPO5S)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-334-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

## LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 ALMENDRA 230-N

octinoxate, zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14141-336
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZ4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4S2)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>HYDROXYETHYL UREA</b> (UNII: MBQ7DDQ7AR)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>BACKHOUSIA CITRIODORA LEAF</b> (UNII: FKN73KG747)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SUCROSE PALMITATE</b> (UNII: 3OSQ643ZK5)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GLYCERYL LINOLEATE</b> (UNII: 7B8K5VPO5S)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-336-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

## LBEL SOLUTIONS PRO-HIALURON BASE SERUM CON EFECTO RELLENO DE ARRUGAS FPS 15 WRINKLE FILLER EFFECT SERUM FOUNDATION SPF 15 CHAMPAGNE 170-N

octinoxate, zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-333
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	45 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LAURETH-12 (UNII: OAH19558U1)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
WATER (UNII: 059QF0KO0R)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
BACKHOUSIA CITRIODORA LEAF (UNII: FKN73KG747)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>SUCROSE PALMITATE</b> (UNII: 3OSQ643ZK5)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>GLYCERYL LINOLEATE</b> (UNII: 7B8K5VPO5S)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-333-01	1 in 1 BOX	12/14/2023	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/14/2023	

**Labeler** - BEL STAR S.A. (880160197)