

**LARGE ANSI FIRST AID KIT- water, benzalkonium chloride, isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, lidocaine hydrochloride**  
**GFA Production (Xiamen) Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Large ANSI First Aid Kit**

### **Drug Facts**

#### **Active ingredient**

Purified Water 99.1%

#### **Purpose**

Eyewash

#### **Use**

For cleansing the eye to help relieve irritation or burning by removing loose foreign material

#### **Warnings**

For external use only.

#### **Do not use**

if solution changes color or becomes cloudy

#### **When using this product**

• to avoid contamination, do not touch tip of container to any surface • do not reuse • once opened, discard • obtain immediate medical treatment for all open wounds in or near the eyes

#### **Stop use and ask a doctor if**

• you experience: • eye pain • changes in vision • continued redness • irritation of the eye • condition worsens or persists

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

• Flush the affected eye as needed, controlling the rate of flow of solution by pressure on the bottle

#### **Other information**

- not for use as contact lens solution
- use before expiration date marked on the bottle
- store at room temperature, 5° to 35°C (41° to 95°F)

**Inactive ingredients**

Benzalkonium chloride, sodium chloride

**DRUG FACTS****Active Ingredient:**

Benzalkonium Chloride 0.13%

**Purpose:**

First Aid Antiseptic

**Use:**

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings:**

For external use only.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

**Do not use:**

In the eyes, or over large areas of the body.

**Directions:**

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive ingredient:**

Purified water.

**DRUG FACTS****Active Ingredient:**

Isopropyl Alcohol, 70% v/v

**Purpose:**

Antiseptic

**Use:**

For preparation of the skin before injection.

**Warnings:**

**For external use only.**

**Flammable - keep away from fire or flame.**

**Do not use:**

with electrocautery, in the eyes

**Stop use**

if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

Wipe injection site vigorously and discard.

**Other information:**

Store at room temperature 15°-30° C (59°-86° F)

**Inactive ingredient:**

Purified water.

**Drug Facts****Active ingredients (in each gram)**

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate (neomycin 3.5mg)

Polymyxin B sulfate (polymyxin B 5,000 units)

**Purpose**

First aid antibiotic

**Use**

- First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings**

For external use only.

**Do not use**

• in the eyes • over large areas of the body • if you are allergic to any of the ingredient • longer than 1 week unless directed by a doctor.

**Ask a doctor before use**

if you have

**Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean the affected area.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

**Other information**

Store at room temperature

**Inactive ingredients**

Mineral oil, petrolatum, purified water

**Drug Facts**

**Active ingredients**

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5%

**Purpose**

First aid antiseptic

Pain relieving cream

**Uses**

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns , minor cuts, and scrapes

**Warnings**

For external use only.

**Do not use**

- in the eyes
- over large areas of the body
- in large quantities
- over raw surfaces or blistered areas
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns.

**Stop use and ask a doctor if**

- the condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occur

again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean the affected area
- Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age: consult a doctor
- May be covered with a sterile bandage

**Other information**

Store at room temperature

**Inactive ingredients**

glycerin monostearate, glycerol, purified water

**Drug Facts**

**Active ingredient**

Ethyl alcohol 62%

**Purpose**

Antiseptic

**Uses**

- For handwashing to decrease bacteria on the skin
- Recommended for repeated use.

**Warnings**

**Flammable, keep away from fire or flame**

**For external use only.**

**Do not use**

- in the eyes.

**Stop use and ask a doctor if**

- irritation and redness develop
- condition persists for more than 72 hours

**Keep out of reach children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Wet hands thoroughly with product and allow to dry without wi

### Other information

Store at 15° to 25°C (59° to 77°F)

### Inactive ingredients

Carbomer, propylene glycol, purified water, titanium dioxide

### Eye Wash (50814-010-01) Labeling:

**REFILL 6**

**REFILL INSTRUCTIONS**

1. Remove old box from tabbed grid by slightly squeezing the front of box and pull straight out.
2. Insert the new product box into the grid with the removable panel facing the front, pushing it past the tabs, locking it into place.
3. Remove the upper half of the box front panel by hooking your finger into the hole, and pulling back. This will tear along the perforated edge and give access to the first aid product.

**DayMark**  
Safety Systems

Made in China

ANSI-ISEA Z308.1-2015

**DayMark**  
Safety Systems

**Eye Wash, Eye Pads,  
First Aid Tape Roll 1/2" x 5yd.**  
Lavar Ojos, Almohadilla del Ojo, y Cinta

1 eye wash  
2 eye pads  
1 tape

IT117445

Drug Facts	
<b>Active ingredient</b> Purified Water 99.1%	<b>Purpose</b> Eyewash
<b>Use</b> ■ For cleansing the eye to help relieve irritation or burning by removing loose foreign material	
<b>Warnings</b> For external use only. Do not use if solution changes color or becomes cloudy	
<b>When using this product</b> ■ to avoid contamination, do not touch tip of container to any surface ■ do not reuse ■ once opened, discard ■ obtain immediate medical treatment for all open wounds in or near the eyes	
<b>Stop use and ask a doctor if</b> ■ you experience: ■ eye pain ■ changes in vision ■ continued redness ■ irritation of the eye ■ condition worsens or persists	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ Flush the affected eye as needed, controlling the rate of flow of solution by pressure on the bottle	
<b>Other information</b> ■ not for use as contact lens solution ■ use before expiration date marked on the bottle ■ store at room temperature, 5° to 35°C (41° to 95°F)	
<b>Inactive ingredients</b> Benzalkonium chloride, sodium chloride	


### Antiseptic Towelettes (50814-011-01) Labeling:

**REFILL**  
**2**

Made in China

**REFILL INSTRUCTIONS**

1. Remove old box from tabbed grid by slightly squeezing the front of box and pull straight out.
2. Insert the new product box into the grid with the removable panel facing the front, pushing it past the tabs, locking it into place.
3. Remove the upper half of the box front panel by hooking your finger into the hole, and pulling back. This will tear along the perforated edge and give access to the first aid product.



**DayMark**  
Safety Systems

ANSI-ISEA Z308.1-2015

Antiseptic Towelettes **DayMark** Toallitas Antisepicas  
Safety Systems

**10** wipes IT113408

**DRUG FACTS - Antiseptic Towelette**

**Active Ingredient:** Benzalkonium Chloride 0.13%. **Purpose:** First Aid Antiseptic


**Use:** For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings:** For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

**Do not use:** In the eyes, or over large areas of the body.

**Directions:** Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive ingredient:** Purified water.



083491314474

**Alcohol Cleansing Pads (50814-012-01) Labeling:**

**REFILL**  
**4**

Made in China

**REFILL INSTRUCTIONS**

1. Remove old box from tabbed grid by slightly squeezing the front of box and pull straight out.
2. Insert the new product box into the grid with the removable panel facing the front, pushing it past the tabs, locking it into place.
3. Remove the upper half of the box front panel by hooking your finger into the hole, and pulling back. This will tear along the perforated edge and give access to the first aid product.



**DayMark**  
Safety Systems

ANSI-ISEA Z308.1-2015

Alcohol Cleansing Pads **DayMark** Toallitas Humedas con Alcohol  
Safety Systems

**20** pads IT113409

**DRUG FACTS - Alcohol Cleansing Pad**

**Active Ingredient:** Isopropyl Alcohol, 70% v/v. **Purpose:** Antiseptic

**Use:** For preparation of the skin before injection.

**Warnings:** For external use only. **Flammable - keep away from fire or flame.** Do not use with electrocautery, in the eyes. Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Wipe injection site vigorously and discard.

**Other information:** Store at room temperature 15°-30° C (59°-86° F)

**Inactive ingredient:** Purified water.



083491314481


**Antibiotic Application (50814-013-01) Labeling:**

**REFILL**  
**2**

Made in China

**REFILL INSTRUCTIONS**

1. Remove old box from tabbed grid by slightly squeezing the front of box and pull straight out.
2. Insert the new product box into the grid with the removable panel facing the front, pushing it past the tabs, locking it into place.
3. Remove the upper half of the box front panel by hooking your finger into the hole, and pulling back. This will tear along the perforated edge and give access to the first aid product.



**DayMark**  
Safety Systems

ANSI-ISEA Z308.1-2015

**DayMark**  
Safety Systems

Antibiotic Application  
Loción Antibiótica

**10** packs IT113401

**Drug Facts**

**Active ingredients (in each gram)** **Purpose**

Bacitracin zinc (bacitracin 400 units) } First aid antibiotic  
Neomycin sulfate (neomycin 0.5 mg)  
Polymyxin B sulfate (polymyxin B 5,000 units)

**Use**

First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings**

For external use only.

Do not use in the eyes or over large areas of the body. If you are allergic to any of the ingredients or longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if the condition persists or gets worse, a rash or other allergic reaction develops.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**


Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

**Other information**

Store at room temperature

**Inactive ingredients**

Mineral oil, petrolatum, purified water



083491314405

## Burn Treatment (50814-014-01) Labeling:

<p style="text-align: center;"><b>REFILL</b> <b>3</b></p> <p style="text-align: center;">Made in China</p>	<p style="text-align: center;"><b>REFILL INSTRUCTIONS</b></p> <ol style="list-style-type: none"> <li>1. Remove old box from tabbed grid by slightly squeezing the front of box and pull straight out.</li> <li>2. Insert the new product box into the grid with the removable panel facing the front, pushing it past the tabs, locking it into place.</li> <li>3. Remove the upper half of the box front panel by hooking your finger into the hole, and pulling back. This will tear along the perforated edge and give access to the first aid product.</li> </ol> <p style="text-align: center;"><b>DayMark</b> Safety Systems</p>	<p style="text-align: center;">ANSI-ISEA Z308.1-2015</p> <p style="text-align: center;"><b>DayMark</b> Safety Systems</p> <p style="text-align: center;"><b>Burn Treatment</b> Crema Para Quemaduras</p> <p style="text-align: center;"><b>10</b> packs    IT113402</p>	<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <td><b>Active ingredients</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Benzalkonium chloride 0.13% Lidocaine hydrochloride 0.5%</td> <td>First aid antiseptic Pain relieving cream</td> </tr> <tr> <td colspan="2"><b>Uses</b></td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> <li>First aid to help prevent infection in minor cuts, scrapes, and burns.</li> <li>For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.</li> </ul> </td> </tr> <tr> <td colspan="2"><b>Warnings</b></td> </tr> <tr> <td colspan="2">For external use only.</td> </tr> <tr> <td colspan="2"><b>Do not use</b></td> </tr> <tr> <td> <ul style="list-style-type: none"> <li>in large quantities</li> <li>longer than 1 week unless directed by a doctor</li> </ul> </td> <td> <ul style="list-style-type: none"> <li>in the eyes</li> <li>over raw surfaces or blistered areas</li> </ul> </td> </tr> <tr> <td colspan="2"> <b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>animal bites</li> <li>deep or puncture wounds</li> <li>serious burns.</li> </ul> </td> </tr> <tr> <td colspan="2"><b>Stop use and ask a doctor if</b></td> </tr> <tr> <td> <ul style="list-style-type: none"> <li>symptoms persist for more than 7 days or clear up and occur again within a few days</li> </ul> </td> <td> <ul style="list-style-type: none"> <li>the condition persists or gets worse</li> </ul> </td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2"><b>Directions</b></td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> <li>Clean the affected area</li> <li>Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily</li> <li>Children under 2 years of age: consult a doctor</li> <li>May be covered with a sterile bandage</li> </ul> </td> </tr> <tr> <td colspan="2"><b>Other information</b></td> </tr> <tr> <td colspan="2">Store at room temperature</td> </tr> <tr> <td colspan="2"><b>Inactive ingredients</b></td> </tr> <tr> <td colspan="2">glycerin monostearate, glycerol, purified water</td> </tr> </table> <p style="text-align: center;">083491314412</p>	Drug Facts		<b>Active ingredients</b>	<b>Purpose</b>	Benzalkonium chloride 0.13% Lidocaine hydrochloride 0.5%	First aid antiseptic Pain relieving cream	<b>Uses</b>		<ul style="list-style-type: none"> <li>First aid to help prevent infection in minor cuts, scrapes, and burns.</li> <li>For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.</li> </ul>		<b>Warnings</b>		For external use only.		<b>Do not use</b>		<ul style="list-style-type: none"> <li>in large quantities</li> <li>longer than 1 week unless directed by a doctor</li> </ul>	<ul style="list-style-type: none"> <li>in the eyes</li> <li>over raw surfaces or blistered areas</li> </ul>	<b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>animal bites</li> <li>deep or puncture wounds</li> <li>serious burns.</li> </ul>		<b>Stop use and ask a doctor if</b>		<ul style="list-style-type: none"> <li>symptoms persist for more than 7 days or clear up and occur again within a few days</li> </ul>	<ul style="list-style-type: none"> <li>the condition persists or gets worse</li> </ul>	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions</b>		<ul style="list-style-type: none"> <li>Clean the affected area</li> <li>Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily</li> <li>Children under 2 years of age: consult a doctor</li> <li>May be covered with a sterile bandage</li> </ul>		<b>Other information</b>		Store at room temperature		<b>Inactive ingredients</b>		glycerin monostearate, glycerol, purified water	
Drug Facts																																									
<b>Active ingredients</b>	<b>Purpose</b>																																								
Benzalkonium chloride 0.13% Lidocaine hydrochloride 0.5%	First aid antiseptic Pain relieving cream																																								
<b>Uses</b>																																									
<ul style="list-style-type: none"> <li>First aid to help prevent infection in minor cuts, scrapes, and burns.</li> <li>For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.</li> </ul>																																									
<b>Warnings</b>																																									
For external use only.																																									
<b>Do not use</b>																																									
<ul style="list-style-type: none"> <li>in large quantities</li> <li>longer than 1 week unless directed by a doctor</li> </ul>	<ul style="list-style-type: none"> <li>in the eyes</li> <li>over raw surfaces or blistered areas</li> </ul>																																								
<b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>animal bites</li> <li>deep or puncture wounds</li> <li>serious burns.</li> </ul>																																									
<b>Stop use and ask a doctor if</b>																																									
<ul style="list-style-type: none"> <li>symptoms persist for more than 7 days or clear up and occur again within a few days</li> </ul>	<ul style="list-style-type: none"> <li>the condition persists or gets worse</li> </ul>																																								
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																									
<b>Directions</b>																																									
<ul style="list-style-type: none"> <li>Clean the affected area</li> <li>Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily</li> <li>Children under 2 years of age: consult a doctor</li> <li>May be covered with a sterile bandage</li> </ul>																																									
<b>Other information</b>																																									
Store at room temperature																																									
<b>Inactive ingredients</b>																																									
glycerin monostearate, glycerol, purified water																																									

## Hand Sanitizer (50814-015-01) Labeling:

<p style="text-align: center;"><b>REFILL</b> <b>6</b></p> <p style="text-align: center;">Made in China</p>	<p style="text-align: center;"><b>REFILL INSTRUCTIONS</b></p> <ol style="list-style-type: none"> <li>1. Remove old box from tabbed grid by slightly squeezing the front of box and pull straight out.</li> <li>2. Insert the new product box into the grid with the removable panel facing the front, pushing it past the tabs, locking it into place.</li> <li>3. Remove the upper half of the box front panel by hooking your finger into the hole, and pulling back. This will tear along the perforated edge and give access to the first aid product.</li> </ol> <p style="text-align: center;"><b>DayMark</b> Safety Systems</p>	<p style="text-align: center;">ANSI-ISEA Z308.1-2015</p> <p style="text-align: center;"><b>DayMark</b> Safety Systems</p> <p style="text-align: center;"><b>Hand Sanitizer</b> Desinfectante para las Manos</p> <p style="text-align: center;"><b>6</b> packs, 0.9g.    IT117534</p>	<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <td><b>Active ingredient</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Ethyl alcohol 62%</td> <td>Antiseptic</td> </tr> <tr> <td colspan="2"><b>Uses</b></td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> <li>For handwashing to decrease bacteria on the skin</li> <li>Recommended for repeated use.</li> </ul> </td> </tr> <tr> <td colspan="2"><b>Warnings</b></td> </tr> <tr> <td colspan="2"><b>Flammable, keep away from fire or flame</b></td> </tr> <tr> <td colspan="2"><b>For external use only.</b></td> </tr> <tr> <td colspan="2"><b>Do not use</b></td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> <li>in the eyes.</li> </ul> </td> </tr> <tr> <td colspan="2"><b>Stop use and ask a doctor if</b></td> </tr> <tr> <td> <ul style="list-style-type: none"> <li>condition persists for more than 72 hours</li> </ul> </td> <td> <ul style="list-style-type: none"> <li>irritation and redness develop</li> </ul> </td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2"><b>Directions</b></td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> <li>Wet hands thoroughly with product and allow to dry without wiping.</li> </ul> </td> </tr> <tr> <td colspan="2"><b>Other information</b></td> </tr> <tr> <td colspan="2">Store at 15° to 25°C (59° to 77°F)</td> </tr> <tr> <td colspan="2"><b>Inactive ingredients</b></td> </tr> <tr> <td colspan="2">Carbomer, propylene glycol, purified water, titanium dioxide</td> </tr> </table> <p style="text-align: center;">083491348592</p>	Drug Facts		<b>Active ingredient</b>	<b>Purpose</b>	Ethyl alcohol 62%	Antiseptic	<b>Uses</b>		<ul style="list-style-type: none"> <li>For handwashing to decrease bacteria on the skin</li> <li>Recommended for repeated use.</li> </ul>		<b>Warnings</b>		<b>Flammable, keep away from fire or flame</b>		<b>For external use only.</b>		<b>Do not use</b>		<ul style="list-style-type: none"> <li>in the eyes.</li> </ul>		<b>Stop use and ask a doctor if</b>		<ul style="list-style-type: none"> <li>condition persists for more than 72 hours</li> </ul>	<ul style="list-style-type: none"> <li>irritation and redness develop</li> </ul>	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions</b>		<ul style="list-style-type: none"> <li>Wet hands thoroughly with product and allow to dry without wiping.</li> </ul>		<b>Other information</b>		Store at 15° to 25°C (59° to 77°F)		<b>Inactive ingredients</b>		Carbomer, propylene glycol, purified water, titanium dioxide	
Drug Facts																																									
<b>Active ingredient</b>	<b>Purpose</b>																																								
Ethyl alcohol 62%	Antiseptic																																								
<b>Uses</b>																																									
<ul style="list-style-type: none"> <li>For handwashing to decrease bacteria on the skin</li> <li>Recommended for repeated use.</li> </ul>																																									
<b>Warnings</b>																																									
<b>Flammable, keep away from fire or flame</b>																																									
<b>For external use only.</b>																																									
<b>Do not use</b>																																									
<ul style="list-style-type: none"> <li>in the eyes.</li> </ul>																																									
<b>Stop use and ask a doctor if</b>																																									
<ul style="list-style-type: none"> <li>condition persists for more than 72 hours</li> </ul>	<ul style="list-style-type: none"> <li>irritation and redness develop</li> </ul>																																								
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																									
<b>Directions</b>																																									
<ul style="list-style-type: none"> <li>Wet hands thoroughly with product and allow to dry without wiping.</li> </ul>																																									
<b>Other information</b>																																									
Store at 15° to 25°C (59° to 77°F)																																									
<b>Inactive ingredients</b>																																									
Carbomer, propylene glycol, purified water, titanium dioxide																																									

## Large ANSI First Aid Kit (50814-021-01) Labeling:





by DayMark®

**FIRST AID**

**ANSI/ISEA Z308.1-2015, Class A, Type I, II First Aid Kit**

This kit meets the ANSI/ISEA Z308.1-2015 standard as sold. It contains first aid products which meet performance specifications detailed in the standard at the below required minimum fill. It will continue to be compliant only when maintained with products that meet the standard at specified quantities.

**CARRYING CASE**

- 1 Reorder List
- 1 Hard Case
- 1 IT113406 - Scissors
- 1 IT113407 - Tweezers
- 2 IT113415 - 5"x9" Trauma Pads
- 10 IT113416 - 3"x3" Sterile Gauze Pads
- 10 IT113417 - 2"x2" Sterile Gauze Pads
- 1 IT113418 - First Aid Guide
- 1 Refill I131937** 1/refill  
Roller Bandage
- 2 Refill IT117500** 25/refill  
Blue Adhesive Bandages 1"x3"  
Metal Detectable
- 1 Refill IT117499** 20/refill  
Fingertip Blue Bandages  
Metal Detectable
- 1 Refill I131940** 2/refill  
2 Pairs Medical Exam Gloves

- 1 Refill IT113396** 10/refill  
Moleskin (Blister Prevention)
- 2 Refill IT113408** 10/refill  
Antiseptic Towelettes
- 1 Refill IT117501** 20/refill  
Knuckle Blue Bandages  
Metal Detectable
- 1 Refill I131947** 1/refill  
Triangular Bandage  
42"x42"x59"
- 1 Refill I131948** 50/refill  
Finger Cots
- 1 Refill IT113395** 1/refill  
Elastic Bandage Wrap  
with 2 fasteners
- 1 Refill IT113412** 6/refill  
Burn Relief

- 1 Refill IT113402** 10/refill  
Burn Treatment
- 1 Refill IT113409** 20/refill  
Alcohol Cleansing Pads
- 1 Refill IT113401** 10/refill  
Antibiotic Application
- 1 Refill IT117448** 1/refill  
CPR Breathing Barrier
- 1 Refill IT117541** 1/refill  
Burnshield
- 1 Refill IT117446** 1/refill  
Instant Cold Compress
- 1 Refill IT117534** 6/refill  
Hand Sanitizer
- 1 Refill IT117445**  
1 Eyewash, 2 Eye Pads, 1 First Aid Tape Roll

The described kit may be suitable for some businesses. However, the adequacy of the contents for hazards of each work environment should always be evaluated by competent personnel. Kits should be inspected frequently to ensure the completeness and usability of all first aid supplies. Any supply beyond its marked expiration date should be discarded and replaced. For a variety of operations, employers may find that additional first aid supplies and kits are needed.



**LARGE ANSI FIRST AID KIT**

water, benzalkonium chloride, isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, lidocaine hydrochloride kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50814-021
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-021-01	1 in 1 KIT	08/09/2016	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
<b>Part 1</b>	1 TUBE	30 mL
<b>Part 2</b>	20 PATCH	18 g
<b>Part 3</b>	20 PATCH	18 g
<b>Part 4</b>	6 PACKAGE	5 g
<b>Part 5</b>	10 PACKAGE	9 g
<b>Part 6</b>	6 PACKAGE	5.4 g

**Part 1 of 6**

**EYE WASH**

water solution

### Product Information

Item Code (Source) NDC:50814-010

Route of Administration OPHTHALMIC

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	991 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-010-01	1 in 1 BOX		
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part349	08/09/2016	

## Part 2 of 6

### ANTISEPTIC TOWELETTES

benzalkonium chloride cloth

### Product Information

Item Code (Source) NDC:50814-011

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-011-01	2 in 1 BOX		
1		10 in 1 BOX		
1		0.9 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/09/2016	

**Part 3 of 6****ALCOHOL CLEANSING**

isopropyl alcohol cloth

**Product Information**

Item Code (Source)	NDC:50814-012
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-	1 in 1 BOX		

1	012-01	1 in 1 BOX		
1		20 in 1 BOX		
1		0.9 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A		

## Part 4 of 6

### ANTIBIOTIC APPLICATION

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

## Product Information

Item Code (Source)	NDC:50814-013
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-013-01	1 in 1 BOX		
1		10 in 1 BOX		
1		0.9 g in 1 PACKAGE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B		

## Part 5 of 6

### BURN TREATMENT

benzalkonium chloride, lidocaine hydrochloride cream

#### Product Information

Item Code (Source) NDC:50814-014

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

#### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-014-01	1 in 1 BOX		
1		10 in 1 BOX		
1		0.9 g in 1 PACKAGE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/09/2016	

## Part 6 of 6

### HAND SANITIZER

alcohol gel

**Product Information**

<b>Item Code (Source)</b>	NDC:50814-015
---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.62 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50814-015-01	1 in 1 BOX		
1		6 in 1 BOX		
1		0.9 g in 1 PACKAGE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part333A	08/09/2016	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333B	08/09/2016	

**Labeler** - GFA Production (Xiamen) Co., Ltd. (421256261)

Revised: 3/2019

GFA Production (Xiamen) Co., Ltd.