

SKINCEUTICALS FUTURE MINERAL UV DEFENSE INVISIBLE SUNSCREEN MINERAL FILTERS BROAD SPECTRUM SPF 50- titanium dioxide and zinc oxide lotion
L'Oreal USA Products Inc

Drug Facts

Active ingredient

Titanium dioxide 2.66%

Zinc oxide 15.35%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, C15-19 alkane, glycerin, dicaprylyl carbonate, niacinamide, propanediol, cetearyl isononanoate, polyhydroxystearic acid, dimethicone, ethylhexyl methoxycrylene, cellulose, triethylhexanoin, isohexadecane, triethoxycaprylylsilane, steareth-20, silica, glyceryl stearate, polysorbate 20, steareth-2, cetearyl alcohol, panthenol, hydroxyacetophenone, aluminum stearate, diethylhexyl syringylidenemalonate, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, alumina, chlorphenesin, xanthan gum, tocopherol, sodium carboxymethyl beta-glucan, caprylic/capric triglyceride, citric acid

Questions or comments?

Call 1-800-811-1660 Monday-Friday (9 a.m. - 5 p.m. CST)

Drug Facts	
Active ingredients	Purpose
Titanium dioxide 2.66%	Sunscreen
Zinc oxide 15.35%	Sunscreen
Uses	
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For sunscreen use:	
<ul style="list-style-type: none"> shake well before use 	

Drug Facts (continued)
<ul style="list-style-type: none"> apply liberally 15 minutes before sun exposure reapply at least every 2 hours use a water resistant sunscreen if swimming or sweating
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
<ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m.–2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months of age: Ask a doctor
Other information
<ul style="list-style-type: none"> protect the product in this container from excessive heat and direct sun

Drug facts continued on back ►

Drug Facts (continued)
Inactive ingredients water, C15-19 alkane, glycerin, dicaprylyl carbonate, niacinamide, propanediol, cetearyl isononanoate, polyhydroxystearic acid, dimethicone, ethylhexyl methoxycrylene, cellulose, triethylhexanoin, isohexadecane, triethoxycaprylylsilane, steareth-20, silica, glyceryl stearate, polysorbate 20, steareth-2, cetearyl alcohol, panthenol, hydroxyacetophenone, aluminum stearate, diethylhexyl syringylidenemalonate, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, alumina,

Drug Facts (continued)
chlorphenesin, xanthan gum, tocopherol, sodium carboxymethyl beta-glucan, caprylic/capric triglyceride, citric acid
Questions or comments?
Call 1-800-811-1660 Monday – Friday (9 a.m. – 5 p.m. CST)
2068013 13 (CODE F.L.L.: V70057808/1)
FREE SAMPLE NOT FOR SALE
L'Oréal USA S/D, Inc., Dist., Dallas, TX 75241
Made in USA of US and/or Imported Ingredients
www.skincoricals.com



50

SKINCEUTICALS

FUTURE MINERAL
UV DEFENSE

INVISIBLE SUNSCREEN

MINERAL FILTERS
BROAD SPECTRUM SPF 50

DAILY ANTI-AGING DEFENSE*

TESTED POST-PROCEDURE**

PROTECT

50 ml / 1.7 fl oz

Drug Facts: Active Ingredients: Titanium dioxide 2.06%, Zinc oxide 15.35% **Purpose:** Sunscreen **Use:** Helps prevent sunburn, if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun. **Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** For sunscreen use: Shake well before use. Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.–2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age, ask a doctor. **Other information:** Protect the product in this container from excessive heat and direct sun. **Questions or comments?** Call 1-800-811-1600 Monday-Friday (9 a.m.–5 p.m. CST)

*When used as directed with other sun protection measures.
**Tested with non-occlusive lenses.
©2014 USA 5/0, Inc., Biot., Dallas, TX 75241
Made in USA of US and/or Imported Ingredients
www.skinceuticals.com 341525043325 0425



12M

Drug Facts (continued)

sodium carboxymethyl beta-glucan, caprylic/capric triglyceride, citric acid

Questions or comments?

Call 1-800-811-1660
Monday-Friday (9 a.m.-5 p.m. CST)

2088013 13 CODE F.L.L.: V7005783(7)

Broad spectrum sunscreen, provides SPF 50 sun protection in a lightweight finish. With beta-glucan and niacinamide, Future Mineral UV Defense is formulated to improve skin hydration and help strengthen the skin barrier.

- Suitable for all skin types including sensitive
- Tested on all skin tones. After 1 week 95% of consumers reported formula is suitable for their skin tones
- **Physician tested for post-procedure use with non-ablative laser
- No greasy residue



SKINCEUTICALS®
L'Oréal USA S/D, Inc., Dist., Dallas, TX
75241 Made in USA of US and/or Imported
Ingredients: www.skinceuticals.com



SKINCEUTICALS

**FUTURE MINERAL
UV DEFENSE**

INVISIBLE SUNSCREEN

MINERAL FILTERS
BROAD SPECTRUM SPF 50

DAILY ANTI-AGING DEFENSE*
TESTED POST-PROCEDURE**

50 ml / 1.7 fl oz

*When used as directed with other sun protection measures.



50

PROTECT

SKINCEUTICALS

Drug Facts

Active ingredients	Purpose
Titanium dioxide 2.66%	Sunscreen
Zinc oxide 15.35%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information • protect the product in this container from excessive heat and direct sun

Inactive ingredients water, C15-19 alkane, glycerin, dicaprylyl carbonate, niacinamide, propanediol, cetearyl isononanoate, polyhydroxystearic acid, dimethicone, ethylhexyl methoxycrylene, cellulose, triethylhexanoin, isohexadecane, triethoxycaprylylsilane, steareth-20, silica, glyceryl stearate, polysorbate 20, steareth-2, cetearyl alcohol, panthenol, hydroxyacetophenone, aluminum stearate, diethylhexyl syringylidenemalonate, caprylyl glycol, acrylates/ C10-30 alkyl acrylate crosspolymer, alumina, chlorphenesin, xanthan gum, tocopherol, ▶

50

SKINCEUTICALS

FUTURE MINERAL
UV DEFENSE
SUNSCREEN

BROAD SPECTRUM
SPF 50

PROTECT

FREE SAMPLE.
NOT FOR SALE.

4 ml / 0.13 fl oz

Drug Facts: Active ingredients: Titanium dioxide 2.66%, Zinc oxide 15.35% **Purpose:** Sunscreen **Uses:** Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun. **Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** For sunscreen use: Shake well before use. Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.–2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age, ask a doctor. **Other information:** Protect the product in this container from excessive heat and direct sun.

Questions or comments?

Call 1-800-811-1660 Monday-Friday
(9 a.m.–5 p.m. CST)

L'Oréal USA S/D, Inc., Dist., Dallas, TX 75241

Made in USA of US and/or Imported Ingredients

www.skinceuticals.com



SKINCEUTICALS



SKINCEUTICALS
**FUTURE MINERAL
 UV DEFENSE
 INVISIBLE SUNSCREEN**
 BROAD SPECTRUM
 SPF 50
 MINERAL FILTERS
 DAILY ANTI-AGING DEFENSE*
 TESTED POST-PROCEDURE**

PROTECT

FOR PROFESSIONAL USE ONLY

250 ml / 8.4 fl oz

*When used as directed with other sun protection measures.
 **Tested with non-children faces.

Drug Facts		Drug Facts (continued)
Active ingredients	Purpose	Other information
Titanium dioxide 2.66%.....	Sunscreen	• protect the product in this container from excessive heat and direct sun
Zinc oxide 15.35%.....	Sunscreen	
Uses		Inactive ingredients
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun 		water, C15-19 alkane, glycerin, dicaprylyl carbonate, niacinamide, propanediol, cetearyl isononanoate, polyhydroxystearic acid, dimethicone, ethylhexyl methoxycrylene, cellulose, triethylhexanoin, isohexadecane, triethoxycaprylylsilane, steareth-20, silica, glyceryl stearate, polyorbate 20, steareth-2, cetearyl alcohol, panthenol, hydroxyacetophenone, aluminum stearate, diethylhexyl syringylidenemalonate, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, alumina, chlorophenol, xanthan gum, tocopherol, sodium carboxymethyl beta-glucan, caprylic/capric triglyceride, citric acid
Warnings		Questions or comments?
For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Call 1-800-811-1680 Monday-Friday (9 a.m.-5 p.m. CST)
Directions		 2088013 13 (CODE F.A.L.: V7005780/81)
For sunscreen use: <ul style="list-style-type: none"> shake well before use apply liberally 15 minutes before sun exposure reapply at least every 2 hours use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m.-2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months of age: Ask a doctor 		 3 606000 648586

FUTURE MINERAL UV DEFENSE
 INVISIBLE SUNSCREEN

SKINCEUTICALS

FUTURE MINERAL UV DEFENSE

INVISIBLE SUNSCREEN

MINERAL FILTERS
 BROAD SPECTRUM SPF 50

DAILY ANTI-AGING DEFENSE*
 TESTED POST-PROCEDURE**

PROTECT

FREE SAMPLE NOT FOR SALE
 10 x 4 ml / 0.13 fl oz TUBES

Enclosed inserts must be distributed with each sample.

*When used as directed with other sun protection measures. **Tested with non-children faces.

3612624674269

0625



3 606000 648609



SKINCEUTICALS

Drug Facts		Drug Facts (continued)
Active ingredients	Purpose	Other information
Titanium dioxide 2.66%.....	Sunscreen	• protect the product in this container from excessive heat and direct sun
Zinc oxide 15.35%.....	Sunscreen	
Uses		Inactive ingredients
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun 		water, C15-19 alkane, glycerin, dicaprylyl carbonate, niacinamide, propanediol, cetearyl isononanoate, polyhydroxystearic acid, dimethicone, ethylhexyl methoxycrylene, cellulose, triethylhexanoin, isohexadecane, triethoxycaprylylsilane, steareth-20, silica, glyceryl stearate, polyorbate 20, steareth-2, cetearyl alcohol, panthenol, hydroxyacetophenone, aluminum stearate, diethylhexyl syringylidenemalonate, caprylyl glycol, acrylates/C10-30 alkyl acrylate crosspolymer, alumina, chlorophenol, xanthan gum, tocopherol, sodium carboxymethyl beta-glucan, caprylic/capric triglyceride, citric acid
Warnings		Questions or comments?
For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Call 1-800-811-1680 Monday-Friday (9 a.m.-5 p.m. CST)
Directions		 2088013 13 (CODE F.A.L.: V7005780/81)
For sunscreen use: <ul style="list-style-type: none"> shake well before use apply liberally 15 minutes before sun exposure reapply at least every 2 hours use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m.-2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months of age: Ask a doctor 		 3 606000 648586

©Oréal USA S/D, Inc., Dist., Dallas, TX 75241
 Made in USA of US and/or Imported Ingredients www.skinceuticals.com

SKINCEUTICALS FUTURE MINERAL UV DEFENSE INVISIBLE

SUNSCREEN MINERAL FILTERS BROAD SPECTRUM SPF 50

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82046-609
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	26.6 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	153.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
C15-19 ALKANE (UNII: CI87N1IM01)	
GLYCERIN (UNII: PDC6A3C0OX)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PROPANEDIOL (UNII: 5965N8W85T)	
CETEARYL ISONONANOATE (UNII: P5O01U99NI)	
POLYHYDROXYSTEARIC ACID STEARATE (UNII: 8KQ7I65XZE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
STEARETH-20 (UNII: L0Q8IK9E08)	
SILICA (UNII: ETJ7Z6XBU4)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
STEARETH-2 (UNII: V56DFE46J5)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
PANTHENOL (UNII: WW9CM0O67Z)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
ALUMINA (UNII: LMI26O6933)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	

CITRIC ACID (UNII: 2968PHW8QP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-609-01	10 in 1 CARTON	05/20/2026	
1		4 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:82046-609-02	1 in 1 CARTON	05/20/2026	
2		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:82046-609-03	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/20/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/20/2026	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp.		783200723	manufacture(82046-609)

Revised: 5/2026

L'Oreal USA Products Inc