

**SPF 30 MINERAL SUNSCREEN CARIPOSA- titanium dioxide, zinc oxide cream
Talent Brands Company LLC**

SPF 30 Mineral Sunscreen Cream

Active ingredients	Purpose
Titanium Dioxide 4.5%	Sunscreen
Zinc Oxide 4%	Sunscreen

Uses

•helps prevent sunburn• If used as directed with other sun protection measures (see Oirections),decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only

Do not use on

- damaged or broken skin.

When using this product

- keep out of eyes. Rinse with waterto remove.

Stop use and ask a doctor if

- rash or initation develops and lasts

**Keep out of reach of children. If swallowed,get medical help orcontact a
Poison Control Center right away**

Directions:

- apply liberally 15 minutes before sun exposure and as needed. Reapply:
 - after 80 minutes of sweeming or sweating
 - immediatly after towel drying
 - at least every 2 hours

Sun Protection Measures. Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk. regularly usea sunscreen wrtha Broad Spectrum SPF value of15 or higher and other suncrin protection measures including:
• limrt time in the sun, especial from 10a.m. -2 p.rn. •wear long-sleeve shorts , pants,

hats and sunglasses

- children under 6 months of age: ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun

Inactive ingredients

ALOE
ALUMINUM OXIDE
ALUMINUM STARCH OCTENYLSUCCINATE
ALKYL (C12-15) BENZOATE
CAMELLIA SINENSIS FLOWER
CETYL PEG/PPG-10/1 DIMETHICONE
CUCUMBER FRUIT OIL
DIMETHICONE
EDETATE DISODIUM
ETHYLHEXYL PALMITATE
ETHYLHEXYLGLYCERIN
GLYCERIN
HYDROGEN DIMETHICONE
MENTHA PIPERITA
Oryza Sativa Brain Water
PHENOXYETHANOL
PROPANEDIOL
POMEGRANATE JUICE
SALVIA ROSMARINUS FLOWER
SILICON DIOXIDE
SODIUM CHLORIDE
SORBITAN OLIVATE
STYRENE/ACRYLAMIDE COPOLYMER
WINE GRAPE JUICE
WATER

.cariposa

SUN SHIELD

MINERAL SUNSCREEN

Broad Spectrum SPF 30



WATER RESISTANT
(80 MINUTES)

3.0 fl. oz.(US) 89 ml

Drug Facts

Active ingredients

Titanium Dioxide 4.5%.....Sunscreen
Zinc Oxide 4%.....Sunscreen

Purpose

Uses helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if • rash or irritation develops and lasts

Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

• apply liberally 15 minutes before sun exposure and as needed. Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: ask a doctor

Other information • protect the product in this container from excessive heat and direct sun

Inactive ingredients

aloe barbadensis leaf extract, alumina, aluminum starch octenylsuccinate, C12-15 alkyl benzoate, camellia sinensis leaf extract, cetyl PEG/PPG-10/1 dimethicone, cucumis sativus (cucumber) fruit extract, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydrogen dimethicone, mentha piperita (peppermint) leaf extract, oryza sativa (rice) bran water, phenoxyethanol, propanediol, punica granatum fruit juice, rosmarinus officinalis (rosemary) leaf extract, silica, sodium chloride, sorbitan olivate, styrene/acrylates copolymer, vitis vinifera (grape) seed extract, water

contact@cariposabeauty.com

Distributed by Cariposa Beauty

1 Marina Park Drive, Suite 1410, Boston, MA 02210



SPF 30 MINERAL SUNSCREEN CARIPOSA

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84267-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.5 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

ALOE (UNII: V5VD430YW9)
ALUMINUM OXIDE (UNII: LMI26O6933)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CAMELLIA SINENSIS FLOWER (UNII: 9I2BJY2J17)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
CUCUMBER FRUIT OIL (UNII: R81Y52NPCT)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERIN (UNII: PDC6A3C0OX)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
MENTHA PIPERITA (UNII: 79M2M2UDA9)
RICE BRAN, DEFATTED (UNII: H6597RO5A2)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PROPANEDIOL (UNII: 5965N8W85T)
POMEGRANATE JUICE (UNII: 99S671U9KB)
SALVIA ROSMARINUS FLOWER (UNII: NR1A27F29O)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
SORBITAN OLIVATE (UNII: MDL271E3GR)
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)
WINE GRAPE JUICE (UNII: JHQ6158A7R)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84267-001-02	89 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/29/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/29/2023	

Labeler - Talent Brands Company LLC (061158156)

Registrant - Bridgeview Investments LLC (035014854)

Establishment

Name	Address	ID/FEI	Business Operations
DermaCare researcg Labs, LLC		116817470	manufacture(84267-001)

