HEMORRODIL UNGUENTO- zinc oxide ointment ZURICH MEDICAL LABS, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hemorrodil Unguento

Drug Facts

Active Ingredients

Zinc Oxide 5%

Categoría

Astringent

Use

For temporary relief of pain, soreness and burning. Helps relieve the local itching and discomfort. Temporarily shrinks hemorrhoidal tissue & provides a coating for relief of anorectal discomforts. Temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warning

For external use only.

Do Not Use if: you are allergic to any ingredient in this formula. When using this product do not exceed the recommended daily dosage unless directed by a doctor do not put into the rectum by using fingers or any mechanical device or applicator.

Stop use and ask a doctor if: bleeding occurs; condition worsens or does not improve within 7 days; an allergic reaction develops; the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase

• If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults

When practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with tissue or a soft cloth before applying ointment. Apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement.

For Intrarectal use: attach applicator to tube, lubricate applicator well, then gently insert applicator into the rectum; thoroughly cleanse applicator after each use and replace cover. Also apply ointment to external area.

Children under 12 years of age: ask a doctor.

Store at 20-25°C (68°-77°F)

Other Ingredients

Lanolin, petrolatum, purified H2O, peanut oil, witch hazel, cod liver oil, polysorbate 80, cethyl alcohol, bees wax, glycerin, stearate, menthol, methyl & propyl paraben, bálsamo de Perú

PRINCIPAL DISPLAY PANEL - 28.35 g Tube Carton

Refreshing & soothes the pain of hemorrhoids

Net weight: 1oz (28.35g)

zürich medical labs 502 NE 190th St. • Miami, FL 33179

Made in U.S.A.

HEMORRODIL

Hemorrhoidal Ointment

Datos del Medicamento Ingrediente Activo

Drug Facts

Astringent

Categoria Zno

dolor, picazón, sensación de Oxido de Zinc 5% Astringente n famados Alivio temporal del contraer tejidos homorroidales Usos: Ayuda lemporalmente a Categoria

intrarectal solamente. No usar si es alérgico a alguno Precaucion: Para uso externo y/o por los tejidos hemorroidales quemazón y malestar producido

de los ingredientes menos que sea indicada por un exceda la dosis recomendada a Cuando use este producto no

del aplicador dentro del recto le Consulte a su médico antes de mejora después de 7 días sangramiento o Su condición no produce dolor Ocurre su doctor si: La infroducción Descontinue su uso y consulte

usar el producto si: Está contacto con un Centro de asistencia médica o póngase en de ingestión accidental, busque Si tiene hemorroides sangrantes Es menor de 12 años • En caso embarazada o es madre lactante

nstrucciones: Limpie el área de los niños

oxicologia de inmediato

afectada con agua y jabón y

evacuación PARA USO INTRARECTAL: Enrosque el aplicador al tubo, lubrique el la mañanas y después de cada evacuación PARA USO ntroduzcalo en el recto aplicador bien y suavemente preferiblemente al acostarse, en seque con un material suave ifectada hasta 5 veces al dia, pliquese libremente en el área

Otra Información Almacénece a temperaturas entre 15 - 30°C (59 - 86°F)

de higado de bacalao, polisorbato paraben, bálsamo de Perú i estearalo, mentol, propil y metil abeja, gliceril monoestearato, peg tween 80, alcohol cetilico, cera de mani, agua de hamamelis, aceite petrolato, agua D.I., aceite de Otros Ingredientes: Lanolina

xálsamo de Perú

Refresca, y alivia el dolor de las hemorroides
HEMORRODIL

Peso Neto: 10Z (28.35g)

UNGÜENTO HEMORROIDAL

Warning: For external use only. Use: For temporary relief of pain, soreness and burning. Helps relieve to local tiching and discomfort. Temporaril Active Ingredients
Oxide 5% Ast Stop use and ask a doctor if: Do Not Use if: you are allergic to any shrinks hemorrhoidal tissue & provides ectum by using fingers or any ecommended daily dosage unless nelp make bowel movements less nflamed, imitated ancrectal surface to iscomforts. Temporarily protects the firected by a doctor do not put into the his product do not exceed the gredient in this echanical device or applicator coating for relief of ancrectal

formula. When using

Keep out of reach of children, If pregnant or breast-feeding, ask a health professional before use. other symptoms develop or increase • edness, imitation, swelling, pain or being treated does not subside or does not improve within 7 days; an xleeding occurs; condition worsens llergic reaction develops; the symptom

For Intrarectal use: attach applicator to tube, lubricate applicator well, then especially at night, in the morning or affected area up to 4 times daily, applying ointment. Apply to the plotting with an appropriate cleansing after each bowel movement. with tissue or a soft cloth before deanse the affected area by patting Gently dry by patting or blotting

alcohol, bees wax, glycerin, stearate menthol, methyl & propyl paraben, cod liver oil, polysorbate 80, cethyl Other Ingredients: Lanolin, petrolatum, purified H2O, peanut oil, witch hazel, each use and replace cover. Als apply cintment to external area. thoroughly cleanse applicator after Directions: Adults: When practical, Children under 12 years of age: ask a gently insert applicator into the rectum swallowed, get medical help or contact Poison Control Center right away. Refreshing & soothes the pain of hemorrhoids

Net weight: 1oz (28.35g)




Store at 20-25°C (68°-77°F)


doctor.





Hemorrhoidal Ointment





HEMORRODIL UNGUENTO

zinc oxide ointment

P	ro	duct	Informa	ıtion
---	----	------	---------	-------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:61357-130

Route of Administration RECTAL

Active Ingredient/Active Moiety

ı	Ingredient Name	Basis of Strength	Strength
l	Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	50 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
WITCH HAZEL (UNII: 10 1I4J0 U34)		
PEANUT OIL (UNII: 5TL50QU0W4)		
COD LIVER OIL (UNII: BBL281NWFG)		
MENTHOL (UNII: L7T10EIP3A)		
BALSAM PERU (UNII: 8P5F881OCY)		
LANOLIN (UNII: 7EV65EAW6H)		
PETROLATUM (UNII: 4T6H12BN9U)		
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)		

PEG-6 STEARATE (UNII: 8LQC57C6B0)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:61357-130-01	1 in 1 CARTON			
1	28.35 g in 1 TUBE			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part346	03/01/1964		

Labeler - ZURICH MEDICAL LABS, LLC (071904097)

Establishment				
Name	Address	ID/FEI	Business Operations	
ZURICH MEDICAL LABS, LLC		071904097	MANUFACTURE(61357-130)	

Revised: 3/2014 ZURICHMEDICAL LABS, LLC