SENNA S- docusate sodium, sennosides capsule, liquid filled Shield Pharmaceuticals Corp

Senna S

Active ingredients (in each tablet)

Docusate sodium 50 mg Sennosides 8.6 mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a periodof 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

take preferably at bedtime or as directed by a doctor

| age | starting dosage | maximum dosage | |
|--|-----------------------|------------------------|--|
| adults and children 12 years of age or older | 2 softgels once a day | 4 softgels twice a day | |
| children 6 to under 12 years | 1 softgel once a day | 2 softgels twice a day | |
| children under 6 years of age | ask a doctor | ask a doctor | |

Other information

- each softgel contains: calcium 3 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

Colloidal Silicon Dioxide, FD&C Red 40, FD&C yellow No. 6, Gelatin, Glycerin, Polyethylene Glycol -400, Propylene Glycol, Povidone (PVPK-30), Purified Water, Sorbitol Sorbitan Solution, Titanium Dioxide, yellow bees wax

Questions or comments?

Call **1-800-373-6981** Monday-Friday 9AM-5PM EST

Distributed by:

Shield Pharmaceuticals LLCRonkonkoma, NY 11779

Senna-S

Docusate Sodium 50 mg and Sennosides 8.6 mg

Label



| | Drug Facts (continued) | (pg | |
|--|---|--|--|
| Age Starting Maximum Dosage adults and children 12 2 softgels years of age and older once a day twice a day children 6 to under 12 1 softgel 2 softgels years of age and older once a day twice a day children under 6 ask a doctor ask a docto | Directions ■ take preferably at bedtii | ne or as directed | by a doctor |
| adults and children 12 2 softgels years of age and older once a day twice a day children 6 to under 12 1 softgel 2 softgels years of age and older once a day twice a day children under 6 ask a doctor ask a doctor years of age ach softgel contains: sodium 3 mg ach softgel contains: sodium 3 mg astore at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F). Inactive ingradients Inactive ingradient | Age | Starting Dosage | Maximum Dosage |
| children 6 to under 12 1 softgel 2 softgels years children under 6 ask a doctor years of age. Chher information each softgel contains: sodium 3 mg store at 25°C (77°F); excursions permitted between 15°-20°C (59°-86°F) Inactive ingredients colloidal silicon dioxide, FD&C Red no. 40, FD&C Yellow co. 6, glatin, glycerin, polyethylene glycol 400, pondrone (FVP K-30), propylene glycol, purified water, sorbitol, sorbitan sollution, titanium dioxide, yellow beeswax. Questions or comments? 1-800-373-6981 (foll-free) is produst is not manufactured or distributed by Athantis Consumer althorae inc., owner of the egislend trademark/Senokot-39°. | adults and children 12 years of age and older | 2 softgels once a day | 4 soffgels twice a day |
| children under 6 ask a doctor ask a doctor Other information The act sorties sodium 3 mg Store at 25°C (77°F); excursions permitted between 15°-20°C (39°-20°F) Inactive ingredients colloidal silicon dioxide, FD&C Red no. 40, FD&C Yellow oo. 6, gelatin, glycerin, polyethylene glycol 400, povidone (PVP K-30), propylene glycol, purified water, sorbinol, sorbitan sollution, titanium dioxide, yellow beeswax Questions or comments? 1-800-373-6981 (foll-tree) Is produst is not manufactured or distributed by Mantis Consumer althorae inc., where of the egistered trademark Senokor-Se. | children 6 to under 12 years | 1 softgel once a day | 2 soffgels twice a day |
| Other information ■ store at 25°C (77°F); excursions permitted between 15°-30°C (39°-38°F) Inactive ingredients colloidal silicon dioxide, FD&C Red no. 40, FD&C Yellow no. 6, gelatin, glycerin, polyethylene glycol 400, povidone (PVP K-30), propylene glycol, purified water, sorbidol, sorbitan sollution, titanium dioxide, yellow beeswax Questions or comments? 1-800-373°-6981 (foll-free) is produst is not manufactured or distributed by Atlantis Consumer althorae line, where of the eigstered trackmark Senokol-Se. | children under 6 years of age | aska doctor | ask a doctor |
| Inactive ingredients colloids silicon dioxde, FD&C Red no. 40, FD&C Yellow no. 6, gelatin, glycerin, polyethylene glycol 400, povidone (PVP K-30), propylene glycol, purified water, sorbitol, sorbitan solution, titanium dioxide, yellow beeswax Questions or comments? 1-800-373-8981 (toll-free) his product is not manufactured or distributed by Atantis Consumer althorae Inc., owner of the egistered trademark Senokot-Se. | Other information each softgel contains: store at 25°C (77°F); ex 15°-30°C (59°-86°F) | sodium 3 mg œursions permitt | ed between |
| Questions or comments? 1-800-373-6981 (foll-fre) is product is not manufactured or distributed by Atlantis Consumer althorar line, owner of the egistered trackmark Senokot-Se. | Inactive ingredient, colloidal silicon dioxide, Fore Galatin, glycerin, po (PVP K-30), propylene glysorbitan solution, titanium | S D&C Red no. 40, lyethylene glycol col, purified wate n dioxide, yellow I | FD&C Yellow 400, povidone er, sorbitol, besswax |
| his product is not manufactured or distributed by Atlantis Consumer althcare Inc., owner of the registered trademark Senokot-S®. | Questions or comm 1-800-373-6981 (toll-free | ents? | |
| | his product is not manufactured althcare Inc., owner of the regis | or distributed by At tered trademark Ser | lantis Consumer nokot-S®. |

SENNA S

docusate sodium, sennosides capsule, liquid filled

| Product Information | | | | | |
|-------------------------|----------------|--------------------|----------------|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:83059-0120 | | |
| Route of Administration | ORAL | | | | |

| Active Ingredient/Active Moiety | | | | |
|---|--------------------------|----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM | 50 mg | | |
| SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) | SENNOSIDES | 8.6 mg | | |

| Inactive Ingredients | | | | |
|----------------------|--|--|--|--|
| Strength | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Product Characteristics | | | | |
|-------------------------|--------|-------|----------|--|
| Color | orange | Score | no score | |
| Shape | OVAL | Size | 10mm | |

| Fla | avor | | Imprint Code | | SDC |
|-----------------------|-----------------------|--|-----------------------------------|-------------------------|-----------------------|
| Co | ntains | | | | |
| | | | | | |
| Packaging | | | | | |
| # | Item Code | Package Descr | ription | Marketing Start Date | Marketing End Date |
| 1 | | 60 in 1 BOTTLE; Type 0: Not a Product | BOTTLE; Type 0: Not a Combination | | |
| | | | | | |
| Marketing Information | | | | | |
| | Marketing Category | Application Number Citatio | | Marketing Start Date | Marketing End Date |
| ОТ | C Monograph Drug | M007 | | 12/05/2025 | |
| | | | | | |

Labeler - Shield Pharmaceuticals Corp (118724924)

Revised: 12/2025 Shield Pharmaceuticals Corp