

TINACTIN JOCK ITCH- tolnaftate aerosol, powder
Bayer HealthCare LLC.

Tinactin ® Jock Itch Powder Spray Talc Free

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

butylated hydroxytoluene, hydroxypropyl cellulose, isobutane, kaolin, magnesium stearate, PPG-12-buteth-16, SD alcohol 40-B (9% w/w), zea mays (corn) starch

Questions?

1-866-360-3266

TOUGH ACTIN' ®

Tinactin ®

tolnaftate **ANTIFUNGAL**

Cures and prevents

most athlete's foot

Relieves

- itching
- burning

POWDER SPRAY

goes on dry

talc free

NET WT 133g (4.6 oz)

TOUGH ACTIN
Tinactin
 tolinaftate ANTIFUNGAL

CURES AND PREVENTS MOST ATHLETE'S FOOT

Relieves:
 - Itching
 - Burning

POWDER SPRAY
GOES ON DRY TALC FREE

BAYER

NET WT 133g (4.6 oz)

Drug Facts

Active Ingredient	Purpose
(To Deliver) Tolnaftate 1%	Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps protect most athlete's feet with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contains under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

Other information store between 20° to 25°C (68° to 77°F)

Inactive ingredients: butylated hydroxytoluene, hydroxypropyl cellulose, isobutane, kaolin, magnesium stearate, PEG-12-betain-16, SD alcohol 40-B (9% w/w), zinc tris (pot) starch

Questions? 1-888-360-3286 or visit us at www.tinactin.com

Bayer, the Bayer Cross, Tinactin, Tough Actin and the Tinactin flame are registered trademarks of Bayer.
 © 2021 Bayer
 Pat. patents.livesell.bayer.com
 Product of Finland
 Dist. by: Bayer HealthCare LLC
 Whippany, NJ 07981

Bayer

C00012348

DOT 20 M5706

TINACTIN JOCK ITCH

tolinaftate aerosol, powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0139
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

ISOBUTANE (UNII: BXR49TP611)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
KAOLIN (UNII: 24H4NWX5CO)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white (White to off-white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0139-1	133 g in 1 CAN; Type 0: Not a Combination Product	11/29/2023	



**CURES AND PREVENTS
MOST ATHLETE'S FOOT**

*Relieves itching
& burning*

**POWDER SPRAY
goes on dry**



NET WT 133g (4.6 oz)

LOT CODE AREA
NO PRINT IN THIS AREA
BACK PANEL ONLY

Drug Facts	
Active Ingredient (To Deliver) Tolnaftate 1%	Purpose Antifungal
Uses	
<ul style="list-style-type: none"> ■ proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis) ■ helps prevent most athlete's foot with daily use ■ for effective relief of itching, burning and cracking 	
Warnings	
For external use only	
Flammable: Do not use near heat, flame, or while smoking	
Do not use on children under 2 years of age unless directed by a doctor.	
When using this product	
<ul style="list-style-type: none"> ■ avoid contact with the eyes ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F. 	
Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> ■ wash the affected area and dry thoroughly ■ shake can well and spray a thin layer over affected area twice daily (morning and night) ■ supervise children in the use of this product ■ for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily ■ use daily for 4 weeks; if condition persists longer, ask a doctor ■ to prevent athlete's foot, apply once or twice daily (morning and/or night) ■ this product is not effective on the scalp or nails 	
Other information store between 20° to 25°C (68° to 77°F)	
Inactive ingredients butylated hydroxytoluene, isobutane, PPG-12-buteth-16, SD alcohol 40-B (11% v/v), talc	
Questions? 1-866-360-3266	

Visit us at www.bayer.com

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer. © 2015 Bayer. 20006106

Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Product of Finland.




Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	11/29/2023	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 1/2024

Bayer HealthCare LLC.