

**TINACTIN- tolnaftate aerosol, powder**  
**Bayer HealthCare LLC.**

-----  
**Tinactin ® AF Powder Spray Talc Free**  
**Drug Facts**

**Active ingredient**

Tolnaftate 1%

**Purpose**

Antifungal

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking

**Do not use** on children under 2 years of age unless directed by a doctor.

**When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

### **Other information**

store between 20° to 25°C (68° to 77°F)

### **Inactive ingredients**

butylated hydroxytoluene, hydroxypropyl cellulose, isobutane, kaolin, magnesium stearate, PPG-12-buteth-16, SD alcohol 40-B (9% w/w), zea mays (corn) starch

### **Questions?**

1-866-360-3266

**TOUGH ACTIN'®**

**Tinactin®**

tolnaftate **ANTIFUNGAL**

**Cures and prevents**

**most athlete's foot**

Relieves

- itching
- burning

**POWDER SPRAY**

**goes on dry**

**talc free**

NET WT 133g (4.6 oz)

**TOUGH ACTIN'**  
**Tinactin**  
tolnaftate ANTIFUNGAL

**CURES AND PREVENTS MOST ATHLETE'S FOOT**

Relieves:  
-Itching  
-Burning

**POWDER SPRAY**  
**GOES ON DRY TALC FREE**

**BAYER**

NET WT 133g (4.6 oz)

**Drug Facts**

Active Ingredient	Purpose
(To Deliver) Tolnaftate 1%	Antifungal

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps protect most athlete's feet with daily use
- for effective relief of itching, burning and cracking

**Warnings**

For external use only

**Flammable:** Do not use near heat, flame, or while smoking.

**Do not use on children under 2 years of age unless directed by a doctor.**

**When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contains under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash the affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

**Other information** store between 20° to 25°C (68° to 77°F)

**Inactive ingredients:** butylated hydroxytoluene, hydroxypropyl cellulose, isobutane, kaolin, magnesium stearate, PEG-12-betain-16, SD alcohol 40-B (9% w/w), zinc tris (pot) starch

**Questions?** 1-888-360-3266 or visit us at [www.tinactin.com](http://www.tinactin.com)

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer.  
© 2021 Bayer  
Pat. patents.livesell.bayer.com  
Product of Finland  
Dist. by: Bayer HealthCare LLC  
Whispery, NJ 07961

Bayer  
C00012348

0 41100 5985 0

DOT 20 M5706

## TINACTIN

tolnaftate aerosol, powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11523-0139
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>PPG-12-BUTETH-16</b> (UNII: 58CG7042J1)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ 8H6N6OH)	

### Product Characteristics

<b>Color</b>	white (White to off-white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0139-1	133 g in 1 CAN; Type 0: Not a Combination Product	11/29/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	11/29/2023	

**Labeler** - Bayer HealthCare LLC. (112117283)

Revised: 12/2025

Bayer HealthCare LLC.