

**OXYGEN- oxygen gas**  
**SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP  
UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.


GAS AND SUPPLY

GAS AND SUPPLY

P.O. BOX 568, 5500 EAST RITE ROAD

THEODORE, AL 36582

PHONE: 251-654-0080 FAX 251-654-0091



REFRIGERATED LIQUID  
OXYGEN, REFRIGERATED LIQUID  
USP  
UN1073

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

**DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

**CONTENTS:**

**WARNING:** USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.**

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping.

Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty.

Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-77

**DO NOT REMOVE THIS PRODUCT LABEL.**

**GAS AND SUPPLY**

P.O. BOX 568, 5500 EAST RITE ROAD


THEODORE, AL 36582

PHONE: 251-654-0080 FAX 251-654-0091

08MLC-RL00SP-8051-1PK200 7-27-17

**REFRIGERATED LIQUID**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP  
UN1073**



**! ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. !  
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**


CONTENTS: \_\_\_\_\_ UTM   
\_\_\_\_\_ GWP

**WARNING:** USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.  
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.  
Produced by Air Liquefaction.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.  
Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7  
**DO NOT REMOVE THIS PRODUCT LABEL.**



P.O. BOX 568, 5500 EAST RITE ROAD • THEODORE, AL 36582  
PHONE: 251-654-0080 FAX: 251-654-0091

**OXYGEN**

oxygen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:71654-002
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99.5 L in 1 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:71654-002-01	198 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
2	NDC:71654-002-02	424 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
3	NDC:71654-002-03	707 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
4	NDC:71654-002-04	3228 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
5	NDC:71654-002-05	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
6	NDC:71654-002-06	6456 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
7	NDC:71654-002-07	7107 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
8	NDC:71654-002-08	7249 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
9	NDC:71654-002-09	7957 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
10	NDC:71654-002-10	8693 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
11	NDC:71654-002-11	9542 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2017	
12	NDC:71654-002-12	180 L in 1 DEWAR; Type 0: Not a Combination Product	08/30/2017	
13	NDC:71654-002-13	200 L in 1 DEWAR; Type 0: Not a Combination Product	08/30/2017	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA205767	08/30/2017	

**Labeler** - SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply (098277242)**Registrant** - SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply (098277242)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
-------------	----------------	---------------	----------------------------

SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply		098277242	manufacture(71654-002)
--	--	-----------	------------------------

Revised: 10/2018

SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply