

TOPCARE COMPLETE LICE TREATMENT KIT- piperonyl butoxide, pyrethrum extract

Topco Associates, LLC

Topcare Lice Treatment Kit

Active ingredient

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

Uses

treats head, pubic (crab), and body lice

Purpose

Lice treatment

Warnings

For external use only

Do not use

near eyes

inside nose, mouth, or vagina

on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are

allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

keep eyes tightly closed and protect eyes with a washcloth or towel

if product gets into eyes, flush with water right away

scalp itching or redness may occur

Stop use and ask a doctor if

breathing difficulty occurs

eye irritation occurs

skin or scalp irritation continues or infection occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Important: Read warnings before use

Adults and children 2 years and over:

Inspect

check each household member with a magnifying glass in bright light for lice/nits (eggs)

look for tiny nits near scalp, beginning at back of neck and behind ears

examine small sections of hair at a time

unlike dandruff which moves when touched, nits stick to the hair

if either lice or nits are found, treat with this product

Treat

apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.

allow product to remain for 10 minutes, but no longer

use warm water to form a lather, shampoo, then thoroughly rinse

for head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).

hair should remain slightly damp while removing nits

if hair dries during combing, dampen slightly with water

for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.

lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.

pin back each strand of hair after combing

clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.

after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.

check daily for any lice/nits that you missed

a second treatment must be done in 7 to 10 days to kill any newly hatched lice

if infestation continues, see a doctor for other treatments

Children under 2 years: ask a doctor

Other information

do not freeze

store at controlled room temperature 20°-25°C (68°-77°F)

to report serious side effects due to the use of this product call (515) 276-1586

see package insert for additional information

Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Additional Information

Hair Length - Recommended Application for 1 Adult/Child

Short (ear length or shorter) Day 1: 1-2 oz; Day 7-10: 1-2oz; Total : 2-4oz

Medium (shoulder length) Day1: 2-3oz; Day 7-10: 2-3oz; Total: 4-6oz

Long (past shoulder length) Day 1: 3-4oz; Day 7-10: 3-4oz; Total: 6-8oz

Largo del cabello - Cantidad recomendada para 1 adulto/niño

Corto (hasta la oreja o más corto) Dia 1: 1-2oz; Dia7-10: 1-2oz; Total: 2-4oz

Medio (hasta el hombro) Dia1: 2-3oz; Dia 7-10: 2-3oz; Total: 4-6oz

Largo (más abajo del hombro) Dia 1: 3-4oz; Dia 7-10: 3-4oz; Total: 6-8oz

Important: keep this outer carton for future reference

Package Insert

3-STEP PROCESS FOR LICE TREATMENT

See center for complete product information.

Step 1 • Treat

Apply Lice Killing Shampoo

Age	Sex	Application	Frequency	Notes
Infant	Male	Apply to scalp	Once daily for 10 days	Use only if necessary. Do not use on face.
Infant	Female	Apply to scalp	Once daily for 10 days	Use only if necessary. Do not use on face.
Child	Male	Apply to scalp	Once daily for 10 days	Use only if necessary. Do not use on face.
Child	Female	Apply to scalp	Once daily for 10 days	Use only if necessary. Do not use on face.
Adult	Male	Apply to scalp	Once daily for 10 days	Use only if necessary. Do not use on face.
Adult	Female	Apply to scalp	Once daily for 10 days	Use only if necessary. Do not use on face.

NOTE: Wash hair every 2-3 days. Do not use conditioner. Do not use hair oil. Do not use hair spray. Do not use hair gel. Do not use hair cream. Do not use hair pomade. Do not use hair wax. Do not use hair pomade. Do not use hair wax. Do not use hair pomade. Do not use hair wax.

Step 2 • Remove

Comb out lice and eggs with fine-tooth comb and Lice & Egg Combing Spray

NOTE: Use comb to remove lice and eggs. Use spray to kill lice and eggs. Use comb to remove lice and eggs. Use spray to kill lice and eggs. Use comb to remove lice and eggs. Use spray to kill lice and eggs.

Step 3 • Control

Treat the home with Home Lice, Bedbug & Dust Mite Spray

NOTE: Use spray to treat the home. Use spray to treat the home. Use spray to treat the home. Use spray to treat the home. Use spray to treat the home. Use spray to treat the home.

PROCESO DE 3 PASOS PARA EL TRATAMIENTO CONTRA PJOJOS

Consulte el envase para obtener información completa de los productos.

Fase 1 • Tratar

Aplicar Lice matador

Edad	Sexo	Aplicación	Frecuencia	Notas
Infante	Varón	Aplicar al cuero cabelludo	Una vez al día por 10 días	Usar solo si es necesario. No usar en la cara.
Infante	Mujer	Aplicar al cuero cabelludo	Una vez al día por 10 días	Usar solo si es necesario. No usar en la cara.
Niño	Varón	Aplicar al cuero cabelludo	Una vez al día por 10 días	Usar solo si es necesario. No usar en la cara.
Niño	Mujer	Aplicar al cuero cabelludo	Una vez al día por 10 días	Usar solo si es necesario. No usar en la cara.
Adulto	Varón	Aplicar al cuero cabelludo	Una vez al día por 10 días	Usar solo si es necesario. No usar en la cara.
Adulto	Mujer	Aplicar al cuero cabelludo	Una vez al día por 10 días	Usar solo si es necesario. No usar en la cara.

NOTA: Lavarse el cabello cada 2-3 días. No usar acondicionador. No usar aceite de cabello. No usar gel de cabello. No usar crema de cabello. No usar pomada de cabello. No usar cera de cabello. No usar pomada de cabello. No usar cera de cabello.

Fase 2 • Remover

Retirar piojos y liendres con un peine para piojos o otro peine de dientes finos y aspersar para retirar piojos y liendres

NOTA: Usar el peine para retirar piojos y liendres. Usar el aspersor para matar piojos y liendres. Usar el peine para retirar piojos y liendres. Usar el aspersor para matar piojos y liendres.

Fase 3 • Control

Trate su hogar con el aspersor contra piojos, chinches y ácaros para el hogar

NOTA: Usar el aspersor para tratar el hogar. Usar el aspersor para tratar el hogar. Usar el aspersor para tratar el hogar. Usar el aspersor para tratar el hogar.

Consumer Information LICE KILLING SHAMPOO

Important: Read warnings before using this product. A second treatment must be done in 7-10 days to kill any newly hatched lice eggs (nits)

Inspect

examine each household member with a magnifying glass in bright light for lice/eggs (nits)
look for tiny eggs (nits) near scalp, beginning at the back of neck and behind ears

examine small sections of hair

eggs (nits) stick to the hair

if either lice or eggs (nits) are found, treat with this product

Treat

apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck

allow product to remain for 10 minutes but no longer

use warm water to form a lather, shampoo, then thoroughly rinse

for head lice, towel dry hair and comb out tangles

To Remove Lice and Their Eggs (Nits)

use a special lice/nit or fine-toothed comb (included). Remove any remaining eggs (nits) by hand, using a throwaway glove

hair should remain slightly damp while removing eggs (nits)

if hair dries during combing, dampen slightly with water

for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours

lift a 1- to 2-inch wide strand of hair. Place comb firm, even motion away from scalp
pin back each strand of hair after combing

clean comb often. Wipe eggs (nits) away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back

after combing, thoroughly recheck for lice/eggs (nits). Repeat combing if necessary

check daily for any lice/eggs (nits) that you missed

a second treatment must be done within 7 to 10 days to kill any newly hatched lice/eggs (nits)

if infestation continues, see a doctor for other treatments

1. HEAD LICE

head lice lay small white eggs (nits) on the hair shaft close to the scalp

eggs (nits) are most easily found on the back of the neck or behind the ears

disinfect hats, hair ribbons, scarves, coats, towels and bed linens by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes

items that cannot be washed, dry cleaned or stored may be sprayed with a product designed for this purpose

soak all combs and brushes in hot water [above 54 C (130 F)] for at least 10 minutes

vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people

2. PUBIC (CRAB) LICE

pubic (crab) lice may be contracted by sexual contact

sexual partners should be treated simultaneously to avoid reinfestation

lice are very small and look like brown or grey dots on the skin

pubic (crab) lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface

pubic (crab) lice may be present on the short hairs of the groin, thighs, trunk, and underarms, -and occasionally on the beard, eyelids, and mustache

disinfect underwear by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes

3. BODY LICE

body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit areas

body lice feed on skin then return to clothing to lay their eggs (nits)

disinfect clothing by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes

do not seal clothing in a plastic bag because eggs (nits) can remain dormant for up to 30 days

Save this insert for future reference

SHAKE WELL BEFORE USING

CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

Para uso externo solamente.

No lo use

cerca de los ojos

dentro de la nariz, boca o vagina

para piojos en las cejas o pestañas. Consulte a un doctor si hay piojos en estas áreas.

Pregúntele a un doctor antes de usarlo si

es alérgico a la ambrosía. Puede provocar dificultades para respirar o un ataque asmático.

Cuando use este producto

mantenga los ojos bien cerrados y protéjalos con una toallita o toalla

si el producto entra en los ojos, enjuáguese inmediatamente con agua

puede experimentar picazón o enrojecimiento del cuero cabelludo.

Deje de usarlo y consulte a un doctor si

tiene dificultad para respirar

presenta irritación de los ojos

prevalece la irritación de la piel o el cuero cabelludo o se presenta una infección.

Si está embarazada o lactando, antes de usarlo pregunte a un profesional médico.

Manténgalo fuera del alcance de los niños. Si e traga, obtenga ayuda médica o póngase en contacto de inmediato con el Centro de Control de Envenenamientos

INSTRUCCIONES

IMPORTANTE: LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DIAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVECILLOS (LIENDRES).

Inspeccione

Examine a cada uno de los integrantes de la familia bajo luz brillante con una lupa en busca de piojos o huevecillos (liendres)

usque los huevecillos (liendres) en el cabello, comenzando en la parte posterior del cuello y detrás de las orejas

examine áreas pequeñas del cabello

a diferencia de la caspa, la cual se mueve al tocarla, los huevecillos (liendres) permanecen adheridos al cabello

si encuentra piojos o huevecillos (liendres) trate las áreas afectadas con este producto.

Tratamiento

aplique sobre todo el cabello seco u otras áreas afectadas. Para liendres de cabeza primero aplique detrás de las orejas y en la parte posterior del cuello

deje el producto durante 10 minutos, pero no se exceda del tiempo sugerido

use agua tibia para formar espuma, lave con champú y luego enjuague muy bien

para liendres de cabeza, seque el cabello con una toalla y desenrede con un peine.

Para eliminar los piojos y sus huevecillos (liendres)

use un peine de dientes finos o un peine especial para piojos y liendres. Remueva todos las huevecillos (liendres) restantes a ano usando guantes desechables

el pelo debe permanecer húmedo mientras se remueven los huevecillos (liendres)

si el pelo se seca mientras es peinado, humedézcalo con agua

para liendres de cabeza, divida el pelo en secciones. Revise una sección a la vez comenzando por la parte de arriba de la cabeza. Si tiene pelo largo le puede tomar de 1 o 2 horas

levante mechones de una pulgada de ancho. Ponga el peine lo más cerca posible del cuero cabelludo y peine con movimientos parejos y firmes

sujete cada mechón de pelo después de peinar limpie el peine con frecuencia. Limpie los huevecillos (liendres) con un papel toalla y tirlvelas en una bolsa plástica. Cierre la bolsa y

tírela para prevenir que los piojos vuelvan a aparecer

después de peinar, vuelva a revisar para ver si encuentra piojos o huevecillos (liendres). Si fuera necesario repita el procedimiento

revise a diario para ver si aparece algún piojo o huevecillo (liendres)

se debe efectuar un segundo tratamiento a los 7 a 10 días para matar los huevecillos nuevos (liendres)

si la plaga continua se debe consultar con el doctor para hacer otros tratamiento.

Otra Información

no lo congele

protéjalo del calor excesivo

vea la información adicional en el anexo del paquete

Ingredientes Inactivos ,lauril sulfato de amonio, lauril sulfato de amonio, fragancia, PEG-25 aceite de ricino hidrogenado, policuaternio-10, alcohol desnaturalizado SD 40-B, agua

1. PIOJOS DE LA CABEZA

Los piojos de cabeza ponen huevos blancos (liendres) en los hebra del cabello cerca del cuero cabelludo. Las liendres son fáciles de encontrar en la parte posterior del cuello o detrás de las orejas.

Desinfecte los sombreros, cintas para el cabello, bufandas, abrigos, toallas y sábanas lavándolos en lavadora con agua caliente [a una temperatura de más de 54 C (130 F)], y luego séquelos en la secadora a la temperatura más alta durante un mínimo de 20 minutos.

Los artículos que no pueden ser lavados (cubrecamas, frizas, almohadas, juguetes de peluche, etc.) deben ser limpiados en seco o deben ser sellados en bolsas plásticas por 4 semanas, después sacados a la intemperie y sacudidos enérgicamente antes de ser usados otra vez.

artículos que no pueden ser lavados, limpiados en seco o guardados deben ser rociados con productos designados para este fin.

Sumerja todos los peines y cepillos en agua caliente, [por más de 54 C (130 F)] por lo menos por 10 minutos.

Limpie las alfombras, colchones, muebles tapizados y asientos del carro que pueden haber sido usados por personas infectadas.

2. PIOJOS PÚBLICOS (LADILLAS)

Los piojos púbicos (ladillas) pueden adquirirse por contacto sexual.

Compañeros sexuales deben ser tratados simultáneamente para evitar contagios.

Los piojos son muy pequeños y parecen puntos cafés o grises sobre la piel.

Piojos púbicos producen picazón muy intensa y ponen huevos muy pequeños (liendres) en los mechones de pelo cerca de la superficie de la piel.

Los piojos púbicos pueden encontrarse en los pelos cortos de las ingles, muslos, tórax y axilas, y ocasionalmente pueden encontrarse en la barba, párpados y bigote.

Desinfecte la ropa interior lavándola en lavadora con agua caliente [a una temperatura de más de 54 C (130 F)], y secándola luego en la secadora a la temperatura más alta durante un mínimo de 20 minutos.

3. PIOJOS DE CUERPO

Los piojos de cuerpo (y sus liendres) son generalmente encontrados en los dobladillos de la ropa, particularmente en el elástico de la cintura o en la zona de la axila.

Las liendres del cuerpo se alimentan de la piel y luego retornan a la ropa para depositar sus huevos (liendres).

Desinfecte la ropa lavándola en la lavadora en agua caliente [a una temperatura de más de 54 C (130 F)], y luego use el ciclo más caliente de la secadora por más caliente de la secadora por más de 20 minutos.

No selle la ropa dentro de una bolsa de plástico debido a que los huevecillos (liendres) pueden permanecer en estado inactivo durante un período de hasta 30 días.

Guarde las instrucciones para futuras referencias.

AGÍTESE MUY BIEN ANTES DE USAR

Principal Display Panel

TopCare

Maximum Strength

Complete Lice Treatment Kit

Compare to RID® Lice Killing Shampoo Active Ingredients

Eliminates Lice from Your Home & Family

Shampoo 4 fl oz (118 mL)

Lice Spray Net Wt. 5 oz (142 g)

Combing Spray 2 fl oz (59 mL)

1 Metal Lice Comb

CAUTION: KEEP OUT OF REACH OF CHILDREN

See back and side panels for additional information

TopCare[®] health **Complete Lice Treatment Kit**

- Step 1: Treat Lice Killing Shampoo**
• Shampoo Kills All Kinds of Lice on Contact
- Step 2: Remove Combing Spray**
• Hair Spray & Comb Gently Remove Lice Eggs & Nits
- Step 3: Control Home Spray**
• Spray Kills Lice, Bedbugs & Mites on Bedding & Furniture

TopCare[®] health **Complete Lice Treatment Kit**

MAXIMUM STRENGTH
3 STEP LICE CONTROL SYSTEM

- Step 1: Treat Lice Killing Shampoo**
- Step 2: Remove Combing Spray**
- Step 3: Control Home Spray**

ELIMINATES LICE
• From Your Home & Family Safely
• Effectively & Fast
• For Human Use

CAUTION KEEP OUT OF REACH OF CHILDREN
Get kids and pets far from all contents.

4 FL OZ (118 mL) LICE TREATMENT SHAMPOO
NET WT 5 OZ (142 g) LICE, BEDBUG & MITE SPRAY
2 FL OZ (59 mL) COMBING SPRAY • 1 METAL LICE COMB

90% UPC SYMBOL FOR POSITION ONLY
Only UPC number against previous printing and packaging change form

QUALITY GUARANTEED
This TopCare[®] product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

Lice Killing Shampoo

Drug Facts (continued)
• Hair should remain slightly damp while removing nits.
• If hair dries during combing, dampen **again** with water.
• For head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 7 to 10 minutes.
• If it is to be used on the scalp, hair should be damp to avoid drying out. Rub into scalp with fingers and comb through to scalp as possible and comb with a fine, even metal wide-tooth comb.
• Do not use on children under 2 years of age.
• After combing, thoroughly check for lice/nits. Repeat combing if necessary.
• Check daily for any lice/nits that you missed.
• A second treatment must be done in 7 to 10 days to kill any newly hatched lice.
• If irritation continues, see a doctor for other treatments.
• **Children under 2 years**: ask a doctor.

Other information
• See back panel for additional information.
• Store at controlled room temperature, 20° to 25° (68° to 77°).
• See package insert for additional information.

Lice, Bedbug & Mite Spray

ACTIVE INGREDIENTS: 0.50%
OTHER INGREDIENTS: 99.50%
TOTAL: 100.00%

First Aid
If in the eye or clothing, use of compressed air, blow air immediately with plenty of water for 15-20 minutes. If contact continues or state for treatment advice. If the eye is still open and eye is dry, wash with water for 15-20 minutes. Remove contact lenses if present, after the first 3 minutes. Do not continue wearing contact lenses until advised for treatment advice. **First Aid:** If swallowed, do not induce vomiting or force to eat or drink. If breathing is difficult, call a doctor immediately or call Poison Control. If you are pregnant, call a doctor immediately for advice. If you are lactating, call a doctor immediately for advice. If you are pregnant, call a doctor immediately for advice. If you are pregnant, call a doctor immediately for advice.

Lice, Bedbug & Mite Spray

Physician or Chemical Hazards
• Contains active ingredient: 0.5% of piperonyl butoxide, 0.5% pyrethrum extract, 0.5% piperonyl butoxide, 0.5% pyrethrum extract. Do not inhale or ingest. Do not get in eyes. Do not get on face. Do not get on clothing.
• It is a solution of piperonyl butoxide and pyrethrum extract in a water-soluble carrier.

Precautions for Use
• Read entire label before each use. Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.

Lice, Bedbug & Mite Spray

Storage and Disposal
• Store at controlled room temperature, 20° to 25° (68° to 77°).
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.
• Do not use on children under 2 years of age.

Lice & Egg Combing Spray

Use: Use daily hair to make lice and eggs comb-out easier.
Warnings: For external use only. Keep out of reach of children. Avoid contact with eyes. Do not use on the face, especially hair with eyes.
Directions:
1. Use after shampooing with Lice Killing Shampoo and rinsing hair with water.
2. Comb hair. Apply a small amount of Lice & Egg Combing Spray and use any metal-wide-tooth comb to remove any lice/nits.
3. Using the metal-wide-tooth comb, comb through the hair, applying and combing out any lice/nits.
4. Do not use on children under 2 years of age.
5. After you have combed the entire head, rinse hair thoroughly with warm water. Repeat combing with the water 10-15 minutes.
6. See insert for additional comb-out instructions.

Lice & Egg Combing Spray

Important Note: To the extent permitted by applicable state law, Bayer assumes all risks of use, storage or handling of this material, not in strict accordance with directions given hereon.
This product is not manufactured by Bayer HealthCare, distributor of the product R015.
Scan here for more information or call 1-800-423-6759

TOPCARE COMPLETE LICE TREATMENT KIT
piperonyl butoxide, pyrethrum extract kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-255

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-255-01	1 in 1 CARTON; Type 0: Not a Combination Product	10/01/2023	

Quantity of Parts			
Part #	Package Quantity	Total Product Quantity	
Part 1	1 BOTTLE	118 mL	
Part 2	1 BOTTLE, SPRAY	59 mL	

Part 1 of 2
TOPCARE LICE KILLING
piperonyl butoxide, pyrethrum extract shampoo

Product Information

Item Code (Source) NDC:76162-253

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PIPERONYL BUTOXIDE (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	4 g in 100 mL
PYRETHRUM EXTRACT (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	0.33 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
AMMONIUM LAURETH-2 SULFATE (UNII: 698O4Z48G6)	
POLYQUATERNIUM-10 (400 MP.A.S AT 2%) (UNII: HB1401PQFS)	
PEG-25 HYDROGENATED CASTOR OIL (UNII: 0ZNO9PJ9J)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-253-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	12/09/2020	

Part 2 of 2

COMBING SPRAY

hair not applicable

Product Information

Route of Administration TOPICAL

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	POLYSORBATE 20 (UNII: 7T1F30V5YH)	
INGR	AMODIMETHICONE (800 CST) (UNII: 363Z2T48P7)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	TRIDECETH-12 (UNII: YFY3KG5Y7O)	
INGR	PANTHENOL (UNII: WW9CM0O67Z)	
INGR	CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
INGR	METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE MIXTURE (UNII: 15O9QS218W)	
INGR	WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	white (Milky white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	10/01/2023	

Labeler - Topco Associates, LLC (006935977)

Registrant - Weeks & Leo Co., Inc. (005290028)

Establishment

Name	Address	ID/FEI	Business Operations
WEEKS & LEO COMPANY, INC.		005290028	manufacture(76162-255)

Revised: 12/2023

Topco Associates, LLC