DAYTIME NIGHTTIME ULTRA CONCENTRATED COLD AND FLU- daytime - acetaminophen, dextromethrophan hbr, phenylephrine hcl and nighttime - acetaminophen, dextromethrophan hbr, doxylamine succinate TARGET CORPORATION

Target Daytime Nighttime Ultra Concentrated Cold and Flu Liquid filled capsules

Drug Facts

Daytime Ultra Concentrated Cold & Flu

Active ingredient (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant

Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- · take only as directed
- do not exceed 8 softgels per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

store at no greater than 25°C

Inactive ingredients

FD&C yellow no. 6 Al. lake, gelatin, glycerin, mica, polyethylene glycol 400, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

Call 1-800-910-6874

Drug Facts

Nighttime Ultra Concentrated Cold & Flu

Active ingredient (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Doxylamine succinate 6.25 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Antihistamine

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2

weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- · take only as directed
- do not exceed 8 softgels per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

store at no greater than 25°C

Inactive ingredients

D&C yellow no. 10 Al. lake, FD&C blue no. 1 Al. lake, gelatin, glycerin, mica, polyethylene glycol 400, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide

Questions or comments?


Call 1-800-910-6874

PRINCIPAL DISPLAY PANEL














Trug Facts (continued) ■ move than 8 softgales in 24 hours, which is the maximum daily amount for this product ■ with other drups containing acetaminophen ■ 3 or more alcoholic drinks every day while sing this product Allergy after. Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reaction recurs, stop use and seek metalche pright away Sare fined to service. It pregnant or breast-feeding, ask a health professional before use. Reep and of reach of children. If pregnant or breast-feeding, ask a health professional before use. Reep and of reach of children. Directions ■ take only as directed = do not exceed 8 softgals per 24 hrs adults & children 12 yrs & over | 2 softgels with water every 4 hrs children under 4 yrs | do not use Other information ■ slore at no greater than 25°C. Questions or comments? Call +800-910-9874

DAYTIME NIGHTTIME ULTRA CONCENTRATED COLD AND FLU

daytime - acetaminophen, dextromethrophan hbr, phenylephrine hcl and nighttime - acetaminophen, dextromethrophan hbr, doxylamine succinate kit

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:11673-848

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:11673-848- 83	1 in 1 CARTON; Type 0: Not a Combination Product	05/01/2024	

Quantity of Parts			
Part #	Package Quantity	Total Product Quantity	
Part 1	1 BOTTLE	48	
Part 2	1 BOTTLE	48	

Part 1 of 2

DAYTIME ULTRA CONCENTRATED COLD AND FLU

acetaminophen, dextromethrophan hbr, phenylephrine hcl capsule, liquid filled

Product Information	
Item Code (Source)	NDC:11673-843
Route of Administration	ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		

Inactive Ingredients	
Ingredient Name	Strength
SORBITAN (UNII: 6O92ICV9RU)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B710)	
MICA (UNII: V8A1AW0880)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ 989GH94E)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
GELATIN (UNII: 2G86QN327L)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics				
Color	orange	Score	no score	
Shape	OVAL	Size	15mm	
Flavor		Imprint Code	151	
Contains				

Pa	ckaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1		48 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category				
OTC Monograph Drug	M012	05/01/2024		

Part 2 of 2

NIGHTTIME ULTRA CONCENTRATED COLD AND FLU

acetaminophen, dextromethorphan hbr, doxylamine succinate capsule, liquid filled

Product Information

Item Code (Source) NDC:11673-758

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		

Inactive Ingredients		
Ingredient Name	Strength	
SORBITAN (UNII: 6092ICV9RU)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE (UNII: FZ 989GH94E)		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)		
SORBITOL (UNII: 506T60A25R)		
MICA (UNII: V8A1AW0880)		
GLYCERIN (UNII: PDC6A3C0OX)		
WATER (UNII: 059QF0KO0R)		
GELATIN (UNII: 2G86QN327L)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
SHELLAC (UNII: 46N107B710)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		

Product Characteristics			
Color	green	Score	no score
Shape	OVAL	Size	15mm
Flavor		Imprint Code	152
Contains			

Packaging

#	Code	Package Description	Marketing Start Date	Marketing End Date
1		48 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M012	05/01/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2024	

Labeler - TARGET CORPORATION (006961700)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment			
Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(11673-848)

Revised: 8/2024 TARGET CORPORATION