

**ISOPROPYL ALCOHOL- isopropyl alcohol liquid
FIRST PRIORITY INCORPORATED**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ISOPROPYL ALCOHOL 99%

**For Animal Use Only
Keep Out of Reach of Children**

INDICATIONS:

For external use only as an antiseptic, disinfectant, and rubefacient.

TO MAKE A STANDARD SOLUTION (70%):

Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE:

Use full strength as a topical antiseptic or for the disinfection of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION:

In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

INGREDIENTS:

Isopropyl Alcohol (min.) 99% v/v

WARNING:

Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORAGE:

Store at controlled room temperature between 15° to 30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.

Net Contents:

32 fl oz (960 mL) Reorder No. MS083PC

One Gallon (3.785 L) Reorder No. MS080PC



Priority Care is a registered trademark of First Priority, Inc.

Made in U.S.A.

Manufactured By: FIRST PRIORITY, INC., Elgin, IL 60123

www.prioritycare.com

NOT RETURNABLE IF OUTDATED

32 fl oz (960 mL)

NDC# 58829-232-32

INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.

TO MAKE A STANDARD SOLUTION (70%):
Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.


FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

TAKE TIME OBSERVE LABEL DIRECTIONS
Priority Care is a registered trademark of First Priority, Inc.

Rev. 02-16



Isopropyl Alcohol 99%

INGREDIENTS:
Isopropyl Alcohol (min.)..... 99% v/v

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORAGE: Store at controlled room temperature between 15°-30°C (59°- 86°F). Keep container tightly closed when not in use.


WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.

Lot No. Exp. Date

NO VARNISH

Reorder No. MS083PC

NOT RETURNABLE IF OUTDATED



3 6230823232 4

Made in U.S.A. Manufactured By: FIRST PRIORITY, INC., Elgin, IL 60123 www.prioritycare.com

One Gallon (3.785 L)

NDC# 58829-232-01

INDICATION: For external use only as an antiseptic, disinfectant, and rubefacient.

TO MAKE A STANDARD SOLUTION (70%): Dilute by adding 1 part water to 2 parts of this 99% Isopropyl Alcohol.

FOR EXTERNAL USE ONLY

DIRECTIONS FOR USE: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



Isopropyl Alcohol 99%

INGREDIENTS:

Isopropyl Alcohol (min.) 99% v/v

WARNING: Ingestion may cause gastrointestinal irritation, nausea and vomiting.

STORAGE: Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.



Lot No. Exp. Date

No Varnish

Reorder No. MS080PC

For Animal Use Only • Keep Out of Reach of Children
Net Contents: One Gallon (3.785 L)

Rev. 02-16

Made in U.S.A.

Manufactured By:
FIRST PRIORITY, INC., Elgin, IL 60123

www.prioritycare.com

ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58829-232
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	785 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58829-232-32	16 in 1 CASE		
1		4 in 1 BOX		
1		0.963 L in 1 BOTTLE		
2	NDC:58829-232-01	4 in 1 CASE		
2		3.785 L in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/01/2016	

Labeler - FIRST PRIORITY INCORPORATED (179925722)

Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label, api manufacture

Revised: 11/2023

FIRST PRIORITY INCORPORATED