

**BAREMINERALS COMPLEXION RESCUE DEFENSE RADIANT PROTECTIVE VEIL
BROAD SPECTRUM SPF 30 SOFT RADIANCE- titanium dioxide and zinc
oxide cream
Orveon Global US LLC**

**bareMinerals Complexion Rescue Defense Radiant Protective Veil Broad
Spectrum SPF 30**

Soft Radiance

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium dioxide 3.28%	Sunscreen
Zinc oxide 12.48%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses.
- children under 6 months: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

water, c9-12 alkane, dimethicone, propanediol, glycerin, PEG-32, PEG-6, polyglyceryl-4 laurate/succinate, polysorbate 60, camellia japonica flower extract, bupleurum falcatum root extract, undaria pinnatifida extract, hypericum erectum flower/leaf/stem extract, moringa oleifera seed extract, theobroma cacao (cocoa) seed extract, lactobacillus ferment, ceramide np, manganese pca, butylene glycol, succinoglycan, biosaccharide gum-4, bisabolol, allantoin, phytosteryl/octyldodecyl, lauroyl glutamate, aminopropyl dimethicone, lauryl betaine, cetyl stearate, isostearyl isostearate, aluminum hydroxide, decyl isostearate, polyquaternium-51, sodium hyaluronate, ascorbyl glucoside, mica, cellulose gum, silica, sodium pca, coco-caprylate/caprates, decyl glucoside, potassium cetyl phosphate, cetyl alcohol, isohexadecane, caprylyl glycol, hexylene glycol, sorbitan oleate, 1,2-hexanediol, sorbitan sesquiisostearate, sodium methyl stearoyl taurate, vp/eicosene copolymer, polyacrylate crosspolymer-6, t-butyl alcohol, polysorbate 80, disodium edta, dimethylacrylamide/sodium acryloyldimethyltaurate crosspolymer, polysilicone-11, disodium phosphate, isostearic acid, sodium citrate, hydrogen dimethicone, sodium acrylate/sodium acryloyldimethyl taurate copolymer, stearic acid, citric acid, triethoxycaprylylsilane, tocopherol, tin oxide, alcohol, fragrance, limonene, linalool, hexyl cinnamal, sodium benzoate, phenoxyethanol. may contain: titanium dioxide, iron oxides.

Questions or comments?

Call toll free **1-888-795-4747**

PRINCIPAL DISPLAY PANEL - 50 ml Tube Carton

bareMinerals

COMPLEXION

RESCUE

DEFENSE

RADIANT

PROTECTIVE VEIL

Broad Spectrum SPF 30

Sunscreen

50 ml/1.7 fl. oz.



GLUE - NO COATING

Drug Facts

Active ingredients	Purpose
Titanium dioxide 3.28%	Sunscreen
Zinc oxide 12.48%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses.
 - children under 6 months: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

water, c9-12 alkane, dimethicone, propanediol, glycerin, PEG-32, PEG-6, polyglyceryl-4 laurate/succinate, polysorbate 60, camellia japonica flower extract, bupleurum falcatum root extract, undaria pinnatifida extract, hypericum erectum flower/leaf/stem extract, moringa oleifera seed extract, theobroma cacao (cocoa) seed extract, lactobacillus ferment, ceramide np, manganese pca, butylene glycol, succinoglycan, bisaccharide gum-4, bisabolol, allantoin, phytosteryl/octyldodecyl lauryl glutamate, aminopropyl dimethicone, lauryl betaine, cetyl stearate, isostearyl isostearate, aluminum hydroxide, decyl isostearate, polyquaternium-51, sodium hyaluronate,

Drug Facts (continued)

ascorbyl glucoside, mica, cellulose gum, silica, sodium pca, coco-caprylate/caprate, decyl glucoside, potassium cetyl phosphate, cetyl alcohol, isohexadecane, caprylyl glycol, hexylene glycol, sorbitan oleate, 1,2-hexanediol, sorbitan sesquiossearate, sodium methyl stearoyl taurate, vp/eicosene copolymer, polyacrylate crosspolymer-6, t-butyl alcohol, polysorbate 80, disodium edta, dimethylacrylamide/sodium acryloyldimethyltaurate crosspolymer, polysilicone-11, disodium phosphate, isostearic acid, sodium citrate, hydrogen dimethicone, sodium acrylate/sodium acryloyldimethyl taurate copolymer, stearic acid, citric acid, triethoxycaprylsilane, tocopherol, tin oxide, alcohol, fragrance, limonene, linalool, hexyl cinnamal, sodium benzoate, phenoxethanol, may contain: titanium dioxide, iron oxides.

Questions or comments?
 Call toll free 1-888-795-4747

- CRUELTY-FREE
- VEGAN
- PARABEN-FREE
- CHEMICAL SUNSCREEN-FREE
- SULFATE-FREE
- SYNTHETIC FRAGRANCE-FREE
- PETROLATUM-FREE
- PHTHALATE-FREE
- PROPYLENE GLYCOL-FREE
- GLUTEN-FREE

DERMATOLOGIST-TESTED
 NON-COMEDOGENIC
 OIL-FREE

WE ARE COMMITTED TO LESS PLASTIC
 Visit our website to learn about our sustainability efforts.



16.00

8.00

40.50

bareMinerals
 0.75
 40.50

COMPLEXION RESCUE DEFENSE

RADIANT PROTECTIVE VEIL

Broad Spectrum SPF 30 Sunscreen

0.75
 50 ml/1.7 fl. oz.

CLEAN WITHOUT COMPROMISING PERFORMANCE

The first mineral-based all-in-one moisturizing veil for all skin tones, with Cacao Extract to help protect against the damaging effects of blue light from devices. Formulated with Sugar Molecules to help block pollution particles and mineral SPF to help protect against sun damage, for optimal indoor and outdoor protection. Enhance and even the appearance of skin tone with Natural Pearl for a lit-from-within glow. Use alone, under or over makeup for added skin radiance and defense.

MADE IN U.S.A.
 BAREMINERALS®
 NEW YORK, NY 10017 DIST.

40.10

FPO
 41586003101

38.60
 FPO/UPC

12716791

7.50

16.00

BAREMINERALS COMPLEXION RESCUE DEFENSE RADIANT PROTECTIVE VEIL BROAD SPECTRUM SPF 30 SOFT RADIANCE

titanium dioxide and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	32.8 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	124.8 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
CAMELLIA JAPONICA FLOWER (UNII: KUB8101TNF)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
UNDARIA PINNATIFIDA (UNII: ICV1OK7M1S)	
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)	
LACTOBACILLUS REUTERI (UNII: 9913I24QEE)	
CERAMIDE NP (UNII: 4370DF050B)	
MANGANESE PIDOLATE (UNII: 3S6I84YKIV)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
BIOSACCHARIDE GUM-4 (UNII: 9XRL057X90)	
LEVOMENOL (UNII: 24WE03BX2T)	
ALLANTOIN (UNII: 344S277G0Z)	
PHYTOSTERYL/OCTYLDODECYL LAUROYL GLUTAMATE (UNII: 65954KGO9Q)	
LAURYL BETAINE (UNII: Y4P927Q133)	
CETYL STEARATE (UNII: 06RI5UQA7L)	
ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	
DECYL ISOSTEARATE (UNII: NRB038QC02)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL	

METHACRYLATE; 3:7 (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
MICA (UNII: V8A1AW0880)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)
CETYL ALCOHOL (UNII: 936JST6JCN)
ISOHEXADECANE (UNII: 918X1OUF1E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)
SODIUM METHYL STEAROYL TAURATE (UNII: JFM219LJ55)
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)
ISOSTEARIC ACID (UNII: X33R8U0062)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW) (UNII: 1DXE3F3OZX)
STEARIC ACID (UNII: 4ELV7Z65AP)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
STANNIC OXIDE (UNII: KM7N50LOS6)
ALCOHOL (UNII: 3K9958V90M)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
SODIUM BENZOATE (UNII: OJ245FE5EU)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-000-	1 in 1 CARTON	06/01/2018	

1	60	1 in 1 CARTON	06/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		06/01/2018	

Labeler - Orveon Global US LLC (118344494)

Revised: 10/2023

Orveon Global US LLC