

ESTOMAQUIL GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled
Promex LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients (in each softgel)

Simethicone 125mg

Purpose

Antiflatulent

Uses

For Relief of:

- Bloating
- Pressure
- Fullness
- stuffed feeling commonly referred to as gas

Warnings

Stop use and ask a doctor if

condition persists

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **adults:** swallow with water 1 or 2 softgels as needed after meals or at bedtime. Do not exceed 4 softgels per day, unless directed by doctor.

Other information

- store at a controlled room temperature 15-30°C (59-86°F)
- protect from heat and moisture

Inactive ingredients

FD&C blue 1, FD&C yellow 5, gelatin, glycerin, purified water, titanium dioxide

Package/Label Principal Display Panel

PC-243.00

ESTOMAQUIL[®] Gas

Alivio para: Relief for:

- Hinchazón • Bloating
- Pesadez • Pressure
- Llenura • Fullness
- Gases • Gas



10 Softgels
10 Cápsulas Blandas



Made in Korea / Fabricado en Corea

PRO-MEX[®]
500 NE 190 ST.
MIAMI, FL 33179
TOLL FREE: 1-855-877-6639
**DO NOT USE IF BLISTER UNIT IS TORN OR BROKEN.
NO UTILICE SI EL BLISTER ESTÁ RASGADO O ROTO.**

Drug Facts

Active ingredient (in each softgel) *Purpose*
Simethicone 125mg..... Antiflatulent

Uses for relief of: ■ bloating ■ pressure ■ fullness
■ stuffed feeling commonly referred to as gas

Warnings

Stop use and ask a doctor if condition persists.

If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ Adults: swallow with water 1 or 2 softgels as needed after meals or at bedtime. Do not exceed 4 softgels per day, unless directed by a doctor.

Other information

■ store at controlled room temperature 15- 30 C (59- 86F)
■ protect from heat and moisture

Inactive ingredients

FD&C blue 1, FD&C yellow 5, gelatin, glycerin, purified water, titanium dioxide

Hechos Acerca del Medicamento

Ingredientes Activos (en cada cápsula blanda) *Propósito*
Simeticona 125mg..... Antiflatulento

Indicaciones: Para alivio de: hinchazón ■ pesadez ■ llenura
■ sensación de llenura comúnmente conocido como gas.

Advertencias

Suspenda el uso y consulte a un médico si los síntomas continúan.

Si está embarazada o en periodo de lactancia, consulte con un profesional de la salud antes de usar este producto. Mantenga fuera del alcance de los niños. En caso de sobredosis accidental, busque ayuda profesional o contacte un centro de control de envenenamiento inmediatamente.

Hechos Acerca del Medicamento (continuado)
Instrucciones: ■ Adultos: Dosis: 1 o 2 cápsulas con agua, cuando sea necesario, después de las comidas o al acostarse. No exceda de 4 cápsulas por día, o menos que lo indique un médico.
Otra información
■ almacenar a temperatura ambiente controlada de 15-30 C (59-86 F) ■ lejos del calor y la humedad
Ingredientes Inactivos: FD & C azul 1, FD & C amarillo 5, gelatina, glicerina, agua purificada, dióxido de titanio

EACH DOSE IS INDIVIDUALLY SEALED IN A BLISTER PACK.
CADA DOSIS ES INDIVIDUALMENTE SELLADA EN UN BLISTER.

LOT :
EXP :

ESTOMAQUIL GAS RELIEF EXTRA STRENGTH

simethicone capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58988-1800
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	125 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	GR
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58988-1800-1	1 in 1 CARTON		
1		10 in 1 BLISTER PACK		

PC-243.00

ESTOMAQUIL[®]
Gas



Drug Facts

Active ingredient (in each softgel)	Purpose
Simethicone 125 mg.....	Antiflatulent

Uses for relief of: bloating pressure fullness
 stuffed feeling commonly referred to as gas

Warnings
 Stop use and ask a doctor if condition persists.

If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 adults: swallow with water 1 or 2 softgels as needed after meals or at bedtime. Do not exceed 4 softgels per day, unless directed by a doctor.

Other information
 store at controlled room temperature 15- 30 C (59- 86F)
 protect from heat and moisture

Inactive ingredients
 FD&C blue 1, FD&C yellow 5, gelatin, glycerin, purified water, titanium dioxide

Hechos Acerca del Medicamento

Ingredientes Activos (en cada cápsula blanda)	Proposito
Simeticona 125mg.....	Antiflatulento

Indicaciones: Para alivio de: hinchazón pesadez llenura
 sensación de llenura comúnmente conocido como gas.

Advertencias
 Suspenda el uso y consulte a un médico si los síntomas continúan.
 Si está embarazada o en periodo de lactancia, consulte con un profesional de la salud antes de usar este producto. Mantenga fuera del alcance de los niños. En caso de sobredosis accidental, busque ayuda profesional o contacte un centro de control de envenenamiento inmediatamente.

Hechos Acerca del Medicamento (continuado)

Instrucciones:
 Adultos: Dosis: 1 o 2 cápsulas con agua, cuando sea necesario, después de las comidas o al acostarse. No exceda de 4 cápsulas por día, a menos que lo indique un médico.

Otra información
 almacenar a temperatura ambiente controlada de 15-30 C (59-86 F) lejos del calor y la humedad

Ingredientes Inactivos: FD & azul 1, FD & amarillo 5, gelatina, glicerina, agua purificada, dióxido de titanio

Alivio para: Relief for:

• Hinchazón	• Bloating
• Pesadez	• Pressure
• Llenura	• Fullness
• Gases	• Gas

GMP GUARANTEE
 GOOD MANUFACTURING PRACTICES
 FDA REGISTERED FACILITY

10 Softgels
 10 Cápsulas Blandas

PRO-MEX[®]
 500 NE 190 ST
 MIAMI, FL 33179
 TOLL FREE: 1-855-877-6639

DO NOT USE IF BLISTER UNIT IS TORN OR BROKEN.
 NO UTILICE SI EL BLISTER ESTÁ RASGADO O ROTO.

EACH DOSE IS INDIVIDUALLY SEALED IN A BLISTER PACK.
 CADA DOSIS ES INDIVIDUALMENTE SELLADA EN UN BLISTER.

LOT :
 EXP :

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	01/08/2014	

Labeler - Promex LLC (789974388)

Revised: 1/2015

Promex LLC