

**EXTRA STRENGTH HEADACHE, LIL DRUG STORE- extra strenght headache relief- acetaminophen, aspirin, caffeine tablet tablet  
Lil' Drug Store Products, Inc.**

-----  
**Headache Extra Strength, 25ct Unit Dose Box, Lil' Drug Store Products, Inc.**  
®

***Drug Facts***

***Drug Facts***

***Active ingredients***

***Active ingredients (in each caplet)***

Acetaminophen 250 mg

Aspirin (NSAID\*) 250 mg

Caffeine 65 mg

\*nonsteroidal anti-inflammatory drug

***Purposes***

***Purposes***

Pain reliever

Pain reliever

Pain reliever aid

***Uses***

***Uses***

temporarily relieves minor aches and pains due to:

- headache
- a cold
- arthritis
- muscular aches
- toothache
- premenstrual & menstrual cramps

***Warnings***

***Warnings***

**Reye's syndrome**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

### **Allergy alert**

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Allergy alert**

**Allergy alert:** Aspirin (NSAIDs) may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

### **Liver warning**

#### **Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

### **Stomach bleeding warning**

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

### **Caffeine warning**

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

### **Do not use**

**Do not use**

- if you have ever had an allergic reaction to acetaminophen, aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use****Ask a doctor before use if**

- you have liver disease
- the stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use****Ask a doctor or pharmacist before use if you are taking**

- a prescription drug for diabetes, gout, or arthritis
- any other drug, or are under a doctor's care for any serious condition

**Stop use and ask a doctor if****Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better.
  - ringing in the ears or loss of hearing occurs
  - painful area is red or swollen
  - pain gets worse or lasts for more than 10 days
  - fever gets worse or lasts for more than 3 days
  - any new symptoms appear

These could be signs of a serious condition.

**If pregnant or breast-feeding**

**If pregnant or breast-feeding**, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical

for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

***Directions***

- **do not use more than directed**
- drink a full glass of water with each dose

---

adults and children (12 years and over)	2 caplets every 6 hours as needed; not more than 8 caplets in 24 hours
children under 12 years	ask a doctor

---

***Other information***

***Other information***

- store at 68°-77°F (20°-25°C); excursions permitted between 59°-86°F (15°-30°C)
- avoid excessive heat and humidity
- **each caplet contains:** Magnesium 0.58 mg

***Inactive ingredients***

***Inactive ingredients***

colloidal silicon dioxide, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone K30, pregelatinized starch, stearic acid, talc

***Questions or comments?***

***Questions or comments?***

call toll-free **1-877-507-6516 (M-F 8AM-4:30PM CST)**

**Extra Strength Headache Relief, 25ct, Lil' Drug Store<sup>®</sup>**

**Extra Strength**

**Headache Relief**

**Acetaminophen 250 mg Pain Reliever**

**Aspirin (NSAID\*) 250 mg Pain Reliever**

**Caffeine 65 mg Pain Reliever Aid**

[caplets image]

ACTUAL SIZE

**50 CPLETS**

**25 POUCHES 2 CAPLETS PER POUCH**

[Lil' Drug Store<sup>®</sup> logo]



### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL ((capsule shaped, biconvex))	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	S53
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6438-6	25 in 1 BOX, UNIT-DOSE	04/19/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/19/2022	

**Labeler** - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2024

Lil' Drug Store Products, Inc.