

**INSTANT- instant liquid
Ultra-Chem, Inc.**

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

INSTANT

**GEL ANTISEPTIC
HAND WASH**

*Evaporates Quickly
*Leaves no Residue

WARNING: FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions
on Side Panel

NET CONTENTS: 4 FL. OZ.

Another Exclusive Product of
ULTRA-CHEM INC.
9870 Britton St. • Lenexa, KS 66219
Kansas City • Phoenix
Phone: (800) 451-0726

Drug Facts	
Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic
Uses	
<ul style="list-style-type: none"> • Handwash to help decrease bacteria on the skin. • Recommended for repeated use. 	
Warnings • Flammable. Keep away from fire or flame.	
• For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor.	
Keep out of reach of children.	
Directions	
Place a 'palmful' (5 grams) of product in one hand.	
<ul style="list-style-type: none"> • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds. 	
Other information	
Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients	
Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Made in USA NDC 66077-693-01 600008706

INSTANT

instant liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66077-693
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)		ALCOHOL	67 mL in 100 mL	
Inactive Ingredients				
Ingredient Name		Strength		
CARBOMER 940 (UNII: 4Q93RCW27E)				
TROLAMINE (UNII: 9O3K93S3TK)				
WATER (UNII: 059QF0K00R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66077-693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/18/2010	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	10/18/2010		

Labeler - Ultra-Chem, Inc. (181772757)

Establishment

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(66077-693)

Revised: 12/2023

Ultra-Chem, Inc.