

**N12 IMMUNOSODE- arsenic trioxide, baptisia tinctoria root, sus scrofa bone marrow, bryonia alba root, echinacea angustifolia, echinacea purpurea, olea europaea flower, ulex europaeus, flower, lachesis muta venom, levisticum officinale, treponemic skin canker human solution/ drops  
Apex Energetics Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

**N12**

<b>Active Ingredients</b>	
Arsenicum Album	6X 9X 12X 15X 30X
Baptisia Tinctoria	4X 6X 9X 12X 15X
Bone Marrow Suis	4C 7C
Bryonia	6X 8X 12X 15X 20X 30X
Echinacea Angustifolia	3X 6X 9X
Echinacea Purpurea	3X 6X 9X
European Olive Flower	12X 20X 30X
Gorse Flower	12X 20X 30X
Lachesis Mutus	6X 8X 10X 12X 15X 30X
Levisticum Officinale	3X 6X 9X 12X
Luesinum	12X 15X 20X 30X
Medorrhinum	30X
Pyrogenium	12X 15X 20X 30X
Staphylococcus Epidermidis	12X 15X 20X 30X
Staphylococcus Haemolyticus	12X 15X 20X 30X
Staphylococcus Simulans	12X 15X 20X 30X
Streptococcinum	12X 15X 20X 30X
Sulphur	6X 9X 12X 15X 20X 30X
Sus Scrofa Spleen	4C 7C
Thuja Occidentalis	6X 9X 12X 15X 20X 30X
Tuberculinum	12X 15X 20X 30X
Typhoid Vaccine	12X 15X 18X 20X 30X 60X
Vaccinium	14X 20X 30X
Vaccinium Myrtillus	30X
Viscum Album Fruiting Top	3X 5X 8X 10X 12X

**Uses:**

For temporary relief of minor:

fatigue\*

headache\*

cough\*

swollen tonsils\*

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

***Warnings:***

**If pregnant or breastfeeding**, ask a health professional before use.

Do not use if clear seal over the cap is broken or missing.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** fatigue, headaches, cough, swollen tonsils, or other symptoms do not improve within 7 days or are accompanied by fever.

***Directions:***

Adults & children ages 12 years and over: Take 10 drops under the tongue 3-4 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

***Inactive Ingredients***

alcohol (20% by volume), distilled water

Distributed by Apex Energetics. Questions?

16592 Hale Ave., Irvine, CA 92606, USA

FUTUREPLEX® N12

ANTITOX®

IMMUNOSODE™

Homeopathic Formula

Fatigue\* Headaches\*

Cough\*

1 fl oz (30 mL)

Alcohol 20% by Volume

**Drug Facts (continued)**

**Uses:** For temporary relief of minor: • fatigue\* • headache\* • cough\* • swollen tonsils\*

**Warnings:** If pregnant or breastfeeding, ask a health professional before use. Do not use if clear seal over the cap is broken or missing. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor** if fatigue, headache, cough, swollen tonsils, or other symptoms do not improve within 7 days or are accompanied by fever.

**Directions:** Adults & children ages 12 years and over: Take 10 drops under the tongue 3-4 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

**Inactive Ingredients** alcohol (20% by volume), distilled water

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Distributed by Apex Energetics. Questions? 16592 Hale Ave., Irvine, CA 92606, USA

**FUTUREPLEX<sup>®</sup> N12  
ANTITOX<sup>®</sup>**



**IMMUNOSODE™**  
Homeopathic Formula  
**Fatigue\* • Headache\*  
Cough\***

1 fl oz (30 mL)  
Alcohol 20% by Volume

**Drug Facts**

N1223-1207

**Active Ingredients**

Arsenicum Album	Staphylococcus Epidermidis
6X 9X 12X 15X 30X	12X 15X 20X 30X
Baptisia Tinctoria	Staphylococcus Haemolyticus
4X 6X 9X 12X 15X	12X 15X 20X 30X
Bone Marrow Suis	4C 7C Staphylococcus Simulans
Bryonia	6X 8X 12X 15X 20X 30X Streptococcinum
Echinacea Angustifolia	12X 15X 20X 30X
Echinacea Purpurea	3X 6X 9X Sulphur
3X 6X 9X	6X 9X 12X 15X 20X 30X
European Olive Flower	Sus Scrofa Spleen
12X 20X 30X	4C 7C Thuja Occidentalis
Gorse Flower	12X 20X 30X
12X 20X 30X	6X 9X 12X 15X 20X 30X
Lachesis Mutus	Tuberculinum
6X 8X 10X 12X 15X 30X	12X 15X 20X 30X
Levisticum Officinale	Typhoid Vaccine
3X 6X 9X 12X	12X 15X 18X 20X 30X 60X
Luesinum	3X 6X 9X 12X Vaccinium
12X 15X 20X 30X	14X 20X 30X
Medorrhinum	30X Vaccinium Myrtillus
30X	30X Viscum Album Fruiting Top
Pyrogenium	12X 15X 20X 30X
	3X 5X 8X 10X 12X



**N12 IMMUNOSODE**

arsenic trioxide, baptisia tinctoria root, sus scrofa bone marrow, bryonia alba root, echinacea angustifolia, echinacea purpurea, olea europaea flower, ulex europaeus, flower, lachesis muta venom, levisticum officinale, treponemic skin canker human solution/ drops

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63479-1412
<b>Route of Administration</b>	SUBLINGUAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>VISCUM ALBUM FRUITING TOP</b> (UNII: BK9092J5MP) (VISCUM ALBUM FRUITING TOP - UNII: BK9092J5MP)	VISCUM ALBUM FRUITING TOP	12 [hp_X] in 1 mL
<b>GONORRHEAL URETHRAL SECRETION HUMAN</b> (UNII: 9BZG9E3I8F) (GONORRHEAL URETHRAL SECRETION HUMAN - UNII: 9BZG9E3I8F)	GONORRHEAL URETHRAL SECRETION HUMAN	30 [hp_X] in 1 mL
<b>RANCID BEEF</b> (UNII: 29SUH5R3HU) (RANCID BEEF - UNII: 29SUH5R3HU)	RANCID BEEF	30 [hp_X] in 1 mL
<b>STREPTOCOCCUS PYOGENES</b> (UNII: LJ2LP0YL98) (STREPTOCOCCUS PYOGENES - UNII: LJ2LP0YL98)	STREPTOCOCCUS PYOGENES	30 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII: 70FD1KFU70)	SULFUR	30 [hp_X] in 1 mL
<b>SUS SCROFA SPLEEN</b> (UNII: 92AMN5J79Y) (SUS SCROFA SPLEEN - UNII: 92AMN5J79Y)	SUS SCROFA SPLEEN	7 [hp_C] in 1 mL
<b>BILBERRY</b> (UNII: 9P2U39H18W) (BILBERRY - UNII: 9P2U39H18W)	BILBERRY	30 [hp_X] in 1 mL
<b>STAPHYLOCOCCUS EPIDERMIDIS</b> (UNII: D5T403TNGE) (STAPHYLOCOCCUS EPIDERMIDIS - UNII: D5T403TNGE)	STAPHYLOCOCCUS EPIDERMIDIS	30 [hp_X] in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII: C96613F5AV)	ARSENIC TRIOXIDE	30 [hp_X] in 1 mL
<b>ECHINACEA PURPUREA</b> (UNII: QI7G114Y98) (ECHINACEA PURPUREA WHOLE - UNII: QI7G114Y98)	ECHINACEA PURPUREA	9 [hp_X] in 1 mL
<b>OLEA EUROPAEA FLOWER</b> (UNII: 498M34P1VZ) (OLEA EUROPAEA FLOWER - UNII: 498M34P1VZ)	OLEA EUROPAEA FLOWER	30 [hp_X] in 1 mL
<b>TUBERCULIN PURIFIED PROTEIN DERIVATIVE</b> (UNII: I7L8FKN87J)	TUBERCULIN PURIFIED	30 [hp_X]

(TUBERCULIN PURIFIED PROTEIN DERIVATIVE - UNII:I7L8FKN87))	PROTEIN DERIVATIVE	in 1 mL
<b>SALMONELLA ENTERICA ENTERICA SEROVAR TYPHI</b> (UNII: 760T5R8B3O) (SALMONELLA ENTERICA ENTERICA SEROVAR TYPHI - UNII:760T5R8B3O)	SALMONELLA ENTERICA ENTERICA SEROVAR TYPHI	60 [hp_X] in 1 mL
<b>VACCINIA VIRUS STRAIN NEW YORK CITY BOARD OF HEALTH LIVE ANTIGEN</b> (UNII: 4SV59689SK) (VACCINIA VIRUS STRAIN NEW YORK CITY BOARD OF HEALTH LIVE ANTIGEN - UNII:4SV59689SK)	VACCINIA VIRUS STRAIN NEW YORK CITY BOARD OF HEALTH LIVE ANTIGEN	30 [hp_X] in 1 mL
<b>SUS SCROFA BONE MARROW</b> (UNII: VP2CN2G7Y8) (SUS SCROFA BONE MARROW - UNII:VP2CN2G7Y8)	SUS SCROFA BONE MARROW	7 [hp_C] in 1 mL
<b>TREPONEMIC SKIN CANKER HUMAN</b> (UNII: 4ZWP7FW8W) (TREPONEMIC SKIN CANKER HUMAN - UNII:4ZWP7FW8W)	TREPONEMIC SKIN CANKER HUMAN	30 [hp_X] in 1 mL
<b>THUJA OCCIDENTALIS LEAFY TWIG</b> (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	30 [hp_X] in 1 mL
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HM5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HM5WU)	BAPTISIA TINCTORIA ROOT	15 [hp_X] in 1 mL
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA WHOLE - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	9 [hp_X] in 1 mL
<b>LEVISTICUM OFFICINALE</b> (UNII: SZD8739PH1) (LEVISTICUM OFFICINALE - UNII:SZD8739PH1)	LEVISTICUM OFFICINALE	12 [hp_X] in 1 mL
<b>STAPHYLOCOCCUS HAEMOLYTICUS</b> (UNII: 092IJ99835) (STAPHYLOCOCCUS HAEMOLYTICUS - UNII:092IJ99835)	STAPHYLOCOCCUS HAEMOLYTICUS	30 [hp_X] in 1 mL
<b>STAPHYLOCOCCUS SIMULANS</b> (UNII: V68E0X60VL) (STAPHYLOCOCCUS SIMULANS - UNII:V68E0X60VL)	STAPHYLOCOCCUS SIMULANS	30 [hp_X] in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	30 [hp_X] in 1 mL
<b>ULEX EUROPAEUS FLOWER</b> (UNII: 398DBS1PXN) (ULEX EUROPAEUS FLOWER - UNII:398DBS1PXN)	ULEX EUROPAEUS FLOWER	30 [hp_X] in 1 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63479-1412-2	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/15/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/15/2024	

**Labeler** - Apex Energetics Inc. (195816384)