WINTER DIP- heptanoic acid solution spen Veterinary Resources, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

ATTENTION

For External Use Only

Causes serious eye irritation. Wash skin thoroughly after handling. Wear eye protection/face protection.

DIRECTIONS:

IMPORTANT: Do not mix Winter Dip with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Winter Dip.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Winter Dip. Do not turn cows out in freezing weather until Winter Dip is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Winter Dip is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

FIRST AID

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin Contact: Rinse with water.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT EMERGENCY HEALTH INFORMATION: Contact local poison control.

Representative label and principal display panel

aspen DAIRY SOLUTIONS

WINTER DIP

Ultra Conditioning Teat Dip

• An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:

Heptanoic acid......1.5%

Contains an emollient system (glycerin, lanolin and propylene glycol)....78.0%

TOTAL: 100.0%

NET CONTENTS: 208L (55 US GAL)

6301379

Distributed By:

Aspen Veterinary Resources®, Ltd.

3155 Heartland Drive, Liberty, MO 64068

1-800-203-5620

Manufactured by:

Ecolab Inc 1 Ecolab Place

St. Paul, MN 55102 US



WINTER DIP



ACTIVE INGREDIENT | INGREDIENTE ACTIVE:

Heptanoic acid | Ácido heptanoico INERT INGREDIENT | INGREDIENTES INERTES: 20.5% Contains an emollient system (glycerin, lanolin and propylene glycol) | Contiene un sistema emoliente (glicerina, lanolina y glicol propileno) 78.0%

TOTAL .

Sellador de pezones con ultra acondicionamiento

 Ayuda a evitar la proliferación de organismos que pueden causar mastitis PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS **NO ES PARA USA HUMANO**

INSTRUCCIONES

IMPORTANTE: No mezcle Winter Dip con agua, con ningún baño antiséptico para pezones, ni con ningún otro producto a menos que los mismos hayan sido especificados en las instrucciones de uso del producto. Si el producto fuese transferido desde este envase a cualquier otro, asegúrese de que ese otro envase haya sido integramente prelavado y que contenga el etiquetamiento del envase de Winter Dip. Si el producto del porta baño antiséptico se tomara visiblemente sucio, deseche su contenido y vuelva a reponerlo con el

producto no diluido. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original Antes de Ordeñar: Lavelos pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o nocie el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento

rosteriormente, los peziones se tubera secar con totalas beservolo único o tescartades, vunce en procedimiento adecuado para el lavado o el prebañado antiséptico de las ubres. Sellado del pezión previo al ordenio: Llena la taza del sellador de peziones con sellador de peziones previo al los peziones después de realizar el sellado, utilizando toallas desechables para evitar la contaminación de la leche.

Sellado del pezión posterior al ordeno: Immediatamente después de ordenar cada vaca, baía e tuda la cumanimación de a superficie del pezón en el recipiente que contiene el producto. Deje secar al aire. No utilice paños. Siempre utilice Winter Dip fresco y sin diluir. Hasta que Winter Dip no se haya secado completamente, no saque las vacas al exterior en climas gélidos. Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por

aproximadamente 10 días antes de parir. PRECAUCIÓN: Winter Dip no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar intración o sensibilización en animales sensibles. En caso de inritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario. ATENCIÓN

Solo de uso externo Provoca irritación ocular grave. Lave la piel minuciosamente después del manejo. Usar equipo de protección para los oios/la cara.

PRIMEROS AUXILIOS

Contracto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico. Contacto con la piel: Lave con agua.

Ingestión: Enjuague la boca. Consultar un médico si los síntomas aparecen. Inhalación: Consultar un médico si los síntomas aparecen. LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO


INFORMACIÓN DE EMERGENCIA SOBRE SALUD: Contacto local de veneno

NET CONTENTS: 208 L (55 US GAL)



Aspen Veterinary Resources®, LTD. 3155 Heartland Drive Liberty, MO 64068 USA 1-800-203-5620 Distributed By: 760658/5302/0624

Manufactured by: Ecolab Inc 1 Ecolab Place St. Paul, MN 55102 US



Ultra Conditioning Teat Dip

 An aid in reducing the spread of organisms which may cause mastitis FOR INDUSTRIAL USE ONLY **KEEP OUT OF REACH OF CHILDREN**

NOT FOR HUMAN USE DIRECTIONS:

IMPORTANT: Do not mix Winter Dip with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Winter Dip.

throughly pre-treame and beats the proper container abeling for whiter bip. If product in dig rup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container. Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping. Pre-Milk Dipping: Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each cow is milked, dip pach teat full lead the procedures to take dip cup. With pre-milking teat dip. Do not dilute. Before each cow is milked, dip

each teat full-length into the teat dip cup. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Winter Dip. Do not turn cows out in

freezing weather until Winter Dip is completely dry. Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving. PRECAUTION: Winter Dip is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have

the condition examined and, if necessary, treated by a veterinarian ATTENTION

For External Use Only

Causes serious eye irritation. Wash skin thoroughly after handling. Wear eye protection/face protection. FIRST AID

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Skin Contact: Rinse with water. Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Get medical attention if symptoms occur. READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

6301379

EMERGENCY HEALTH INFORMATION: Contact local poison control

Pa	ckaging						
#	ltem Code	Package Description	Marketing	Start Date	Mark	keting End Da	te
1 1	NDC:46066-405-21	208000 mL in 1 DRUM					
M	arketing Inf	ormation					
Ma	arketing Inf		- -	Markating C	••	Maskating F	1
Ma	arketing Inf ^{Marketing} Category	ormation Application Number or M Citation	onograph	Marketing S Date	tart	Marketing Ei Date	nd

Labeler - spen Veterinary Resources, Ltd. (627265361)

Revised: 6/2025

spen Veterinary Resources, Ltd.