

**CHILDRENS ACETAMINOPHEN ORAL SUSPENSION- acetaminophen suspension
Genexa Inc.**

Childrens Acetaminophen Oral Suspension

Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily reduces fever and relieves minor aches and pains due to:

- the common cold
- headache
- toothache
- flu
- sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see Overdose warning)**
- **SHAKE WELL BEFORE USING**
- find right dose on chart below
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- if possible, use weight to dose; otherwise, use age
- do not give more than 5 times in 24 hours

Weight	Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35lbs.	2-3 years	5 mL
36-47 lbs.	4-5 years	7.5 mL
48-59 lbs.	6-8 years	10 mL
60-71 lbs.	9-10 years	12.5 mL
72-95 lbs.	11 years	15 mL

Other information

store between 20-25°C (68-77°F)

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural citrus extract, flavor, purified water

Questions?1-855-436-3921

*This product is not manufactured or distributed by Johnson & Johnson Corp., owner of the registered trademark Children's Tylenol® Oral Suspension Grape.

Give it a SHAKE! We use clean ingredients so it's normal for them to separate and change color over time.

Bottle is safety sealed with a perforated band around bottle. DO NOT use if bottle seal is distrubed or missing.

Certified B Corporation

CERTIFIED GLUTEN FREE GFCO.ORG

CERTIFIED VEGAN VEGAN.ORG

Patent Pending | Distributed by: Genexa Inc.

Atlanta, GA 30318 | genexa.com

Made in the USA with globally sourced ingredients

NDC 69676-0069-9

Children's

Genexa®

MEDICINE MADE CLEAN

Ages 2-11

Acetaminophen

160 mg per 5 mL | Oral Suspension

Pain Reliever Fever Reducer

Compare to active ingredient in **Children's Tylenol® Oral Suspension Grape**

How we're different

Made without: high fructose corn syrup, FD&C blue no. 1, D&C red no. 33 **& more!**

Organic Blueberry Flavor

Ibuprofen Free, Aspirin Free

4 fl oz (118 mL) Dosing cup included

Keep outer package for complete product information

Drug Facts

Active Ingredient (in each 5 mL)	Purpose
Acetaminophen 160 mg.....	Pain reliever/ fever reducer

Uses
temporarily reduces fever and relieves minor aches and pains due to:
 • the common cold • headache • toothache
 • flu • sore throat

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes
 • more than 5 doses in 24 hours, which is the maximum daily amount
 • with other drugs containing acetaminophen
Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
 • skin reddening • blisters • rash
 If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if
 • pain gets worse or lasts more than 5 days
 • fever gets worse or lasts more than 3 days
 • new symptoms occur
 • redness or swelling is present
 These could be signs of a serious condition.

Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms. →

People over everything.

We think you should feel good about what makes you feel better. That's why we make medicine with the same active ingredients you need, but without the artificial ones you don't. It's what people deserve.

David Johnson *Max Spielberg*
 David Johnson Max Spielberg

Questions for our founders? Text Max.

310-502-8844

Drug Facts (continued)

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see Overdose warning)
- **SHAKE WELL BEFORE USING**
- find right dose on chart below
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- if possible, use weight to dose; otherwise, use age
- do not give more than 5 times in 24 hours

Weight	Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL
36-47 lbs.	4-5 years	7.5 mL
48-59 lbs.	6-8 years	10 mL
60-71 lbs.	9-10 years	12.5 mL
72-95 lbs.	11 years	15 mL

Other Information
 store between 20-25°C (68-77°F)

Inactive ingredients
 organic agave syrup, organic blueberry flavor, natural citrus extract, flavor, purified water

Questions? 1-855-436-3921

*This product is not manufactured or distributed by Johnson & Johnson Corp., owner of the registered trademark Children's Tylenol® Oral Suspension Grape.

Children's
Genexa
 MEDICINE MADE CLEAN



Ages 2-11

Acetaminophen

160 mg per 5 mL | Oral Suspension

Pain Reliever Fever Reducer

Compare to active ingredient in Children's Tylenol® Oral Suspension Grape*

How we're different

Made without: high fructose corn syrup, FD&C blue no. 1, D&C red no. 33 & more!



Organic Blueberry Flavor

Ibuprofen Free, Aspirin Free



4 fl oz (118 mL) Dosing cup included



Give it a SHAKE! We use clean ingredients so it's normal for them to separate and change color over time.

Bottle is safety sealed with a perforated band around bottle. DO NOT use if bottle seal is disturbed or missing.



Patent Pending | Distributed by: Genexa Inc.
 Atlanta, GA 30318 | genexa.com



Made in the USA with globally sourced ingredients

R-20220113

NDC 69676-0069-9



Please recycle



CHILDRENS ACETAMINOPHEN ORAL SUSPENSION

acetaminophen suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69676-0069
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CITRUS FRUIT (UNII: XDK00Z8012)	
BLUEBERRY (UNII: 253RUG1X1A)	
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)	

Product Characteristics

Color	brown (Golden)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0069-9	1 in 1 CARTON	05/10/2022	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/10/2022	

Labeler - Genexa Inc. (079751024)