

**EVE LOM RADIANCE LIFT FOUNDATION SPF 15- titanium dioxide and octinoxate cream**  
**Space Brands Limited**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Eve Lom® Radiance Lift Foundation SPF 15**

**Drug Facts**

<u>Active Ingredients</u>	<u>Purpose</u>
Octinoxate 5%	Sunscreen
Titanium Dioxide 4.6%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measure (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

water, dimethicone, isododecane, mica, isononyl isononanoate, trisiloxane, caprylic/capric triglyceride, cetearyl ethylhexanoate, glycerin, synthetic fluorophlogopite, sorbitan isostearate, disteardimonium hectorite, cetyl PEG/PPG-10/1 dimethicone, dimethicone crosspolymer, butylene glycol, synthetic beeswax, tetrasodium EDTA, phenoxyethanol, sodium chloride, alcohol, silica dimethyl silylate, caprylyl methicone, aluminum hydroxide, stearic acid, PEG-30 dipolyhydroxystearate, potassium sorbate, spilanthes acmella flower extract, talc, rosa multiflora flower wax, tocopherol, ascorbyl palmitate, rubus idaeus leaf cell culture, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate.

May contain: titanium dioxide, iron oxides, zinc oxide.

- protect this product from excessive heat and direct sun

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Ivory**

EVE LOM®

RADIANCE LIFT

FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

IVORY 2

30 ml 1 FL. OZ. e



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Ecru**

EVE LOM®

RADIANCE LIFT

FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

ECRU 3

30 ml 1 FL. OZ. e



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Vanilla

EVE LOM®

RADIANCE LIFT

FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

VANILLA 4

30 ml 1 FL. OZ. e



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Linen

EVE LOM®

RADIANCE LIFT

FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

LINEN 5

30 ml 1 FL. OZ. e



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Cream**

**EVE LOM®**

**RADIANCE LIFT**


**FOUNDATION**

**BROAD SPECTRUM SPF 15**

SUNSCREEN

CREAM 6

30 ml 1 FL. OZ. e



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Beige



EVE LOM®

RADIANCE LIFT

FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

BEIGE 7

30 ml 1 FL. OZ. e



**Drug Facts**

**Active Ingredients Purpose**  
 Octinoxate 5% Sunscreen  
 Titanium Dioxide 4.6% Sunscreen

**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see **Directions**), decrease the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs  
 Keep out of reach of children.  
 If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 • apply liberally 15 minutes before sun exposure  
 • on skin under 6 months of age: Ask a doctor  
 • reapply at least every 2 hours  
 • use a water-resistant sunscreen if swimming or sweating  
 • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. to 2 p.m.  
 • wear long-sleeve shirts, pants, hats, and sunglasses

**Inactive ingredients**  
 water, dimethicone, isododecane, mica, lauronyl lauronate, trioleins, capryl/capric triglyceride, cetearyl ethylhexanoate, glycerin, synthetic fluorphlogopite, sorbitan laurate, disteardimonium hectorite, octyl PEG/PPG-10/1 dimethicone, dimethicone crosspolymer, butylene glycol, synthetic beeswax, tetrasodium EDTA, phenoxethanol, sodium chloride, alcohol, silica dimethyl silicate, capryl methacrylate, aluminum hydroxide, stearic acid, PEG-30 dipolyhydroxystearate, potassium sorbate, spiranthes acmella flower extract, rose musk flower wax, tocopherol, ascorbyl palmitate, rubus idaeus fruit extract, caffeine, pentylerythrityl tetra-decylol hydroxyhydroxystearate. May contain: titanium dioxide, iron oxides, zinc oxide.

**Other information**  
 • protect this product from excessive heat and direct sun

EVE LOM RADIANCE LIFT FOUNDATION BROAD SPECTRUM SUNSCREEN SPF 15 (AN ACTIVE AGE-DEFYING FOUNDATION THAT HELPS TO LIFT AND FIRM THE SKIN WITH A WATERLESS, MOISTURIZING BLEND). BENTYLUMIA, A POWERFUL ANTIWrinkle FROM GASPERLY STEM CELL TECHNOLOGY, PROTECTS AND IMPROVES SKIN HYDRATION. MARACROSS FLOWER EXTRACT, COMBINED WITH ROSE FLOWER WAX, VITAMIN E AND C IMPROVE SKIN'S FIRMNESS AND RESTORES SKIN'S DENSITY FOR A SMOOTH, LIFTED COMPLEXION WITH YOUTHFUL RADIANCE, WHILE PROTECTING AGAINST UVA AND UVB RAYS.  
 LIFT RADIANCE FOND DE TEINT SPF 15 UN FOND DE TEINT ACTIF ANTI-RIDE POUR LIFTER ET RAFFIRMER LA PEAU D'UN VOILE HYDRATANT LEGER. LE BENTYLUMIA, UN PUISSANT ANTI-RIDEUR A BASE DE CELLULES SOUCHES DE RAMBOISE, PROTEGE LA PEAU ET AMELIORE SON HYDRATATION. L'EXTRAIT DE BRED DE MARACROSS RAFFIRME LA PEAU ET RESTAURE SA DENSITE, LUI DONNANT UN ECLAT LISSE DE JEUNESSE. LES RIDES SONT ATTENUÉES, LE TEINT SUBIME ET LES LIGES DE LA PEAU RETROUVEE ET LE SPF 15 LA PROTEGE DES RAYONS UVA ET UVB.  
 EVE LOM RADIANCE LIFT BASE SPF 15 (UNA BASE ACTION ANTIWRINKLE CHEA ALISA Y ATRAVIA LA PIEL CON UN BONO VELO HIDRATANTE). EL BENTYLUMIA, UN POTENTE ANTI-RIDEUR A BASE DE CELLULAS MADRE DE RAMBOISE, PROTEGE LA PIEL Y MEJORA SU HIDRATACION. EL EXTRACTO DE BRED DE MARACROSS LEVANTA LA PIEL Y RESTAURA SU DENSIDAD, DANDO LE UN ASPECTO RESPANDIENTE DE JUVENTUD GRACIAS A SU EFECTO ALISANTE Y LIFTING, A LA VEZ QUE PROTEGE CONTRA LOS RAYOS UVA Y UVB.

RADIANCE LIFT FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN BEIGE 7 30ml 1 FL. OZ. e

RADIANCE LIFT FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN

5050013000172  
 WWW.EVELOM.COM  
 DIST. SPACE BRANDS LTD  
 LONDON WC1E 6JA  
 MADE IN ITALY  
 0028/1130


PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Petal  
 EVE LOM®  
 RADIANCE LIFT  
 FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

PETAL 8

30 ml 1 FL. OZ. e



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Wheat**

EVE LOM®

RADIANCE LIFT

FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

WHEAT 9

30 ml 1 FL. OZ. e

EVE  
LOM.

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 5%	Sunscreen
Titanium Dioxide 4.5%	Sunscreen

**Uses**

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• apply liberally 15 minutes before sun exposure

• or on skin under 6 months of age. Ask a doctor.

• reapply at least every 2 hours

• use a water-resistant sunscreen if swimming or sweating

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10 a.m. - 2 p.m.

• wear long-sleeve shirts, pants, hats, and sunglasses.

**Inactive ingredients**

water, dimethicone, isododecane, mica, isononyl isocyanate, trioxane, caprylic/capric triglyceride, cetyl ethylhexanoate, glycerin, synthetic fluoropolymer, sorbitan sebacate, disteardimonium hectorite, cetyl PEG/PPG-10/1 dimethicone, dimethicone crosspolymer, butylene glycol, synthetic beeswax, tetrasodium EDTA, zincoxyethanol, sodium citrate, alcohol, silica dimethyl silicate, caprylyl methicone, aluminum hydroxide, stearic acid, PEG-30 dimethylhydroxyacetate, potassium sorbate, spilanthes acmella flower extract, rose marigold flower wax, tocopherol, ascorbyl palmitate, rubus idaeus leaf cell culture, pentylenehtyl tetra-tert-butyl hydroxyhydroquinamate. May contain titanium dioxide, iron oxides, zinc oxide.

**Other information**

• protect this product from excessive heat and direct sun

EVE  
LOM.

EVE  
LOM.

EVE  
LOM.

EVE LOM RADIANCE LIFT FOUNDATION BROAD SPECTRUM SUNSCREEN SPF 15 AN ACTIVELY AGEDEFYING FOUNDATION THAT HELPS TO LIFT AND FIRM THE SKIN WITH A WEIGHTLESS, MOISTURIZING RUBY VEL. BERRYLUMINA, A POWERFUL ANTIAGEING FROM RASPBERRY STEM CELL TECHNOLOGY, PROTECTS AND IMPROVES SKIN HYDRATION. PARACRESS FLOWER EXTRACT, COMBINED WITH ROSE FLOWER WAX, VITAMIN E AND C IMPROVE SKIN'S FIRMNESS AND RESTORES SKIN'S DENSITY FOR A SMOOTH, LIFTED COMPLEXION WITH YOUTHFUL RADIANCE. BEST PROTECTING AGAINST UVA AND UVB RAYS.

LIFT RADIANCE FOND DE TEINT SPF 15 UN FOND DE TEINT ACTIF ANTIAGE POUR LIFTER ET RAFFERMIR LA PEAU D'UN VICE HYDRATANT LEGER. LE BERRYLUMINA, UN PUISSANT ANTIAGEANT A BASE DE CELLULES SOUCHEES DE FRAMBOISE, PROTEGE LA PEAU ET AMELIORE SON HYDRATATION. L'EXTRAIT DE BAIEE MARIANE RAFFERMIT LA PEAU ET RESTAURE SA DENSITE. LIU DONNANT UN ECLAT INSE DE JEUNESSE. LES VEGES SONT RITENUES, LE TEINT S'ELIUE ET LEAS COUE DE LA PEAU RETROUVEE ET LE SPF 15 LA PROTEGE DES RAYONS UVA ET UVB.

EVE LOM RADIANCE LIFT BASE SPF 15 UNA BASE ACTIVA ANTIAGE QUE ALISA Y AFIRMA LA PIEL CON UN TOCERO VELO HIDRATANTE. EL BERRYLUMINA UN POTENTE ANTIAGEANTE A BASE DE CELULAS MADRE DE FRAMBUESA. PROTEGE LA PIEL Y MEORA SU HIDRATACION. EL EXTRACTO DE BAIEE MARIANE REAFIRMA LA PIEL Y RESTAURA SU DENSIDAD, DANDO LE UN ASPECTO RESPLANDIENTE DE JUVENTUD GRACIAS A SU EFECTO AJSANTE Y LIFTING. A LA VEZ QUE PROTEGE CONTRA LOS RAYOS UVA Y UVB.

RADIANCE LIFT FOUNDATION  
BROAD SPECTRUM SPF 15  
SUNSCREEN

RADIANCE LIFT  
FOUNDATION  
BROAD SPECTRUM SPF 15  
SUNSCREEN  
WHEAT 9  
30ml 1 FL. OZ. e

5050013000196

WWW.EVELOM.COM  
DST. SPACE BRANDS LTD.  
LONDON WC1E 6JA  
MADE IN ITALY  
0026/1132

C872021

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Bamboo**


EVE LOM®  
RADIANCE LIFT  
FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

BAMBOO 10

30 ml 1 FL. OZ. e



EVE LOM

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 5%	Sunscreen
Titanium Dioxide 4.5%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

**Inactive ingredients**

water, dimethicone, lauridodecane, mica, isononyl isonanoate, triisoxane, caprylic/capric triglyceride, cetearyl ethylhexanoate, glycerin, synthetic fluorphlogopite, sorbitan isostearate, disodiummonium hectorite, octyl PEG/PPG-10/1 dimethicone, dimethicone crosspolymer, butylene glycol, synthetic beeswax, tetrasodium EDTA, phenoxyethanol, sodium chloride, alcohol, silica dimethyl silicate, caprylyl methicone, aluminum hydroxide, stearic acid, PEG-30 dipolyhydroxyoleate, potassium sorbate, spiranthes acmodia flower extract, rosa rubiginosa flower wax, tocopherol, ascorbyl palmitate, rubus idaeus leaf cell culture, pentaserythritol tetraacetate, hydroxyhydrodiminamate. May contain titanium dioxide, iron oxides, zinc oxide.

**Other information**

- protect this product from excessive heat and direct sun

EVE LOM RADIANCE LIFT FOUNDATION BROAD SPECTRUM SUNSCREEN SPF 15 AN ACTIVELY AGEDEFYING FOUNDATION THAT HELPS TO LIFT AND FIRM THE SKIN WITH A WEIGHTLESS, MOISTURIZING FEEL. BERRYLIUM™, A POWERFUL ANTI-AGING FROM RASPBERRY STEM CELL TECHNOLOGY PROTECTS AND IMPROVES SKIN HYDRATION. WAXCESS FLOWER EXTRACT COMBINED WITH ROSE FLOWER WAX, VITAMIN E AND C IMPROVE SKIN'S FIRMNESS AND RESTORES SKIN'S DENSITY FOR A SMOOTH, LIFTED COMPLEXION WITH YOUTHFUL RADIANCE. MOST PROTECTING AGAINST UVA AND UVB RAYS.

LIFT RADIANCE FOND DE TEINT SPF 15 UN FOND DE TEINT ACTIF ANTI-ÂGE POUR LIFTER ET RAFFIRMER LA PEAU D'UN VOILE HYDRATANT LÉGER. LE BERRYLIUM™ UN PUISSANT ANTI-ÂGE D'ORIGINE À BASE DE CELLULES SOUCHES DE FRAMBOISE, PROTÈGE LA PEAU ET AMÉLIORE SON HYDRATATION. L'EXTRAIT DE BRÈDE MAFANE RAFFERMIT LA PEAU ET RESTAURE SA DENSITÉ. LUI DONNANT UN ÉCLAT LISSE DE JEUNESSE. LES AGES SONT ATTÉNUÉS. LE TEINT SUBILIMÉ ET DÉLASSÉ DE LA PEAU REJOUVE ET LE SPF 15 LA PROTÈGE DES RAYONS UVA ET UVB.

EVE LOM RADIANCE LIFT BASE SPF 15 UNA BASE ACTIVA ANTI-EDAD QUE AJUDA Y AFIRMA LA PIEL CON UN VOILE VISO HIDRATANTE. EL BERRYLIUM™ UN POTENTE ANTI-ENVEJECIMIENTO A BASE DE CÉLULAS MADRE DE FRAMBOESA. PROTEGE LA PIEL Y MEJORA SU HIDRATACIÓN. EL EXTRACTO DE BEREDE MAFANE REAFIRMA LA PIEL Y RESTAURA SU DENSIDAD, DÁNDOLE UN ASPECTO RESPRANDICIENTE DE JUVENTUD GRACIAS A SU EFECTO AJUSTANTE Y LIFTING. A LA VEZ QUE PROTEGE CONTRA LOS RAYOS UVA Y UVB.

RADIANCE LIFT FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN BAMBOO 10 30ml 1 FL. OZ. e

RADIANCE LIFT FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN

5050013000202

WWW.EVELOM.COM  
 DIST. SPACE BRANDS LTD.  
 LONDON WC1E 6JA  
 MADE IN ITALY  
 C028/1133

CS7/2022

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Glow**

EVE LOM®

RADIANCE LIFT


FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

GLOW 11

30 ml 1 FL. OZ. e



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Honey**

EVE LOM®  
RADIANCE LIFT  
FOUNDATION




BROAD SPECTRUM SPF 15

SUNSCREEN

HONEY 12

30 ml 1 FL. OZ. e



EVELOM

EVELOM

EVELOM

EVELOM

RADIANCE LIFT FOUNDATION  
BROAD SPECTRUM SPF 15  
SUNSCREEN

RADIANCE LIFT FOUNDATION  
BROAD SPECTRUM SPF 15  
SUNSCREEN  
HONEY 12  
30ml 1 FL. OZ. e

5050013000226

www.evelom.com  
D.J.S.T. SPACE BRANDS LTD.  
LONDON WC1E 6JA  
MADE IN ITALY  
0028/1135



C.872024

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 5%	Sunscreen
Titanium Dioxide 4.6%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

Do not use on damaged or broken skin.

When using this product, keep out of eyes. If in eyes, rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients**

water, dimethicone, isotododecane, mica, isononyl isononanoate, trihexanoic capryl/capric triglyceride, cetearyl ethylhexanoate, glycerin, synthetic fluorophlogopite, sorbitan isostearate, disteardimorium hectorite, cetyl PEG/PPG-10/1 dimethicone, dimethicone crosspolymer, butylene glycol, synthetic beeswax, tetrasodium EDTA, phenoxethanol, sodium chloride, alcohol, silica dimethyl silylate, capryl methicone, aluminum hydroxide, stearic acid, PEG-30 dipolyhydroxyacetate, potassium sorbate, spilanthes acmiflora flower extract, tocopherol, rose multiflora flower wax, tocopherol, ascorbyl palmitate, rubus idaeus leaf cell culture, pentosylthryl tetra-d-1-butylhydroxyhydroxymaleate. May contain: titanium dioxide, iron oxides, zinc oxide.

**Other information**

- protect this product from excessive heat and direct sun

EVELOM RADIANCE LIFT FOUNDATION BROAD SPECTRUM SUNSCREEN SPF 15 (AN ACTIVELY AGE-DEFENDING FOUNDATION THAT HELPS TO LIFT AND FIRM THE SKIN WITH A WATER-RESISTANT MOISTURIZING GEL). BERRYLLUMBA™, A POWERFUL ANTIOXIDANT FROM RASPBERRY STEM CELL TECHNOLOGY, PROTECTS AND IMPROVES SKIN HYDRATION. RABARBER FLOWER EXTRACT, COMBINED WITH ROSE FLOWER WAX, VITAMIN E AND C IMPROVE SKIN'S FIRMNESS AND RESTORES SKIN'S DENSITY FOR A SMOOTH, FITTED COMPLEXION WITH YOUTHFUL RADIANCE. MAXIMUM PROTECTION AGAINST UVA AND UVB RAYS.

LIFT RADIANCE FOND DE TEINT SPF 15 (UN FOND DE TEINT ACTIF ANTI-ÂGE POUR LIFTER ET RAFFERMIR LA PEAU D'UN VOILE HYDRATANT GÉLÉ. LE BERRYLLUMBA™, UN PUISSANT ANTI-OXYDANT À BASE DE CELLULES SÈCHES DE FRAMBOISE, PROTÈGE LA PEAU ET AMÉLIORE SON HYDRATATION. EXTRAIT DE BRÈDE MARAÎNÈ RAFFERMIT LA PEAU ET RESTAURE SA DENSITÉ. LUI DONNANT UN ÉCLAT LISSE DE JEUNESSE. LES RIDES SONT ATTÉNUÉES, LE TEINT SURVIT ET L'ÉLASTICITÉ DE LA PEAU RETROUVÉE ET LE SPF 15 LA PROTÈGE DES RAYONS UVA ET UVB.

EVELOM RADIANCE LIFT BASE SPF 15 (UNA BASE ACTIVA ANTI-EDAD QUE AISA Y AFIRMA LA PIEL CON UN GEL DE VOLO HIDRATANTE. EL BERRYLLUMBA™, UN POTENTE ANTI-OXIDANTE A BASE DE CÉLULAS MADRE DE FRAMBUESA, PROTEGE LA PIEL Y MEJORA SU HIDRATACIÓN. EL EXTRACTO DE BRÈDE MARAÎNÈ REAFIRMA LA PIEL Y RESTAURA SU DENSIDAD, DÁNDOLE UN ASPECTO RESBRANDECIENTE DE JUVENTUD GRACIAS A SU EFECTO ALISANTE Y LIFTING, A LA VEZ QUE PROTEGE CONTRA LOS RAYOS UVA Y UVB.

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - Alabaster**

EVE LOM®

RADIANCE LIFT

FOUNDATION

BROAD SPECTRUM SPF 15

SUNSCREEN

ALABASTER 1

30 ml 1 FL. OZ. e



<b>EVE LOM RADIANCE LIFT FOUNDATION SPF 15</b> titanium dioxide and octinoxate cream			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61601-1125

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

### Product Characteristics

<b>Color</b>	white (Ivory)	<b>Score</b>	
--------------	---------------	--------------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1125-5	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1133
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	

FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

### Product Characteristics

Color	brown (Bamboo)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1133-7	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1126
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CETEARYL ETHYLHEXANOATE</b> (UNII: 9M64UO4C25)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ACMELLA OLERACEA FLOWER</b> (UNII: 2794N5KM0K)	
<b>ROSA MULTIFLORA FLOWER WAX</b> (UNII: VU148CEP2J)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	

**Product Characteristics**

<b>Color</b>	gray (Ecreu)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1126-9	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1127
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	



ZINC OXIDE (UNII: SOI2LOH54Z)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
CAPRYLYL TRISILOXANE (UNII: Q95M2PIKJL)
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
TALC (UNII: 7SEV7J4R1U)
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)
TOCOPHEROL (UNII: R0ZB2556P8)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)

### Product Characteristics

Color	yellow (Vanilla)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1127-3	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1128
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

## Product Characteristics

Color	white (Linen)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1128-0	1 in 1 CARTON		

1	30 mL in 1 BOTTLE, PUMP		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part352	03/01/2014	

**EVE LOM RADIANCE LIFT FOUNDATION SPF 15**  
titanium dioxide and octinoxate cream

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61601-1129
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

<b>Inactive Ingredients</b>		
	<b>Ingredient Name</b>	<b>Strength</b>
	WATER (UNII: 059QF0KO0R)	
	DIMETHICONE (UNII: 92RU3N3Y1O)	
	ISODODECANE (UNII: A8289P68Y2)	
	MICA (UNII: V8A1AW0880)	
	ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
	TRISILOXANE (UNII: 9G1ZW13R0G)	
	FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
	CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
	GLYCERIN (UNII: PDC6A3C0OX)	
	SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
	DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
	CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
	EDETATE SODIUM (UNII: MP1J8420LU)	
	FERRIC OXIDE RED (UNII: 1K09F3G675)	
	PHENOXYETHANOL (UNII: HE492ZZ3T)	
	SODIUM CHLORIDE (UNII: 451W47IQ8X)	
	ALCOHOL (UNII: 3K9958V90M)	
	ZINC OXIDE (UNII: SOI2LOH54Z)	
	SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)	
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
	STEARIC ACID (UNII: 4ELV7Z65AP)	

CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

### Product Characteristics

Color	white (Cream)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1129-9	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1130
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

Product Characteristics			
Color	brown (Beige)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1130-1	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1131
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

### Product Characteristics

Color	pink (Petal)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1131-7	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1132
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	

ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

Product Characteristics			
Color	brown (Wheat)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1132-8	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	



# EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61601-1134
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	

ASCORBYL PALMITATE (UNII: QN83US2B0N)

PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)

### Product Characteristics

Color	white (Glow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1134-6	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61601-1135
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

### Product Characteristics

Color	brown (Honey)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61601-1135-4	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

## EVE LOM RADIANCE LIFT FOUNDATION SPF 15

titanium dioxide and octinoxate cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61601-1124
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.38 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.5 g in 30 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
MICA (UNII: V8A1AW0880)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALCOHOL (UNII: 3K9958V90M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TALC (UNII: 7SEV7J4R1U)	
ACMELLA OLERACEA FLOWER (UNII: 2794N5KM0K)	
ROSA MULTIFLORA FLOWER WAX (UNII: VU148CEP2J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

<b>Product Characteristics</b>			
<b>Color</b>	white (Alabaster)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:6 160 1-1124-2	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, PUMP		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2014	

**Labeler** - Space Brands Limited (218214381)

Revised: 3/2014

Space Brands Limited