

**EQUALINE TRIPLE ANTIBIOTIC PLUS- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment**  
**Supervalu Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**equaline™**  
**triple antibiotic plus**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	Topical analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week

**Ask a doctor before use**

- on deep or puncture wounds, animal bites, or serious burns

**Stop use and ask a doctor if**

- condition gets worse
- condition persists for more than 7 days
- condition clears up and occurs again within a few days
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years of age: consult a doctor

**Other information**

- To open: unscrew cap, pull tab remove foil seal
- store at room temperature
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

Distributed by  
Albertsons, Inc.  
Boise, Idaho 83726

**PRINCIPAL DISPLAY PANEL - 28.4g Tube Carton**

compare to Neosporin<sup>®</sup> Plus  
active ingredients\*

**equaline<sup>™</sup>**

maximum strength

**triple antibiotic plus ointment**

polymyxin B sulfate • bacitracin zinc  
neomycin sulfate • pramoxine hydrochloride

first aid antibiotic/pain relief ointment

**NET WT 1 OZ (28.4g)**



**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-254
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Bacitracin zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [iU] in 1 g
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
<b>Pramoxine hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41163-254-20	1 in 1 CARTON		
1		28.4 g in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333B	03/31/2012	

**Labeler** - Supervalu Inc (006961411)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41163-254)

Revised: 3/2013

Supervalu Inc