

**ACETAMINOPHEN- acetaminophen tablet**  
**SAM'S WEST INC**

-----  
**Extra Strength**

**Acetaminophen USP, 500mg Caplets**

**Pain Reliever/Fever Reducer**

**For Adults**

**Active ingredient (in each caplet)**

Acetaminophen USP, 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
  
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening

- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away

### **Ask a doctor before use if you have**

liver disease

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure

whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days

- new symptoms occur

- redness or swelling is present

These could be signs of a serious condition

### **If pregnant or breast-feeding**

ask a health professional before use

### **Keep out of reach of children**

Keep out of reach of children

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- do not take more than directed (see overdose warning)

adults and children ■ take 2 caplets every 6 hours while symptoms last

- do not take more than 6 caplets in 24 hours, unless directed by a doctor

■ do not use for more than 10 days unless directed by a doctor  
12 years and over

children under 12 years ■ ask a doctor

### **Other information**

■ store between 20-25°C (68-77°F). See USP Controlled Room Temperature.

■ see bottom of the label for lot number and expiration date

### **Inactive ingredients**

hydroxypropyl methyl cellulose, polyethylene glycol, povidone k-30, pregelatinized starch, sodium starch glycolate, stearic acid

### **Questions or comments?**

We would love to hear about your Member's Mark experience! Call us toll-free at **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

### **PDP**



<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	G;551
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-177-61	600 in 1 BOTTLE; Type 0: Not a Combination Product	02/13/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/13/2024	

**Labeler** - SAM'S WEST INC (051957769)

Revised: 12/2025

SAM'S WEST INC