

**SUNMARK BENZOIN COMPOUND TINCTURE- benzoin resin liquid**  
**Strategic Sourcing Services LLC**

-----  
**Sunmark Benzoin Compound Tincture, NFXI**

Drug Facts

**Active Ingredient**

Benzoin

**Purpose**

Protectant

**Use**

Forms a coating over wound for protecting recurring canker sores

**Warnings**

For external use only. Do not swallow. Do not exceed recommended dosage.

**When using this product**

Children under 12 years of age should be supervised in the use of this product.

Do not use for more than 7 days unless directed by a dentist or doctor.

**Stop use and consult a dentist or doctor if**

sore mouth symptoms do not improve in 7 days. irritation, pain or redness persists or worsens. swelling, rash or fever develops.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

Adults and children 6 months of age and older: Dry the affected area, with cotton swab, apply undiluted to the affected area not more often than every 2 hours.

Children under 6 months of age: Consult a dentist or doctor.

## Other information

Flammable: Keep away from spark, heat or flame.

## Inactive Ingredients

Alcohol 77%, Aloe, Storax, Tolu Balsam

## Principal Display Panel - 2 oz

**sunmark™** \*SAFETY SEALED NDC 49348-138-30

**benzoin tincture NFXI**

Oral mucosal protectant  
Alcohol 79%

**Drug Facts**

**Active Ingredients**  
Benzoin.....**Purpose**  
Protectant

**Uses:** Forms a coating over a wound. For protecting recurring canker sores.

**Warnings:** For external use only. Do not swallow. Do not exceed recommended dosage.

**Stop use ask a doctor if** ■ the condition persists or gets worse. ■ symptoms do not improve within 7 days. ■ pain, irritation, swelling, rash or fever develop.

**When using this product** ■ do not use in the eyes. ■ do not use this product for longer than 1 week unless directed by a dentist or doctor.

**Keep out of the reach of children.** In case of accidental ingestion seek professional or contact a Poison Control Center immediately.

**Directions:** ■ Adults and children 6 months of age and older: Dry the affected area. Saturate a cotton applicator with medication and apply undiluted to the affected area not more often than every 2 hours.

■ Children under 6 months of age: Consult a dentist or doctor.

**Inactive ingredient:** Aloe, Storax, Tolu Balsam, Alcohol and Purified Water.

**Other information:** ■ Store at room temperature 15°-30° C (59° - 86° F) in light, light-resistant containers. ■ Avoid exposure to direct sunlight and excessive heat.

■ **FLAMMABLE: Keep away from spark, heat & flame.**

0 10939 14433

\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR A FOIL SEAL UNDER CAP.

Distributed By McKesson One Post Street, San Francisco, CA 94104 Money Back Guarantee

**2 FL OZ (59 mL)**

**sunmark™** \*SAFETY SEALED NDC 49348-138-30

**benzoin tincture NFXI**

Oral mucosal protectant  
Alcohol 79%

**Drug Facts**

**Active Ingredients**  
Benzoin.....**Purpose**  
Protectant

**Uses:** Forms a coating over a wound. For protecting recurring canker sores.

**Warnings:** For external use only. Do not swallow. Do not exceed recommended dosage.

**Stop use ask a doctor if** ■ the condition persists or gets worse. ■ symptoms do not improve within 7 days. ■ pain, irritation, swelling, rash or fever develop.

**When using this product** ■ do not use in the eyes. ■ do not use this product for longer than 1 week unless directed by a dentist or doctor.

**Keep out of the reach of children.** In case of accidental ingestion seek professional or contact a Poison Control Center immediately.

**Directions:** ■ Adults and children 6 months of age and older: Dry the affected area. Saturate a cotton applicator with medication and apply undiluted to the affected area not more often than every 2 hours.

■ Children under 6 months of age: Consult a dentist or doctor.

**Inactive ingredient:** Aloe, Storax, Tolu Balsam, Alcohol and Purified Water.

**Other information:** ■ Store at room temperature 15°-30° C (59° - 86° F) in light, light-resistant containers. ■ Avoid exposure to direct sunlight and excessive heat.

■ **FLAMMABLE: Keep away from spark, heat & flame.**

0 10939 14433

\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR A FOIL SEAL UNDER CAP.

Distributed By McKesson One Post Street, San Francisco, CA 94104 Money Back Guarantee

**2 FL OZ (59 mL)**

## SUNMARK BENZOIN COMPOUND TINCTURE

benzoin resin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49348-138
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZOIN RESIN</b> (UNII: GK21SBA74R) (BENZOIN RESIN - UNII:GK21SBA74R)	BENZOIN RESIN	1000 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ALOE</b> (UNII: V5VD430YW9)	
<b>TOLU BALSAM</b> (UNII: TD2LE91MBE)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-138-30	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/12/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	01/01/2008	

**Labeler** - Strategic Sourcing Services LLC (116956644)**Registrant** - Pharma Nobis, LLC (118564114)**Establishment**

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(49348-138) , analysis(49348-138) , pack(49348-138) , label(49348-138)

Revised: 12/2023

Strategic Sourcing Services LLC