

**TATTOO GOO TATTOO MINERAL SUNSCREEN SPF 30- zinc oxide cream**  
**The Magni Company**

-----  
**Tattoo Goo Tattoo Mineral Sunscreen SPF 30**

***Drug Facts***

***Active Ingredients***

Zinc Oxide\*\* 12.5%

***Purpose***

Sunscreen

***Uses***

Helps prevent sunburn

***Warnings***

**For external use only**

**Do not use**

on damaged or broken skin. Allow new tattoos to heal for 3 weeks before use.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use & ask doctor**

if rash occurs.

**Keep out of the reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- \* apply liberally 15 minutes before sun exposure
- \* use a water resistant sunscreen if swimming or sweating
- \* immediately after towel drying
- \* at least every 2 hours.

## Inactive Ingredients

Water (Aqua), Coco-Caprylate/Caprate, Caprylic/Capric Triglyceride, Ethylhexyl Methoxycrylene, Glycerin, Calcium Sodium Borosilicate, Polyhydroxystearic Acid, Cetearyl Alcohol, Phenoxyethanol, Cetearyl Glucoside, C14-22 Alcohols, Hydrolyzed Soy Fiber, C12-20 Alkyl Glucoside, Xanthan Gum, Fructooligosaccharides, Beta Vulgaris (Beet) Root Extract, Ethylhexylglycerin, Sodium Phytate, Tocopheryl Acetate, Potassium Lactate, Lactic Acid, Tetrahexyldecyl Ascorbate.

## Other information

Protect this product from excessive heat and direct sun

\* may stain fabrics.

## Package Labelling:

Drug Facts	Purpose
<b>Active Ingredients</b> Zinc Oxide** 12.5%	Sunscreen
<b>Uses</b> Helps prevent sunburn	
<b>Warnings</b> For external use only Do not use on damaged or broken skin. Allow new tattoos to heal for 3 weeks before use. When using this product keep out of eyes. Rinse with water to remove. Stop Use & ask doctor if rash occurs. Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • immediately after towel drying • at least every 2 hours.	
<b>Inactive Ingredients</b> Water (Aqua), Coco-Caprylate/Caprate, Caprylic/Capric Triglyceride, Ethylhexyl Methoxycrylene, Glycerin, Calcium Sodium Borosilicate, Polyhydroxystearic Acid, Cetearyl Alcohol, Phenoxyethanol, Cetearyl Glucoside, C14-22 Alcohols, Hydrolyzed Soy Fiber, C12-20 Alkyl Glucoside, Xanthan Gum, Fructooligosaccharides, Beta Vulgaris (Beet) Root Extract, Ethylhexylglycerin, Sodium Phytate, Tocopheryl Acetate, Potassium Lactate, Lactic Acid, Tetrahexyldecyl Ascorbate.	
<b>Other information</b> Protect this product from excessive heat and direct sun • may stain fabrics.	

The Magni Group, Inc. (USA)  
McKinney, TX 75072  
Barber of Sheffield Ltd (UK) S74 9LH  
S.A.S P'Tr Rock (FR) 50220

**REVIEW INGREDIENTS FOR ALLERGIES**

**TattooGoo.com**  
Facebook, Instagram, Twitter: @TATTOOGO

24M

**Tattoo Goo**

**Tattoo Mineral Sunscreen**

**BROAD SPECTRUM SPF 30**

**DON'T NEGLECT IT, PROTECT IT™**

Made in USA

2 fl.oz. (59 mL) e

Barcode: 8 55569 00023 3


Weld Area Gap

**OPEN END**

.0625" (1.5875mm)

Maximum rotary screen height for a single separation on this size tube is 3.5" (88.9mm)  
 The rotary screen area can fall anywhere within the maximum print height as long as it does not extend larger than this size.

.125" (3.175mm)  
 Shoulder  
 Weld

**CAP END**

Center to Center  
 2.4219" (61.516mm)

**TATTOO GOO TATTOO MINERAL SUNSCREEN SPF 30**

zinc oxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43689-0060
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	125 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CALCIUM SODIUM BOROSILICATE</b> (UNII: 4MM76N4WMY)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	

<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)
<b>C14-22 ALCOHOLS</b> (UNII: B1K89384R)
<b>C12-20 ALKYL GLUCOSIDE</b> (UNII: K67N5Z1RUA)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>BEET</b> (UNII: N487KM8COK)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>POTASSIUM LACTATE</b> (UNII: 87V1KMK4QV)
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43689-0060-1	59 mL in 1 TUBE; Type 0: Not a Combination Product	08/20/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/20/2024	

**Labeler - The Magni Company (113501902)**