CONTAC COLD FLU DAY- phenylephrine hydrochloride, acetaminophen tablet Vespyr Brands, Inc.

CONTAC Cold + Flu Day

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg Phenylephrine hydrochloride 5 mg

Purposes

Pain reliever/fever reducer Nasal decongestant

Uses

Temporarily relieves common cold/flu symptoms:

- nasal congestion headache minor aches and pains
- stuffy nose sinus congestion and pressure
- sore throat fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4000 mg of acetaminophen in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

• skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, ask a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional

conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist

before taking this product.

Ask a doctor before use if you have

- liver disease heart disease diabetes
- high blood pressure
 thyroid disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- you get nervous, dizzy, or sleepless
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years of age and over: take 2 caplets every

6 hours as needed

signs or symptoms.

- do not take more than 8 caplets in 24 hours
- children under 12 years of age: ask a doctor

Other information

store at 20°-25°C (68°-77°F)

Inactive ingredients

corn starch, microcrystalline cellulose, polyethylene glycol, polysorbate 80, polyvinyl alcohol, potassium sorbate, povidone, sodium lauryl sulfate, stearic acid, talc.

Ouestions or comments?

Call toll-free **1-855-874-0970** (English/Spanish) M - F, 8am - 5pm EST

Retain outer carton for complete directions and warnings.

TAMPER-EVIDENT PACKAGING FEATURE: This product is protected in a sealed

blister. Do not use if blister or printed foil is broken.

CONTAC ®

COLD + FLU DAY

Non-Drowsy Relief

DISTRIBUTED BY: **Vespyr Brands**®, **Inc.**, East Windsor NJ 08520 | Made in Canada | **www.contac.com**

CONTAC® is a registered trademark of Vespyr Brands®, Inc. © 2022 Vespyr Brands®, Inc. | UC402408-06-05

CONTACT®

COLD + FLU DAY

Phenylephrine HCl, Acetaminophen

Nasal Decongestant/Pain Reliever-Fever ReducerMaximum Strength

Multi-Symptom

Nasal Congestion

Sinus Pressure • Sore Throad

Head & Body Aches • Fever

8 CAPLETS

NDC 71179-024-08

Maximum Strength

Multi-Symptom

Nasal Congestion

Sinus Pressure • Sore Throad

Head & Body Aches • Fever



CONTAC COLD FLU DAY

phenylephrine hydrochloride, acetaminophen tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71179-024
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE (UNII: FZ989GH94E)		

POLYSORBATE 80 (UNII: 60ZP39ZG8H)

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

STARCH, CORN (UNII: 08232NY3SJ)

TALC (UNII: 7SEV7J4R1U)

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	sun	
Contains				

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71179-024- 08	1 in 1 BOX	11/30/2022	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:71179-024- 24	3 in 1 BOX	11/30/2022	
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/30/2022	

Labeler - Vespyr Brands, Inc. (118094893)

Revised: 1/2024 Vespyr Brands, Inc.