

BRONZING PERFECTOR SPF 20 SUNSCREEN- titanium dioxide and zinc oxide liquid **Colorescience**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bronzing Perfectioner SPF 20 Sunscreen

Drug Facts

| <i>Active ingredients</i> | <i>Purpose</i> |
|----------------------------------|-----------------------|
| Titanium Dioxide 5.0% | Sunscreen |
| Zinc Oxide 6.8% | Sunscreen |

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.– 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Cyclopentasiloxane, Ethylhexyl Hydroxystearate Benzoate, Dimethicone Crosspolymer, Glycerin, Water, Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone, Tocopheryl Acetate, Hydrolyzed Rice Protein, Avena Sativa (Oat) Kernel Protein, Spirulina Maxima Extract, Aloe Barbadosis Leaf Extract, Palmaria Palmata Extract, Camellia Sinensis Leaf Extract, Beta-Glucan, Avena

Sativa (Oat) Kernel Extract, Citrus Paradisi (Grapefruit) Seed Extract, Simmondsia Chinensis (Jojoba) Seed Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Melissa Officinalis Leaf Powder, Ascorbic Acid, Stearic Acid, Dimethiconol, Cyclohexasiloxane, Triethoxycaprylylsilane, Calcium Silicate, Sodium Sulfate, Sodium Benzoate, Phenoxyethanol, Aluminum Hydroxide, Limonene, Linalool, Bismuth Oxochloride (CI 77163), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Distributed in USA by
Colorescience®
Carlsbad, CA 92011

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton

colorescience®

**BRONZING
PERFECTOR**

3-IN-1 FACE PRIMER

Offers radiant bronze glow

Evens skin tone & texture

Water resistant
(40 minutes)

20
Broad Spectrum
SPF 20
Sunscreen

1 fl. oz. / 30 mL

0.62500



BRONZING PERFECTOR
SPF 20

0.90625

colorescience®

BRONZING PERFECTOR

Ultimate Staycation

You're on vacation every day with Colorescience® Bronzing Perfector. Extended makeup wear and the instant sun-kissed tint you crave; while zinc oxide and titanium dioxide deliver non-chemical UVA/UVB sunscreen and environmental protection.

Discover our full line of uncompromising, health-forward formulas designed to fit your life at colorescience.com

How to Use

Apply over face ensuring even coverage. Can be worn alone or under your favorite foundation.

For USA only

Drug Facts

| Active Ingredients | Purpose |
|-----------------------------|-----------|
| Titanium Dioxide 5.0% | Sunscreen |
| Zinc Oxide 6.8% | Sunscreen |

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

For USA only

Drug Facts (continued)

Inactive ingredients:

Cyclopentasiloxane, Ethylhexyl Hydroxystearate Benzoate, Dimethicone Crosspolymer, Glycerin, Water, Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone, Tocopheryl Acetate, Hydrolyzed Rice Protein, Avena Sativa (Oat) Kernel Protein, Spirulina Maxima Extract, Aloe Barbadosensis Leaf Extract, Palmaria Palmata Extract, Camellia Sinensis Leaf Extract, Beta-Glucan, Avena Sativa (Oat) Kernel Extract, Citrus Paradisi (Grapefruit) Seed Extract, Simmondsia Chinensis (Jojoba) Seed Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Melissa Officinalis Leaf Powder, Ascorbic Acid, Stearic Acid, Dimethiconol, Cyclohexasiloxane, Triethoxycaprylsilane, Calcium Silicate, Sodium Sulfate, Sodium Benzoate, Phenoxyethanol, Aluminum Hydroxide, Limonene, Linalool, Bismuth

Oxychloride (CI 77163), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information:

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

Ingredients (EU)

Cyclopentasiloxane, Ethylhexyl Hydroxystearate Benzoate, Zinc Oxide, Dimethicone Crosspolymer, Titanium Dioxide, Glycerin, Aqua, Mica, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone, Tocopheryl Acetate, Hydrolyzed Rice Protein, Avena Sativa Kernel Protein, Spirulina Maxima Extract, Aloe Barbadosensis Leaf Extract, Palmaria Palmata Extract, Camellia Sinensis Leaf Extract, Beta-Glucan, Avena Sativa Kernel Extract, Citrus Paradisi Seed Extract, Simmondsia Chinensis Seed Oil, Melaleuca Alternifolia Leaf Oil, Lavandula Angustifolia Oil, Citrus Reticulata Peel Oil, Melissa Officinalis Leaf Powder, Ascorbic Acid, Stearic Acid, Dimethiconol, Cyclohexasiloxane, Triethoxycaprylsilane, Calcium Silicate, Sodium Sulfate, Sodium Benzoate, Phenoxyethanol, Aluminum Hydroxide, Limonene, Linalool, +/- CI 77163, CI 77491, CI 77492, CI 77499, CI 77891

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.
- Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Continued on opposite side panel ▶

3-IN-1 FACE PRIMER

Offers radiant bronze glow
Evens skin tone & texture
Water resistant
(40 minutes)

20 Broad Spectrum
SPF 20
Sunscreen

1 fl. oz. / 30 mL

813419021586

MACHINE

SCORE


How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs.

Distributed in USA by Colorescience® Carlsbad, CA 92011 Made in USA

BIORIUS Rue de la Croix, 10A BE-7170 MANAGE 170040





BRONZING PERFECTOR SPF 20 SUNSCREEN

titanium dioxide and zinc oxide liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68078-016 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 50 mg in 1 mL |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 68 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| Cyclomethicone 5 (UNII: 0THT5PCI0R) | |
| Ethylhexyl Hydroxystearate Benzoate (UNII: 3W8F25684B) | |
| Dimethicone Crosspolymer (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| Water (UNII: 059QF0KO0R) | |
| Mica (UNII: V8A1AW0880) | |
| Dimethicone/Vinyl Dimethicone Crosspolymer (Soft Particle) (UNII: 9E4CO0W6C5) | |
| Dimethicone (UNII: 92RU3N3Y1O) | |
| .Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0) | |
| Rice Bran (UNII: R60QEP13IC) | |
| Oat (UNII: Z6J799EAJK) | |
| ARTHROSPIRA MAXIMA (UNII: 9K7IG15M0Q) | |
| Aloe Vera Leaf (UNII: ZY81Z83H0X) | |
| Dulse (UNII: 7832HOY4ZQ) | |
| Green Tea Leaf (UNII: W2ZU1RY8B0) | |
| Polysaccharide-K (UNII: 3X48A86C8K) | |
| Citrus Paradisi Seed (UNII: 12F08874Y7) | |
| Jojoba Oil (UNII: 724GKU717M) | |
| Tea Tree Oil (UNII: VIF565UC2G) | |
| Lavender Oil (UNII: ZBP1YXW0H8) | |
| CITRUS RETICULATA LEAF OIL (UNII: 1515UE78IH) | |
| Melissa Officinalis Leaf (UNII: 50D2ZE9219) | |
| Ascorbic Acid (UNII: PQ6CK8PD0R) | |

| |
|---|
| Stearic Acid (UNII: 4ELV7Z65AP) |
| Dimethiconol (100000 CST) (UNII: OSA9UP217S) |
| Cyclomethicone 6 (UNII: XHK3U310BA) |
| Triethoxycaprylylsilane (UNII: LDC331P08E) |
| Calcium Silicate (UNII: S4255P4G5M) |
| Sodium Sulfate (UNII: 0YPR65R21J) |
| Sodium Benzoate (UNII: OJ245FE5EU) |
| Phenoxyethanol (UNII: HIE492ZZ3T) |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) |
| Limonene, (+)- (UNII: GFD7C86Q1W) |
| Bismuth Oxychloride (UNII: 4ZR792I587) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |
| LINALOOL, (+/-)- (UNII: D81QY6I88E) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:68078-016-17 | 1 in 1 CARTON | 02/01/2017 | |
| 1 | | 30 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:68078-016-02 | 1 mL in 1 PACKET; Type 0: Not a Combination Product | 02/01/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352 | 02/01/2017 | |

Labeler - Colorescience (128731929)

Revised: 11/2018

Colorescience