

ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol liquid
Marlex Pharmaceuticals Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Isopropyl Alcohol 70 Percent

Drug Facts

Active ingredient

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

- **flammable, keep away from fire or flame**
- if taken internally serious gastric disturbances will result

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor
- do not use otherwise than directed

Stop use and ask a doctor if

- condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first

- may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredients

purified water

DISTRIBUTED BY:

Marlex Pharmaceuticals, Inc.

New Castle, DE 19720

Made in USA

Principal Display Panel


70% Isopropyl Alcohol

First Aid Antiseptic

Helps prevent the risk of infection in minor, cuts, scrapes and burns.

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY FOIL UNDER THE CAP IS
BROKEN OR MISSING.**



Drug Facts TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY FOIL UNDER CAP IS BROKEN OR MISSING.

Active ingredient Isopropyl alcohol (70% conc.)	Purpose first aid antiseptic
---	--

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings
For external use only

- flammable, keep away from fire or flame
- if taken internally serious gastric disturbances will result

Ask a doctor before use if you have ■ deep puncture wounds, animal bites or serious burns

When using this product ■ do not get into eyes
 ■ do not apply over large areas of the body
 ■ do not use longer than one week unless directed by a doctor
 ■ do not use otherwise than directed

Stop use and ask a doctor if ■ condition persists or gets worse

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions ■ clean affected area
 ■ apply small amount of this product on the area 1-3 times daily
 ■ if bandaged, let dry first
 ■ may be covered with a sterile bandage

Other information ■ store at room temperature
 ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredients purified water

Distributed by:
 Marlex Pharmaceuticals, Inc.
 New Castle, DE 19720
 Made in USA


 N 3 10135 10608 0

ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10 135-106
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10135-106-08	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:10135-106-18	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part333A	08/01/2015	

Labeler - Marlex Pharmaceuticals Inc (782540215)

Revised: 8/2015

Marlex Pharmaceuticals Inc