

**FOSTER AND THRIVE- chlorhexidine gluconate 4% solution**  
**Xttrium Laboratories, Inc.**

-----  
**Foster & Thrive 4% CHG Antiseptic Skin Cleanser 8oz**

**Active Ingredient**

Chlorhexidine Gluconate 4%

**Purpose**

Antiseptic

**Uses**

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

**Warnings**

**For external use only**

**Allergy alert:**

This product may casue a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- is solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done expect when

advised by health care provider

### **Stop use and ask a doctor if**

**Stop use and ask a doctor if** irritation , sensitization, or allergic reaction occurs. There may be signs of a serious condition

### **Keep out of reach of children.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in vigorous manner for about 15 seconds
- rinse and dry thoroughly

### **Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### **Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat about 40°C (104°F)

### **Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

### **Questions?**

833-358-6431

### **Laundering/Cleaning Instructions**

Chlorhexidine gluconate skin cleanser will cause stains if used with chlorine releasing products, such as chlorine bleach.

### **Distribution Statement**

\*This product is not manufactured or distributed by Molnlycke Healthcare, owner of Hibiclens®

REV. 10/23 4FT08BTLLBL

## Prop 65 statement

**WARNING:** Cancer - [www.P65Warnings.co.gov](http://www.P65Warnings.co.gov)

## Distribution Block + Claim

©2023 McKesson Corporation

**Distributed by:** McKesson Corp., via SSSL, Memphis, TN 38141

Money Back Guarantee [www.fosterandthrive.com](http://www.fosterandthrive.com)

## Principle Display Panel

NDC 70677-1221-1

Compared to the Active Ingredient in Hibiclens®

Foster & Thrive™

Antiseptic Skin Cleanser

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleanser

Dye Free

For External Use Only

8 FL OZ (237 mL)

**COMPARE TO THE ACTIVE INGREDIENT IN HIBICLENS®\*\***

**Foster & Thrive™**

**Antiseptic Skin Cleanser**

**Chlorhexidine Gluconate 4% Solution**

ANTISEPTIC SKIN CLEANSER

Dye free

For External Use Only

8 FL OZ (237 mL)

<b>Drug Facts</b>	
<b>Active ingredient</b> Chlorhexidine gluconate 4% solution	<b>Purpose</b> Antiseptic
<b>Uses</b> <ul style="list-style-type: none"><li>healthcare personnel handwash: helps reduce bacteria that potentially can cause disease</li><li>skin wound and general skin cleansing</li></ul>	
<b>Warnings</b> For external use only	
<b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include: <ul style="list-style-type: none"><li>wheezing/difficulty breathing</li><li>shock</li><li>hives</li><li>facial swelling</li><li>rash</li></ul> If an allergic reaction occurs, stop use and seek medical help right away.	
<b>Do not use</b> <ul style="list-style-type: none"><li>if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li><li>in contact with meninges</li><li>in the genital area</li></ul>	

<b>Drug Facts (continued)</b>	
<b>When using this product</b> <ul style="list-style-type: none"><li>keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.</li><li>if solution should contact these areas, rinse out promptly and thoroughly with water</li><li>wounds which involve more than the superficial layers of the skin should not be routinely treated</li><li>repeated general skin cleansing of large body areas should not be done except when advised by a health care provider</li></ul>	
<b>Stop use and ask a doctor</b> if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"><li>use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li></ul>	

<b>Drug Facts (continued)</b>	
<b>Healthcare personnel handwash:</b> <ul style="list-style-type: none"><li>wet hands with water</li><li>dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds</li><li>rinse and dry thoroughly</li></ul>	
<b>Skin wound and general skin cleansing:</b> <ul style="list-style-type: none"><li>thoroughly rinse the area to be cleaned with water</li><li>apply the minimum amount of product necessary to cover the skin or wound area and wash gently</li><li>rinse again thoroughly</li></ul>	
<b>Other information</b> <ul style="list-style-type: none"><li>store at 20-25°C (68-77°F)</li><li>avoid excessive heat above 40°C (104°F)</li></ul>	
<b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol	
<b>Questions?</b> 833-358-6431	

Learn more about our products. Visit [www.fosterandthrive.com](http://www.fosterandthrive.com) for more information. ©2023 McKesson Corporation. All rights reserved. \*This product is not manufactured or distributed by Molnlycke Healthcare. \*\*Compare to the active ingredient in Hibiclens®.

**WARNING: Cancer - www.P65Warnings.co.gov**

109391959891 8

REV. 10/23 4FT08BTLLBL

©2023 McKesson Corporation  
Distributed by: McKesson Corp., via SSSL, Memphis, TN 38141  
Money Back Guarantee [www.fosterandthrive.com](http://www.fosterandthrive.com)

**FOSTER AND THRIVE**

chlorhexidine gluconate 4% solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0116-1221
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 g in 100 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>LAURAMINE OXIDE</b> (UNII: 4F6FC4MI8W)	
<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>PEG-75 LANOLIN</b> (UNII: 09179OX7TB)	
<b>COCO DIETHANOLAMIDE</b> (UNII: 92005F972D)	
<b>HYDROXYETHYL CELLULOSE (2000 CPS AT 1%)</b> (UNII: S38J6RZN16)	
<b>TRIDECYL ALCOHOL</b> (UNII: 8I9428H868)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0116-1221-01	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/27/2023	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA019125	10/27/2023	

**Labeler** - Xttrium Laboratories, Inc. (007470579)

**Registrant** - Xttrium Laboratories, Inc. (007470579)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Xttrium Laboratories, Inc.		007470579	manufacture(0116-1221)

