

AIR- air gas
Matheson Tri-Gas, Inc.

Air

AIR, COMPRESSED

UN1002

MEDICAL AIR USP

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS. CU. FT.

WARNING: For breathing support when used by properly trained personnel. For medical applications, Rx only. Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Do not handle until all safety precautions have been read and understood. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. Return with 25 psig. CAS 132259-10-0

MATHESON The Gas Professionals

MATHESON TRI-GAS

909 LAKE CAROLYN PKWY. SUITE 1300

IRVING, TEXAS 75039 . 1-800-416-2505



AIR, COMPRESSED

UN1002

MEDICAL AIR USP

MEDICAL AIR USP

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS. CU. FT.

WARNING: For breathing support when used by properly trained personnel. For medical applications, Rx only. Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Do not handle until all safety precautions have been read and understood. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. Return with 25 psig. CAS 132259-10-0

MATHESON ask... The Gas Professional TM

MATHESON TRI-GAS

150 ALLEN ROAD. BASKING RIDGE, NJ 07920

1-800-416-2505



AIR, COMPRESSED

UN1002

MEDICAL AIR USP

MEDICAL AIR USP

DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS. CU. FT.

WARNING: For breathing support when used by properly trained personnel. For medical applications, Rx only. Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Do not handle until all safety precautions have been read and understood. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Matheson Tri-Gas Safety Data Sheet (SDS) before use. Return with 25 psig. CAS 132259-10-0

MATHESON ask... The Gas Professional TM

MATHESON TRI-GAS

150 ALLEN ROAD. BASKING RIDGE, NJ 07920

1-800-416-2505

12	NDC:55037-313-12	2500 L in 1 CYLINDER		
13	NDC:55037-313-13	2700 L in 1 CYLINDER		
14	NDC:55037-313-14	3400 L in 1 CYLINDER		
15	NDC:55037-313-15	5000 L in 1 CYLINDER		
16	NDC:55037-313-16	5500 L in 1 CYLINDER		
17	NDC:55037-313-17	5600 L in 1 CYLINDER		
18	NDC:55037-313-18	6900 L in 1 CYLINDER		
19	NDC:55037-313-19	6700 L in 1 CYLINDER		
20	NDC:55037-313-20	7300 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141399	01/01/1987	

Labeler - Matheson Tri-Gas, Inc. (179092028)

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		035676147	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		606686202	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		111249868	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		832779602	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965760387	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		965760197	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
MATHESON TRI-GAS, INC.		024873548	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		074768669	manufacture

Revised: 1/2024

Matheson Tri-Gas, Inc.