NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS SHEER TINT 40ML SPF 50- titanium oxide, zinc oxide liquid WILD CHILD LABORATORIES PTY LTD

NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS Sheer Tint 40mL

ACTIVE INGREDIENTS

Active Ingredients: Titanium Dioxide 3.3% Zinc Oxide 14.9%

Purpose

Sunscreen

USES

Uses: Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

WARNINGS

Warnings: For external use only. Do not use on damaged or broken skin Avoid prolonged sun exposure. If it gets in your eyes, wash well with water. Keep out of reach of children. Stop use and ask a doctor if rashes occur. If product is swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- SPRAY 7 TIMES WITH MOUTH AND LIPS CLOSED 8-10" AWAY FROM FACE 15 MINUTES BEFORE SUN EXPOSURE.
- Reapply after 80 minutes of swimming or sweating.
- Reapply immediately after towel drying.
- Reapply at least every 2 hours.
- Children under 3 years of age: Ask a doctor.

SUN PROTECTION MEASURES:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or

higher and other sun protection measures including:

- Limit time in the sun, especially from 10.00AM 2.00PM
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

Aluminium Hydroxide,
Butyloctyl Salicylate, C12-15 Alkyl Benzoate,
Coco-Caprylate/Caprate, Dimethicone, Dunaliella
Salina Extract, Ethylhexyl Methoxycrylene,
Ethylhexylglycerin, Hibiscus Sabdariffa Flower
Extract, Hydroxyacetophenone, Iron Oxides/(CI
77491, CI 77492, CI 77499), Isododecane, Isostearic
Acid, Lauryl PEG-8 Dimethicone, Magnesium
Sulfate, Phenoxyethanol, Polyglyceryl-3
Polyricinoleate, Propanediol, Purified Water,
Simmondsia Chinensis (Jojoba) Seed Oil, Sodium
Hyaluronate, Stearic Acid, Titanium Dioxide/CI 77891

OTHER INFORMATION

Other Information: Protect this product from excess heat and direct sun. Store below 30°C / 86°F.

Directions: Shake well before use.

Apply liberally and reapply every 80 minutes, especially after swimming or towel drying.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit lime in the sun, especially from 10 am-2 pm Wear longsleeved shirts, pants, hats, and sunglasses For Children under 6 months of age ask a doctor

Sunscreen

Label

Drug Facts: (continued)

Polyglyceryl-3 Propanediol, Purified Water, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Senzoate, Sodium Hyaluronate, Stearic Acid, Titanium Dioxide Cl 77891

Other Information: ■Protect this product from excess heat and direct sun. ■Store below 30°C / 86°F.

Questions: akedsundays.com

AKED SUNDAYS

Drug Facts:

Active Ingredients: Titanium Dioxide 3.3% Zinc Oxide 14.9%

Purpose:

Uses: ■Helps prevent sunburn. ■If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

Warnings: For external use only. ■Do not use on damaged or broken skin ■Avoid prolonged sun exposure. ■Avoid eye area. If it gets in your eyes, wash well with water. ■Stop use and ask a doctor if rashes occur. ■Keep out of reach of children. ■If product is swallowed, get medical help or contact a Poison Control Center right away.

Control Center right away.

Directions: ■Shake well before use. ■Apply liberally 15 minutes before sun exposure. ■Use a water-resistant sunscreen if swimming or sweating. ■Reapply immediately after towel drying. ■Reapply at least every 2 hours. ■For children under 6 months of age: Ask a doctor. ■Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■Limit time in the sun, especially from 10 am-2 pm ■Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Aluminium Hydroxide. Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Coco-Caprylate/Caprate, Dimethicone, Dunalella Salina Extract, Ethylhexyl Methoxycrylene Ethylhexylglycerin, Glycerin, Hibiscus Sabdariffa Flower Extract, Hydroxyacetophenone, Iron Oxides (Cl 77491, Cl 77499, Soodecane, Isostearia Acid, Lauryl PEG-8 Dimethicone Magnesium Sulfate, Phenoxyethanol,

Drug Facts:

Active Ingredients: Titanium Dioxide 3.3% Zinc Oxide 14.9%

Purpose: Sunscreer Sunscreer

Uses: ■Helps prevent sunburn. ■If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

Warnings: For external use only. ■Do not use on damaged or broken skin ■Avoid prolonged sun exposure. ■Avoid eye area. If it gets in your eyes, wash well with water. ■Stop use and ask a doctor if rashes occur. ■Keep out of reach of children. ■If product is swallowed, get medical help or contact a Poison Control Center right away.

help or contact a Poison Control Center right away.

Directions: Shake well before use. Apply liberally 15 minutes before sun exposure. Use a water-resistant sunscreen if swimming or sweating. Reapply immediately after towel drying. Reapply at least every 2 hours. For children under 6 months of age: Ask a doctor.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit lime in the sun, especially from 10 am-2 pm Wear long-sleeved shirts, pants, hats, and sunglasses

shirts, pants, hats, and sunglasses

Inactive Ingredients: Aluminium Hydroxide,
Butylotyl Salicylate, C12-15 Alkyl Benzoate,
Coco-Caprylate/Caprate, Dimethicone, Dunaliella
Salina Extract, Ethylhexyl Methoxycrylene,
Ethylhexylglycerin, Hibiscus Sabdariffa Flower
Extract, Hydroxyacetophenone, Iron Oxides/(CI
77491, CI 77492, CI 77499), Isododecane, Isostearic
Acid, Lauryl PEG-8 Dimethicone, Magnesium
Sulfate, Phenoxyethanol, Polyglyceryl-3
Polyricinoleate, Propanediol, Purified Water,
Simmondsia Chinensis (Jojoba) Seed Oil, Sodium
Hyaluronate, Stearic Acid, Titanium Dioxide/CI 77891

Other Information: ■Protect this product from excess heat and direct sun. ■Store below 30°C / 86°F.

Questions: ■info@nakedsundays.com

NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS SHEER TINT 40ML SPF 50

titanium oxide, zinc oxide liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:30807-9810

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.3 g in 100 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	14.9 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
WATER (UNII: 059QF0KO0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HIBISCUS SABDARIFFA FLOWER (UNII: 45TGG6IU6M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)	
DIMETHICONE (UNII: 92RU3N3Y10)	
JOJOBA OIL (UNII: 724GKU717M)	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5D0T4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
ISODODECANE (UNII: A8289P68Y2)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DUNALIELLA SALINA (UNII: F4O1DKI9A6)	

Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
1 NDC:30807- 9810-1	40 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	12/20/2023				
NDC:30807- 9810-2	15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	12/20/2023				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	06/30/2023		