

# LIPROTECT SPF 35- zinc oxide, titanium dioxide stick

## Science of Skincare

### LiProtect SPF 35 (69219-112)


Zinc Oxide 10.2%

Titanium Dioxide 1.0%


DESCRIPTION/VERSION#: LIPROTECT SPF 35 - Extended Text Label			
DESIGNER/ARTIST: Rebecca	DATE: 2/28/22		
ITEM #: LBL 1331.005.BOX.2203	REQUESTED BY: Chuck	<input checked="" type="checkbox"/> NEW PROJECT <input type="checkbox"/> UPDATE	
CHANGES MADE: Update french romance and adding comma. Update to reg trademark.			
<input type="checkbox"/> 4-COLOR PROCESS/CMYK	<input checked="" type="checkbox"/> SPOT COLOR/PANTONE	PMS 072 C	MATCH COLOR SENT
PAPER STOCK: Silver Poly	PRINTING FINISH DESIRED: UV Gloss		
OVERALL SIZE: 2.5" x 1.39"			

**NOTE: Please do not modify template**

## TR9645



<b>Die Number:</b> NEW	<b>DRAWING KEYS</b>	<b>OP is "Outside Panel"</b> <b>IP is "Inside Panel"</b>	<b>EMBED IMAGES OR INCLUDE LINKS &amp; OUTLINE YOUR FONTS</b>
<b>Die Cut Size:</b> 2.500" x 1.590"			
<b>Corner Radius:</b> .125"	Cut/Fold Lines		<b>Some Notes to the Designer:</b> 1. Hold all text 1/8" from Cut Marks. (Also critical graphic elements.) 2. Bleed full coverage background graphics 1/8" beyond Cut Marks. 3. PEEL HERE verbage recommended for upper right corner of OP1. 4. If OP1 has full coverage graphics, bleed 1/16" to 3/32" onto OP2. 5. This Template is provided in 2 layers. Simply turn off the text layer to use the layout only as a placed image in your document.
<b>Hinge:</b> .25"	1/8" Bleed Lines		
<b>Hold Down Area:</b> .25"	Text Limit Lines		
<b>Tech:</b> akd	OP1 Bleed Line		



<b>DESCRIPTION/VERSION#:</b> Lipprotect SPF 35 5g Box		
DESIGNER/ARTIST: Cynthia	DATE: 11/20/2020	
ITEM #: BOX.1331.005.2047	REQUESTED BY: Chuck	<input type="checkbox"/> NEW PROJECT <input checked="" type="checkbox"/> UPDATE
CHANGES MADE: Box color and paper stock updated. Label updated. Used K-1 dieline CAD # 24623B1, Added QR Code.		
<input checked="" type="checkbox"/> 4-COLOR PROCESS/CMYK	<input type="checkbox"/> 877 PMS	<input type="checkbox"/> Custom Blue
<input checked="" type="checkbox"/> SPOT COLOR/PANTONE	<input type="checkbox"/> Black	<input type="checkbox"/> White
PAPER STOCK: 18PT SILVER FOIL BOARD	<input checked="" type="checkbox"/> GLOSS UV COATING	
OVERALL SIZE: 8.766" x 6.29"	— DIE CUT    - - - - FOLD LINE	

## Sunscreen

Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.


For external use only.

When using this product keep out of eyes. Rinse with water to remove.  
Do not use on damaged or broken skin

<b>DESCRIPTION/VERSION#: LIPROTECT SPF 35 - Extended Text Label</b>	
DESIGNER/ARTIST: Rebeca	DATE: 2/28/22
ITEM #: LBL131.005.BOX.2203	REQUESTED BY: Chuck
CHANGES MADE: Update french romance and adding commas. Update to reg trademark.	
<input type="checkbox"/> 4-COLOR PROCESS/CMYK <input checked="" type="checkbox"/> SPOT COLOR/PANTONE	
<input checked="" type="checkbox"/> PMS 672 C <input type="checkbox"/> MATCH COLOR SENT	
PAPER STOCK: Silver Poly	PRINTING FINISH DESAI: UV Gloss
OVERALL SIZE: 2.5" x 1.39"	

**NOTE: Please do not modify template**

**TR9645**



<b>Die Number:</b> NEW <b>Die Cut Size:</b> 2.500" x 1.590" <b>Corner Radius:</b> .125" <b>Hinge:</b> .25" <b>Hold Down Area:</b> .25" <b>Tech:</b> akd	<b>DRAWING KEYS</b> Cut/Fold Lines ————— 1/8" Bleed Lines - - - - - Text Limit Lines - - - - - OP1 Bleed Line .....	<b>OP is "Outside Panel"</b> <b>IP is "Inside Panel"</b>	<b>EMBED IMAGES OR INCLUDE LINKS &amp; OUTLINE YOUR FONTS</b> <b>Some Notes to the Designer:</b> 1. Hold all text 1/8" from Cut Marks. (Also critical graphic elements.) 2. Bleed full coverage background graphics 1/8" beyond Cut Marks. 3. PEEL HERE verbage recommended for upper right corner of OP1. 4. If OP1 has full coverage graphics, bleed 1/16" to 3/32" onto OP2. 5. This Template is provided in 2 layers. Simply turn off the text layer to use the layout only as a placed image in your document.
--	---	---	---

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if rash occurs.

Apply liberally 15 minutes before sun exposure

Use a water resistance sunscreen if swimming or sweating.

Reapply at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in sun, especially from 10am to 2pm. wear long-sleeve shirts, pants, hats, and sunglasses. Children under the age of 6 months. Ask a doctor.


Protect this product from excessive heat and direct sun.

Store at 20-25C (68 - 77F)

Call Customer Care at (888) 804 - 4447

Vegetable Oil, Cocos Nucifera (Coconut) Oil, Euphorbia Cerifera (Candelilla) Wax, Flavor(Aroma), C12-15 Alkyl Benzoate, Ozokerite, Hydrogenated Vegetable Oil, Sambucus Nigra Fruit Extract, Tocopherol, VP/Eicosene Copolymer, Caprylic/Capric Triglyceride, Dipalmitoyl Hydroxyproline, Simmondsia Chinensis (Jojoba) Seed Oil, Glycine Soja (Soybean) Oil, Polyhydroxystearic Acid, Ethylhexyl Palmitate, Rebaudioside A, Aluminum Stearate, Tribehenin, Palmitoyl Tripeptide-1, Linoleic Acid, Isostearic Acid, Glycine Soja (Soybean) Sterols, Phospholipids, Sorbitan Isostearate, Alumina.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	501-0925	550 Cover Dome Overshell	1
2	INK	SILKSCREEN DECO	-



**DESCRIPTION/VERSION#: LIP PROTECT SPF 35 - 5 g Screen**

DESIGNER/ARTIST: Cynthia	REQUESTED BY: Marketing	DATE: 2/9/21
ITEM #: SCB.1331.005.2107, CAP.1331.005.2107	CAD #/VENDOR: Anomatic 505-0134	<input type="checkbox"/> N/A <input type="checkbox"/> NEW PROJECT <input checked="" type="checkbox"/> UPDATE
NOTES/CHANGES MADE: New dieline, add info on back, add double anodize logo and bands. Ordering with a grey molded inside. Added product name with TM on back.		
<input type="checkbox"/> 4-COLOR PROCESS/CMYK	<input checked="" type="checkbox"/> SPOT COLOR/PANTONE	<input type="checkbox"/> RGB
	MATCH BLUE	PMS 877C Metallic Silver
		Double Anodize

**SILKSCREEN MAX DECO AREA**

	TITLE: 550 Cap (with weight) Deco Area	
	UNLESS OTHERWISE SPECIFIED TOLERANCES WILL BE (PER PRIMARY UNITS)	
	PRIMARY UNITS = NO BRACKETS SECONDARY UNITS = BRACKETS ( ) OVALED DIMENSIONS ARE CRITICAL	CONFIDENTIAL PROPERTY
	THE REPRODUCTION, USE, OR DISCLOSURE, IN WHOLE OR IN PART, OF THE DESIGN, OR DETAILS CONTAINED HEREIN IS PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF ANOMATIC CORPORATION	
GENERAL TOLERANCES FOLLOW ISO 2768-M		DRAWING NUMBER
		505-0134
QUOTE NUMBER	DATE	DRAWN BY
N/A	7/27/2018	SG
		REV.

REV.	DESCRIPTION	DATE	BY	APPROVED
	REVISIONS			

## LIPROTECT SPF 35

zinc oxide, titanium dioxide stick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69219-112
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10.2 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>REBAUDIOSIDE A</b> (UNII: B3FUD0528F)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>SOY STEROL</b> (UNII: PL360EPO9J)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>EUROPEAN ELDERBERRY</b> (UNII: BQY1UBX046)	
<b>COCONUT OIL</b> (UNII: Q9L0O73W7L)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>OMEGA-3 FATTY ACIDS</b> (UNII: 71M78END5S)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	
<b>CHERRY</b> (UNII: BUC5I9595W)	
<b>EICOSYL POVIDONE</b> (UNII: XQQ9MKE2BJ)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69219-112-11	1 in 1 BOX	12/31/2023	
1	NDC:69219-112-01	5 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:69219-112-01	5 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/31/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/31/2023	

**Labeler** - Science of Skincare (006251958)

Revised: 1/2025

Science of Skincare