

**ACNE SOLUTIONS ALL-OVER CLEARING TREATMENT- benzoyl peroxide lotion
CLINIQUE LABORATORIES LLC**

**ACNE SOLUTIONS
ALL-OVER CLEARING TREATMENT**

ACTIVE INGREDIENT: BENZOYL PEROXIDE 2.5%

Purpose

Acne Treatment

Directions

DIRECTIONS:

- CLEANS SKIN THOROUGHLY BEFORE APPLYING THIS PRODUCT
- COVER THE ENTIRE AFFECTED AREA WITH A THIN LAYER ONE TO THREE TIMES DAILY
- BECAUSE EXCESSIVE DRYING OF THE SKIN MAY OCCUR, START WITH ONE APPLICATION DAILY, THEN GRADUALLY INCREASE TO TWO OR THREE TIMES DAILY IF NEEDED OR AS DIRECTED BY A DOCTOR
- IF BOTHERSOME DRYNESS OR PEELING OCCURS, REDUCE APPLICATION TO ONCE A DAY OR EVERY OTHER DAY
- IF GOING OUTSIDE, USE A SUNSCREEN AFTER APPLYING THIS PRODUCT. IF IRRITATION OR SENSITIVITY DEVELOPS, DISCONTINUE USE OF BOTH PRODUCTS AND CONSULT A DOCTOR
- FOR BEST RESULTS, USE AFTER ACNE SOLUTIONS CLEANSING FOAM AND CLARIFYING LOTION

Uses

Treats Acne

Clears acne blemishes

Helps prevent development of new acne blemishes

WARNING: FOR EXTERNAL USE ONLY

DO NOT USE IF YOU

- HAVE VERY SENSITIVE SKIN
- ARE SENSITIVE TO BENZOYL PEROXIDE

WHEN USING THIS PRODUCT

- SKIN IRRITATION AND DRYNESS IS MORE LIKELY TO OCCUR IF YOU USE ANOTHER TOPICAL ACNE MEDICATION AT THIS TIME. IF IRRITATION OCCURS, USE ONLY ONE TOPICAL ACNE MEDICATION AT A TIME
- AVOID UNNECESSARY SUN EXPOSURE AND USE A SUNSCREEN
- AVOID CONTACT WITH THE EYES, LIPS, AND MOUTH

- AVOID CONTACT WITH HAIR AND DYED FABRICS, WHICH MAY BE BLEACHED BY THIS PRODUCT
- SKIN IRRITATION MAY OCCUR, CHARACTERIZED BY REDNESS, BURNING, ITCHING, PEELING OR POSSIBLY SWELLING. IRRITATION MAY BE REDUCED BY USING THE PRODUCT LESS FREQUENTLY OR IN A LOWER CONCENTRATION

STOP USE AND ASK A DOCTOR IF

- IRRITATION BECOMES SEVERE

KEEP OUT OF REACH OF CHILDREN

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

Inactive ingredients

water\aquaeau•cyclopentasiloxane•butylene glycol•cyclohexasiloxane•ceteareth-20•dimethicone•sucrose•camellia sinensis (green tea) leaf extract•hordeum vulgare (barley) extract\extrait d'orge•acetyl glucosamine•lactobacillus ferment•poria cocos sclerotium extract•polymethyl methacrylate•laminaria saccharina extract•gentiana lutea (gentian) root extract•astrocaryum murumuru seed butter•acrylamide/sodium acryloyldimethyltaurate copolymer•myristyl alcohol•glycerin•zeolite•algae extract•linoleic acid•10-hydroxydecanoic acid•cucumis sativus (cucumber) fruit extract•caffeine•cholesterol•tocopheryl acetate•bisabolol•polysorbate 80•sodium hyaluronate•propylene glycol dicaprinate•capryloyl glycine•helianthus annuus (sunflower) seed extract•quaternium-22•caprylyl glycol•isohexadecane•xanthan gum•disodium EDTA•chloroxylenol•phenoxyethanol•titanium dioxide (ci 77891) [iln47611]

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton

CLINIQUE

acne solutions

all-over clearing
treatment

oil-free

STEP 3

BENZOYL PEROXIDE
ACNE MEDICATION

ALL SKIN TYPES

1.7 FL.OZ.LIQ./50 ml e

1, 2, 3, 4
ALL SKIN TYPES
TOUS TYPES DE PEAU

CULTECH INC
CAD#2102207

60653

Drug Facts

Active Ingredient Purpose
Benzoyl peroxide 2.5% Acne treatment

Uses

- treats acne
- clears acne blemishes
- helps prevent development of new acne blemishes

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- cleanse skin thoroughly before applying this product
- cover the entire affected area with a thin layer twice daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, use a sunscreen after applying this product. If irritation or sensitivity develops, discontinue use of both products and consult a doctor. ▶

Drug Facts (cont'd)

- for best results, use after Acne Solutions Cleansing Foam and Clarifying Lotion

Inactive ingredients

water/aqua/eau - cyclopentasiloxane - butylene glycol - cyclohexasiloxane - ceteareth-20 - dimethicone - sucrose - camellia sinensis (green tea) leaf extract - hordeum vulgare (barley) extract/extrait d'orge - acetyl glucosamine - lactobacillus ferment - poria cocos sclerotium extract - polymethyl methacrylate - laminaria saccharina extract - gentiana lutea (gentian) root extract - astrocaryum murumuru seed butter - acrylamide/sodium acryloyldimethyltaurate copolymer - myristyl alcohol - glycerin - zeolite - algae extract - linoleic acid - 10-hydroxydecanoic acid - cucumis sativus (cucumber) fruit extract - caffeine - cholesterol - tocopheryl acetate - bisabolol - polysorbate 80 - sodium hyaluronate - propylene glycol dicaprate - caprylyl glycol - helianthus annuus (sunflower) seed extract - quaternium-22 - caprylyl glycol - isohexadecane - xanthan gum - disodium edta - chloroxylenol - phenoxyethanol - titanium dioxide (ci 77891) [In47B11]

© CLINIQUE LABORATORIES, DIST.
NEW YORK, N.Y. 10022
WLB LTD, GU32 3DD, UK
WLB S NV, DEVEL BE-2260
NEW YORK • LONDON • PARIS
MADE IN U.S.A. 8KNA



clinique.com

acne



acne solutions
all-over clearing
treatment

oil-free

STEP 3

BENZOYL PEROXIDE
ACNE MEDICATION

ALL SKIN TYPES

1.7 FL.OZ.LIQ./50 ml e

**ACNE SOLUTIONS 3-STEP
SKIN CARE: STEP 3
All-Over Clearing
Treatment**
Oil-Free
All Skin Types
Allergy Tested.
100% Fragrance Free.

The power of benzoyl peroxide to help treat existing acne and prevent future breakouts. Light-weight, medicated formula creates an invisible, breathable barrier against acne-causing agents. Controls excess oil. Calms, soothes, reduces redness. Provides light hydration to minimize dryness and peeling. Skin feels soft, smooth, comfortable.

8KNA-01-111P



ACNE SOLUTIONS ALL-OVER CLEARING TREATMENT

benzoyl peroxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-117
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	25 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ASTROCARYUM MURUMURU SEED BUTTER (UNII: 12V64UPU6R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SUCROSE (UNII: C151H8M554)	
BARLEY (UNII: 5PVM7YLI7R)	
GLUCOSAMINE (UNII: N08U5BOQ1K)	
GENTIANA LUTEA ROOT (UNII: S72O3284MS)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
CUCUMBER (UNII: YY7C30VXJT)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
LIMOSILACTOBACILLUS REUTERI (UNII: 9913I24QEE)	
FU LING (UNII: XH37TWY5O4)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
ACRYLAMIDOPROPYLTRIMONIUM CHLORIDE/ACRYLAMIDE COPOLYMER (400 MPA.S) (UNII: 2RX4MI2LCX)	
ZEOLITE A (UNII: Y3NG9WF08W)	
AGAR, UNSPECIFIED (UNII: 89T130HQ2B)	
10-HYDROXYDECANOIC ACID (UNII: NP03XO416B)	

CAFFEINE (UNII: 3G6A5W338E)
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PROPYLENE GLYCOL DICAPRATE (UNII: U783H9JHWY)
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)
SUNFLOWER SEED (UNII: R9N3379M4Z)
QUATERNIUM-22 (UNII: MXO138JCBP)
ISOHEXADECANE (UNII: 918X1OUF1E)
CHLOROXYLENOL (UNII: 0F32U78V2Q)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-117-01	1 in 1 CARTON	12/21/2023	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49527-117-02	1 in 1 CARTON	12/21/2023	
2		30 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:49527-117-03	1 in 1 CARTON	12/21/2023	
3		15 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	12/21/2023	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Vee Pak, LLC dba Voyant Beauty		874763303	manufacture(49527-117)

Establishment

Name	Address	ID/FEI	Business Operations
Accupac, LLC		071609663	pack(49527-117)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 12/2023

CLINIQUE LABORATORIES LLC