# ALLERGY PLUS CONGESTION RELIEF- diphenhydramine hcl, phenylephrine hcl tablet, film coated CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED

-----

CVS 44-485 Allergy Plus

#### Active ingredients (in each tablet)

Diphenhydramine HCl 25 mg Phenylephrine HCl 10 mg

#### **Purpose**

Antihistamine Nasal decongestant

#### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - nasal congestion
  - itching of the nose or throat
  - itchy, watery eyes
- temporarily relieves these symptoms due to the common cold:
  - nasal congestion
  - runny nose
  - sneezing
- temporarily relieves sinus congestion and pressure

#### Warnings

#### Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

#### Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- diabetes
- thyroid disease
- heart disease
- glaucoma

- high blood pressure
- a breathing problem such as emphysema or chronic bronchitis

#### Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

#### When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

#### Stop use and ask a doctor if

- symptoms do not improve within 7 days or are accompanied by fever
- nervousness, dizziness, or sleeplessness occur

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- do not take more than directed
- adults and children 12 years and over
  - take 1 tablet every 4 hours
  - do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

#### Other information

- each tablet contains: calcium 25 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

#### Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

#### Questions or comments?

#### 1-800-426-9391

### Principal display panel

**♥CVS**Health®

Compare to the active ingredients in Benadryl® Allergy Plus Congestion\* Tablets

#### Allergy Plus Congestion Relief

DIPHENHYDRAMINE HCI - Antihistamine PHENYLEPHRINE HCI - Nasal decongestant

#### Relief of:

- Sneezing
- Runny nose
- Sinus congestion
- Sinus pressure
- Itchy throat
- Itchy, watery eyes

#### **Actual Size**

#### **24** TABLETS

# TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED #197895 OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Plus Congestion.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2022 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-18615
CVS.com/returnpolicy
100% money back
guaranteed.
50844 ORG122048508



#### Questions or comments? 1-800-426-9391

glycol, silicon dioxide, stearic acid, titanium dioxide, wictocrystalline cellulose, polydextrose, polyethylene

**Drug Facts** (continued)

sluminum lake, hypromellose, magnesium stearate, dibasic calcium phosphate dihydrate, FD&C blue #1 Inactive ingredients croscarmellose sodium,

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- IS OPENED OR BLISTER IS TORN OR BROKEN ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE ■ esch tablet contains: cslcium 25 mg Uther information
  - children under 12 years: do not use
  - do not take more than 6 tablets in 24 hours
    - take 1 tablet every 4 hours

 adults and children 12 years and over a do not take more than directed Directions

medical help or contact a Poison Control Center right Keep out of reach of children. In case of overdose, get before use.

If pregnant or breast-feeding, ask a health professional ■ nervousness, dizziness, or sleeplessness occur

accompanied by fever ■ symptoms do not improve within 7 days or are

Stop use and ask a doctor if

шясиный

■ nee cangou when driving a motor vehicle or operating drowsiness asvoid alcoholic beverages alcohol, sedatives, and tranquilizers may increase marked drowsiness may occur excitability may occur, especially in children а бе sop рариа шш со ал ра аэха топ ор **ш** 

Myen najud tyja broduct Urug Facts (continued)

sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking

- a breathing problem such as emphysema or chronic ■ diaucoma ■ high blood pressure взвазір пвац п
  - thyroid disease prostate gland 

    diabetes ■ difficulty in urination due to enlargement of the
    - Ask a doctor before use if you have

even one used on skin

- with any other product containing diphenhydramine, broduct MAOI, ask a doctor or pharmacist before taking this
- If you do not know if your prescription drug contains an disease), or for 2 weeks after stopping the MAOI drug. psychiatric or emotional conditions, or Parkinson's oxidase inhibitor (MAOI) (certain drugs for depression,
  - it you are now taking a prescription monoamine no uot nze

Warnings

- temporarily relieves sinus congestion and pressure Buizaaus ■ asou /uuru =
  - common cold: massi congestion
- temporarily relieves these symptoms due to the ■ itching of the nose or throat
  ■ itchy, watery eyes
- uses coudespou Buizaeus ■ esou √uuru ■ or other upper respiratory allergies:
- temporarily relieves these symptoms due to hay fever

Instagnoce biless M. Phenylephrine HCI 10 mg. Diphenhydramine HCI 25 mg Antihistamine (in each tablet)

Purpose

COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

PC# 050428455623

#197895

XXXXXX XXXXXX

No Print/No Varnish Lot and Expiration No.

**♥CVS**Health.

**Tablets** 

# Allergy Plus Congestion Relief

**DIPHENHYDRAMINE HCI - Antihistamine** PHENYLEPHRINE HCI - Nasal decongestant

CVSHealth.

Compare to the active ingredients in Benadryl® Allergy Plus Congestion\*

**Tablets** 

# Allergy Plus Congestion Relief

DIPHENHYDRAMINE HCI - Antihistamine PHENYLEPHRINE HCI - Nasal decongestant

- Sneezing
- Runny nose
- Sinus congestion

B-0231-485-08-H 0RG122048508

**Tablets** 

**♥CVS**Heαlth

DIPHENHYDRAMINE HCI - Antihistamine PHENYLEPHRINE HCI - Nasal decongestant

ergy Plus

Congesti





CVS 44-485

## **ALLERGY PLUS CONGESTION RELIEF**

diphenhydramine hcl, phenylephrine hcl tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-485	
Route of Administration	ORAL			

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg			
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg			

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics			
Color	blue	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;485
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:51316- 485-08	2 in 1 CARTON	08/09/2022			
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Marketing Start Marketing Citation Date Date			
OTC Monograph Drug	M012	08/09/2022		

## Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(51316-485) , pack(51316-485)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(51316-485)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(51316-485)

Revised: 8/2023 CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED