

**SINUS PRESSURE AND PAIN- acetaminophen, phenylephrine hcl tablet**  
**Family Dollar Services Inc**

-----  
**Family Wellness 44-502**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
  - minor aches and pains
  - nasal congestion
  - headache
  - sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain

drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- liver disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not use more than directed**
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER**

**IS TORN OR BROKEN**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

FAMILY  
**Wellness™**

**COMPARE TO THE  
ACTIVE INGREDIENTS  
IN SUDAFED PE® SINUS  
PRESSURE + PAIN\***

MAXIMUM STRENGTH  
**SINUS  
PRESSURE & PAIN**

**Acetaminophen**  
Phenylephrine HCl  
Pain Reliever/Fever Reducer  
Nasal Decongestant

RELIEVES:  
• Sinus Pressure & Congestion  
• Sinus Headache

Pseudoephedrine free

**24 CAPLETS**

**NON  
DROWSY**

ACTUAL SIZE

NDC 55319-702-08

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Kenvue Inc.,  
owner of the registered trademark SUDAFED PE® SINUS

PRESSURE + PAIN.

50844      ORG082050208

**DISTRIBUTED BY: MIDWOOD BRANDS LLC,**  
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

**NOT 100% SATISFIED?**

Return within 30 days to the store of purchase  
for a refund (with receipt) or exchange.

No print/No varnish  
Lot & Exp date



SKU 903879

**FAMILY Wellness™**

MAXIMUM STRENGTH

# SINUS PRESSURE & PAIN

**Acetaminophen  
Phenylephrine HCl**  
Pain Reliever/Fever Reducer  
Nasal Decongestant

RELIEVES:

- Sinus Pressure & Congestion
- Sinus Headache

Pseudoephedrine free

**24 CAPLETS**



ACTUAL SIZE

NON-DROWSY

**\*COMPARE TO THE ACTIVE INGREDIENTS IN SUDAFED PE® SINUS PRESSURE + PAIN\***

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY: MIDWOOD BRANDS LLC,  
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

NOT 100% SATISFIED?

Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

**Drug Facts (continued)**  
*Questions or comments?* 1-800-426-9391

\*This product is not manufactured or distributed by Kenne Inc., owner of the registered trademark SUDAFED PE® SINUS PRESSURE + PAIN.  
50844 086082050208

### Drug Facts (continued)

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen. **3** or more alcoholic drinks every day while using this product. **Alergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
If you are now taking a prescription containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
heart disease ■ thyroid disease ■ diabetes ■ liver disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

### Drug Facts (continued)

**Directions** ■ do not use more than directed or symptoms.  
adults and children 12 years and over ■ take 2 caplets every 4 hours ■ do not take more than 10 caplets in 24 hours ■ children under 12 years: ask a doctor

**Other information**  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number

**Inactive ingredients** corn starch, croscarmellose sodium, croscopolone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

### Drug Facts

**Active ingredients (in each caplet)**  
Acetaminophen 325 mg  
Phenylephrine HCl 5 mg  
Nasal decongestant

**Purpose**  
Pain reliever/fever reducer

**Uses** ■ temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold: ■ minor aches and pains ■ nasal congestion ■ headache ■ redness or swelling is present ■ new symptoms occur ■ fever gets worse or lasts more than 3 days ■ pain or nasal congestion gets worse or lasts more than 7 days ■ nervousness, dizziness, or sleeplessness occur

**Stop use and ask a doctor if**  
When using this product do not exceed recommended dosage.

### Drug Facts (continued)

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**If pregnant or breast-feeding,** ask a health professional before use.

9-6500-502-08-N  
086082050208

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Family Wellness 44-502

**SINUS PRESSURE AND PAIN**  
acetaminophen, phenylephrine hcl tablet

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:55319-702 |
| <b>Route of Administration</b> | ORAL           |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b>    | <b>Strength</b> |
|---|-----------------------------|-----------------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)               | ACETAMINOPHEN               | 325 mg          |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg            |

## Inactive Ingredients

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                        |                 |
| <b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)               |                 |
| <b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)            |                 |
| <b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q) |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                  |                 |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)          |                 |
| <b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)               |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                        |                 |

## Product Characteristics

|                 |        |                     |          |
|-----------------|--------|---------------------|----------|
| <b>Color</b>    | orange | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL   | <b>Size</b>         | 18mm     |
| <b>Flavor</b>   |        | <b>Imprint Code</b> | 44;502   |
| <b>Contains</b> |        |                     |          |

## Packaging

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55319-702-08 | 2 in 1 CARTON   | 01/04/2024           |                    |
| 1 |                  | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M012  | 01/04/2024                  |                           |

**Labeler** - Family Dollar Services Inc (024472631)

## Establishment

| Name                    | Address | ID/FEI    | Business Operations                      |
|-------------------------|---------|-----------|--|
| LNK International, Inc. |         | 832867837 | manufacture(55319-702) , pack(55319-702) |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(55319-702) |

Revised: 1/2026

Family Dollar Services Inc