## FIRST AID CONTAINS 404 PIECES - benzalkonium chloride, lidocaine, water, isotropyl alcohol, benzocaine, alcohol, aspirin Genuine First Aid LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **FIRST AID Contains 404 PIECES**

**ACTIVE INGREDIENTS:** 

Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

**Scrapes** 

Burns

Warnings:

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Reorder BC-001

# Genuine **First Aid Burn Cream**

**Antiseptic Pain Relief** With Aloe

**ACTIVE INGREDIENTS:** Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

Net Wt 0.9g · (1/32 oz)



Drug Facts

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with: • minor cuts

scrapes • burns

Warnings:

For external use only

Do not use • in eyes • in large quantities · over raw blistered areas, or on deep puncture wounds, animal bites or serious burns • for more than one week Keep out of reach of children. If ingested, contact a Poison Control Center right away. Directions: • clean affected area apply small amount not more than 3 times daily • may be covered with a sterile bandage Other information: Store at room temperature



LOT 600609



2015/01

Active Ingredient: **Purpose** 

Benzalkonium Chloride 0.40%...... First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredient: Purified water

LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

#### **GENUINE FIRST AID**



#### DRUG FACTS - Antiseptic Towelette

Active Ingredient: Purpose: Benzalkonium Chloride 0.40%..First Aid Antiseptic Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water. Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately. Do not use: In the eyes, or over large areas of the Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use. Inactive ingredient: Purified water. Made in CHINA

Active Ingredient: ......Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Uses: To help prevent infection in:

minor cuts; scrapes; burns

Warnings:

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Reorder TAO-001

# Genuine Triple Antibiotic

First Aid Ointment
To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)

Polymyxin B Sulfate 5000 units
Net Wt 0.5g · (1/64 oz)



Active Ingredient:

Purified Water USP...q.s.

Inactive Ingredients:

Sodium Chloride USP 44mg

Monobasic Sodium Phosphate USP 18mg Sodium Phosphate Dibasic USP 111mg

Edetate Disodium USP 10mg

Benzalkonium Chloride 0.5mg

NF (as preservative)

Store in a cool place. For irrigation only.

Discard unused portion of the solution.

Not for injection.

Warning:

If you experience eye pain, changes in vision, continued redness or irritation of the eye,

## **Drug Facts**

Uses: To help prevent infection in • minor cuts • scrapes • burns Warnings:

For external use only

Do not use • in eyes • over large areas of the body • if allergic to any of the ingredients • for more than one week unless directed by a physician

Stop use and consult a doctor

 if the condition persists or gets worse • a rash or other allergic reaction develops

Keep out of reach of children. If ingested, contact a Poison Control Center right away.

Directions: • clean affected area
• apply small amount of this product
(an amount equal to the surface
area of the tip of a finger) on the
area 1 to 3 times daily • may be
covered with a sterile bandage

Other information: Store at room temperature



600609



2015/01

or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.
Do not use if solution changes color or becomes cloudy.
Directions
Remove contacts before using.
Twist top to remove.
Flush the affected area as needed. Control
Rate of flow by pressure on the bottle. Do not touch
tip of the container to any surface. Do not reuse.
If necessary continue flushing with emergency eyewash or shower.
Discard bottle after use.
Uses:
For flushing or irrigating the eyes to
remove loose foreign material, air pollutants,
or chlorinated water.  Code No.: GUJ/DRUG/G/1080
Batch No.:
Mfg Date:
Exp: Date:
10 ml
Sterile Isotonic Buffered Genuine
Eyewash
For single use only



Directions: Remove contact lens before using. Twist top to remove. Flush the affected area as needed. Control rate of flow by pressure on the bottle. Do not touch tip of the container to any surface. Do not reuse. If necessary, continue flushing with emergency eyewash or shower. Discard bottle after use.

Uses: For flushing or irrigating the eyes to remove loose foreign material, air pollutants, or chlorinated water.

#### Each 10 ml contains:

Active Ingredient: Purified Water ...q.s.

#### Inactive Ingredients:

Sodium Chloride Monobasic Sodium Phosphate Dibasic Sodium Phosphate Edetate Disodium Benzalkonium Chloride

Store in a cool place. For irrigation only Discard unused portion of the solution. Not for injection.

Mfg.Lic.No.: KTK/28/332/20 Batch No.: Mfg. date:



Varning: f vou experi

If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor. Do not use if solution changes color or becomes cloudy.



STERILE A

Active Ingredient:

Purpose

Isopropyl Alcohol, 70% v/v.....

Antiseptic

Use: For preparation of skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Wipe Injection site vigorously and discard.

Inactive Ingredient: Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

**GENUINE FIRST AID** 





GENUINE FIRST AID®



#### DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient: Isopropyl Alcohol, 70% v/v . . . Use: For preparation of the skin before injection. Warnings: For external use only. Flammable - keep away from fire or flame. Do not use: with electrocautery, in the eyes Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Wipe injection site vigorously and Other information: Store at room temperature 15°-30° C (59°-86° F) Inactive ingredient: Purified water.

LOT/EXP:

Made in CHINA

20140301

Active Ingredient: Purpose:

Benzocaine, 6% w/v..... Topical Anesthetic

SD alcohol, 60% w/v..... Antiseptic

Use: For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

Warnings: For external use only.

Avoid contact with eyes. If this happens, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Flammable - keep away from fire or flame.

Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

Made in CHINA

LOT/EXP:

## Insect Sting Relief Pad

## Genuine First Aid LLC, Clearwater FL 33755 www.GenuineFirstAid.com

1/pouch

#### GENUINE FIRST AID



## DRUG FACTS - Insect Sting Relief Pad

REORDER ISRP-001

Active Ingredient:	Purpose:
Benzocaine, 6% w/v Topi	cal Anesthetic
SD alcohol, 60% w/v	Antiseptic
Use: For the temporary relief of pair	and itching
associated with minor burns, scrape	s and insect
bites.	Ш
Warnings: For external use only. K	eep out of 🗠
reach of children. If swallowed, get	
or contact a Poison Control Center r	right away. I
Flammable - keep away from fire or	flame. Avoid
contact with eyes. If this happens, r	inse
thoroughly with water.	111
Do not use: In eyes, on broken skir	flame. Avoid inse Y n, deep
puncture wounds. If unusual rednes	ss, swelling,
irritation or other symptoms occur, o	onsult a
physician immediately.	1
	1
	Made in CHINA

Active ingredient (in each tablet)

Purpose

Aspirin 81 mg (NSAID\*)..... Analgesic/Antipyretic

\*nonsteroidal anti-inflammatory drug

Uses

temporary relief of minor aches, pains and headaches

to reduce fever associated with colds, sore throats, teething

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user; has had stomach ulcers or bleeding problems takes a blood thinning (anticoagulant) or steroid drug takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) takes more or for a longer time than directed is age 60 or older has 3 or more alcoholic drinks every while using this product.

Do not use

if you are allergic to aspirin or any other pain relievers/fever reducers

for more than 10 days for pain unless directed by a doctor

for more than 3 days for fever unless directed by a doctor

for at least 7 days after a tonsillectomy or oral surgery

Ask a doctor before use if you have;

asthma

stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems

a child experiencing arthritis pain

if you are;

allergic to aspirin

taking prescription drug for anticoagulation (thinning of blood), diabetes, gout or arthritis Stop use and ask a doctor if;

an allergic reaction occurs, Seek medical help right away

pain or fever persists

new or unexpected symptoms occur

redness or swelling is present

ringing in ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed

Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours, Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 years: Consult a doctor.

Store at room temperature

tamper evident sealed packets

do not use any opened or torn packets

Inactive ingredients stearic acid, sucrose

flavor, FD and C yellow No. 6, saccharin, sodium, silicon dioxide, starch,

MADE IN USA

Distributed by GENUINE FIRST AID

600 Cleveland Str Suite 400, Clearwater, FL 33755

2 Tablets

GENUINE FIRST AID.

Chewable Aspirin 81mg



# Chewable Aspirin 81mg

#### Uses

■ temporary relief of minor aches, pains and headaches
■ to reduce fever associated with colds, sore throats, teething

#### Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user ■ has had stomach ulcers or bleeding problems ■ takes a blood thinning (anticoagulant) or steroid drug ■ takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ takes more or for a longer time than directed ■ is age 60 or older ■ has 3 or more alcoholic drinks every day while using this product

Do not use ■ if you are allergic to aspirin or any other pain relievers/fever reducers ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor ■ for at least 7 days after a tonsillectomy or oral surgery

## Warnings (continued)

Ask a doctor before use if you have asthma stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, uclers or bleeding problems a child experiencing arthritis pain

if you are ■ allergic to aspirin ■ taking a prescription drug for anticoagulation (thinning of the blood), diabetes, gout or arthritis

Stop use and ask a doctor if ■ an allergic reaction occurs. Seek medical help right away ■ pain or fever persists ■ new or unexpected symptoms occur ■ redness or swelling is present ■ ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

**Directions** Do not use more than directed Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours. Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 Years: Consult a doctor

#### Other information

■ store at room temperature ■ tamper evident sealed packets ■ do not use any opened or torn packets

Inactive ingredients flavor, FD&C yellow #6, saccharin sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA
Distributed by GENUINE FIRST AID
600 Cleveland Str Suite 400, Clearwater, FL 33755

#### GENUINE FIRST AID.

#### **CONTAINS 404 PIECES**

FIRST AID KIT

CLEAN . TREAT . PROTECT

with 6 First Aid Pockets

1 Small Cuts and Burns

2 Medium Cuts and Scratches

3 Severe Bleeding and Burns

4 CPR

5 Protection

6 Instruments

New

REFILL PACKS AVAILABLE FOR EACH POCKET

HOME PLAY AUTO OFFICE WORK

All Purpose Kit

Soft-Sided Storage Case

With Pockets that are Organized for Quick and Easy Emergency Access

Carrying Case

1 Soft-side Bag

1 Easy Access Pocket System

#### POCKET 1:

SMALL CUTS AND BURNS

25 Adhesive Plastic Bandages 3/4"x3"

235 Junior Plastic Bandages 3/8"x1-1/2"

8 Adhesive Plastic Bandages 1"x3"

2 Knuckle Fabric Bandages

50 Adhesive Spot Bandages 7/8"x7/8"

2 Fingertip Fabric Bandages

2 Elbow/Knee Adhesive Bandage

1 Burn Cream

5 Antiseptic Towelettes

1 Triple Antibiotic Ointment 0.5gr

1 Sterile Gauge Pad 2"x2"

20 Cotton Tipped Applicators

#### POCKET 2:

MEDIUM CUTS AND SCRATCHES

5 Antiseptic Towelettes

1 Sterile Gauze Pad 2"X2"

2 Pressure Bandages 2"X2"

- 2 Pressure Bandage 3"X3"
- 1 Sterile Eye Pad
- 1 Sterile Eye Wash 10ml
- 1 Butterfly Wound Closures

#### POCKET 3:

SEVERE BLEEDING AND BURNS

- 1 First Aid Tape Roll 1/2"x 2.5yds
- 1 Bloodstopper Dressing

## POCKET 4:

**CPR** 

1 CPR Breathing Barrier

#### POCKET 5:

**PROTECTION** 

- 2 Medical Grade Gloves
- 1 Instant Cold Compress
- 14 Alcohol Cleansing Pads
- 1 Insect Sting Relief Pad
- 1 Emergency Blanket 38"X 60"
- 2 Chewable Aspirin Tablets
- 1 Triangular Bandage 42"x42"x59"

## POCKET 6:

**INSTRUMENTS** 

- 1 Emergency First Aid Guide
- 1 Plastic Tweezers
- 1 Scissors
- 6 Assorted Safety Pins
- 2 Wooden Finger Splints

Copyright c 2010 Genuine First Aid LLC. All rights reserved.

Manufactured in China for:

Genuine First Aid LLC. 600 Cleveland Street Suite 400

Clearwater, FL 33755

www.GenuineFirstAid.com

**GENUINE FIRST AID** 



## **FIRST AID CONTAINS 404 PIECES**

benzalkonium chloride, lidocaine, water, isotropyl alcohol, benzocaine, alcohol, aspirin kit

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:52124-0107

## **Packaging**

	# Item Code	Package Description	Marketing Start Date	Marketing End Date
П	1 NDC:52124-0107-1	1 in 1 KIT		

## **Quantity of Parts**

~	unitely of 1 units		
Part #	Package Quantity	Total Product Quantity	
Part 1	1 PACKAGE	0.9 g	
Part 2	10 PACKAGE	8 mL	
Part 3	1 BOTTLE	10 mL	
Part 4	14 PACKAGE	7 mL	
Part 5	1 PACKAGE	0.5 mL	
Part 6	1 PACKAGE	2	
Part 7	1 TUBE	0.5 g	

## Part 1 of 7

## GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

## **Product Information**

Item Code (Source) NDC:52124-0004

Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII: 98 PI200987)	LIDOCAINE	0.5 g in 100 g

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:52124-0004-1	0.9 g in 1 PACKAGE		

	Marketing Information			
ı	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ı	OTC monograph final	part345	04/24/2010	

## Part 2 of 7

## ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

# Product Information Item Code (Source) NDC:52124-0001 TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>BENZALKO NIUM CHLO RIDE</b> (UNII: F5UM2KM3W7) (BENZALKO NIUM - UNII:7N6 JUD5X6 Y)	BENZALKONIUM CHLORIDE	0.40 mL in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-1	0.8 mL in 1 PACKAGE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/24/2010	

## Part 3 of 7

## STERILE ISOTONIC BUFFERED GENUINE EYEWASH

water liquid

Product Information	
Item Code (Source)	NDC:52124-0005
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.16 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)		
SO DIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
EDETATE DISO DIUM (UNII: 7FLD91C86K)		
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:52124-0005-1	10 mL in 1 BOTTLE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part349	04/24/2010		

## Part 4 of 7

## **ALCOHOL CLEANSING PAD**

isopropyl alcohol liquid

#### **Product Information**

Item Code (Source) NDC:52124-0002

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL UNII:ND2M416302)

UNII:ND2M416302)

Basis of Strength

ISOPROPYL
ALCOHOL in 100 mL

## **Inactive Ingredients**

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

## **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 ND	OC:52124-0002-1	0.5 mL in 1 PACKAGE		

## **Marketing Information**

l	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
l	OTC monograph final	part333	04/24/2010	

## Part 5 of 7

## **INSECT STING RELIEF PAD**

benzocaine, alcohol liquid

## **Product Information**

Item Code (Source) NDC:52124-0008

Route	of Ad	ministra	tion

TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZO CAINE (UNII: U3RS Y48 JW5) (BENZO CAINE - UNII: U3RS Y48 JW5)	BENZOCAINE	6 mL in 100 mL	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	60 mL in 100 mL	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0008-1	0.5 mL in 1 PACKAGE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part348	04/24/2010		

## Part 6 of 7

## **CHEWABLE ASPIRIN**

aspirin tablet, chewable

<b>Product Information</b>	
Item Code (Source)	NDC:52124-0012
Route of Administration	ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg	

Inactive Ingredients			
Ingredient Name	Strength		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
SACCHARIN (UNII: FST467XS7D)			
SODIUM CATION (UNII: LYR4M0 NH37)			
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			
STARCH, CORN (UNII: O8232NY3SJ)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	orange (ORANGE)	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	ASPIRIN
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0012-1	2 in 1 PACKAGE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part345	04/24/2010	

## Part 7 of 7

## **GENUINE TRIPLE ANTIBIOTIC**

bacitracin zinc,neomycin sulfate,polymyxin b sulfate ointment

<b>Product Information</b>	
Item Code (Source)	NDC:52124-0003
Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:52124-0003-1	0.5 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/24/2010	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/25/2010	

## Labeler - Genuine First Aid LLC (619609857)

Establishment			
Name	Address	ID/FEI	Business Operations
GFA Production (Xiamen) Co., Ltd		421256261	manufacture

Revised: 6/2010 Genuine First Aid LLC