

MEDIQUE MEDIKOFF DROPS- menthol lozenge
MEDI-FIRST CHERRY COUGH DROPS- menthol lozenge
MEDI FIRST PLUS CHERRY COUGH DROPS- menthol lozenge
Unifirst First Aid Corporation

Cherry Cough Drops

Active ingredient (in each drop)

Menthol 7.6 mg

Purpose

Antitussive (cough suppressant)/oral anesthetic

Uses

Temporarily relieves

- cough as may occur with a cold or inhaled irritants
- occasional minor irritation and sore throat

Warnings

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore mouth does not improve in 7 days
- irritation, pain, or redness persists or worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep this and all drugs out of the reach of children.

Directions

- do not use more than directed

**Adults and children:
(12 years and older)**

Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as

necessary or as directed by a doctor.

Children under 12 years:

Ask a doctor

Other information

- 15 calories per drop
- store at 59-86°F (15°-30°C)
- protect from moisture & heat

Inactive ingredients

cherry flavor, corn syrup, eucalyptus oil, FD&C red #40, sucrose

Questions or comments? 1-800-634-7680

Medi-First Cherry Cough Drop Box Label

Medi-First ® Cherry Cough Drops

Pastillas parala tos sabor cereza

Vapor Action/accion de vapor

Pull to Open

Tire Para Abrir

Cough Suppressant/Oral Anesthetic Menthol 7.6mg

Suprime la tos/Anestesico Mentol 7.6mg

Compare active ingredient to:

Compare el ingrediente activo con:

Halls ® Registered Trademark of Warner-Lambert

Marca Registrada de WarnerLambert

IndividuallyWrapped Cough Drops

Individualmente Envuelto para la tos

125 Drops

125 Pastillas




Medi-First Plus Cherry Cough Drop Label

125 Drops
125 Pastillas
Medi First® Plus

Cherry Cough Drops
Pastillas para la tos sabor cereza

Menthol/Mentol 7.6 mg
Pull To Open

Tire Para Abrir
Cough Suppressant and Anesthetic with Vapor Action
Suprime la tos y anestésico con acción de vapor
Compare active ingredient to:
Halls® Registered Trademark of Warner-Lambert
Individually Wrapped Cough Drops
Individuamente envuelto pastilla para la tos



Menthol / Mentol 7.6 mg



Drug Facts	
Active ingredient (in each drop) Menthol 7.6 mg	Purpose Antitussive (cough suppressant) and anesthetic
Uses Temporarily relieves ■ cough as may occur with a cold or irritated airways ■ occasional minor irritation and sore throat	Drug Facts (continued) ■ sore throat does not improve in 7 days ■ irritation, pain, or redness persists or worsens If pregnant or breast feeding, ask a health professional before use. Keep this and all drugs out of the reach of children.
Warnings Have throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, noise, or swelling, consult a doctor promptly. These symptoms may be serious.	Directions ■ do not use longer than directed Adults and children (12 years and older) Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as necessary or as directed by a doctor. Children under 12 years Ask a doctor.
Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ cough accompanied by excessive phlegm (mucus)	Other information ■ 15 calories per drop ■ store at 59°-89°F (15°-30°C) ■ protect from moisture & heat
Stop use and ask a doctor if ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.	Inactive ingredients cherry flavor, corn syrup, saccharin, FD&C red #40, sucrose
	Questions or comments? 1-800-634-7680

Retain carton for complete product information



125 Drops
125 Pastillas

Menthol / Mentol 7.6 mg



Información del Medicamento	
Ingrediente activo (en cada pastilla) Mentol 7.6 mg	Propiedad Antitusivo (suprime la tos) y anestésico oral
Usos Para el alivio temporal: ■ de la tos que pudiera ocurrir con un resfriado o el irritar agudas irritantes ■ de irritación leve o dolor de garganta	Información del Medicamento (continuación) Si está usted embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto. Mantenga este y todos los demás medicamentos fuera del alcance de los niños.
Advertencias Advertencia sobre el dolor de garganta: Si el dolor de la garganta es severo, persiste por más de 2 días, se presenta acompañado por fiebre o una erupción aguda, o si se presenta potencialmente, dolor de cabeza, sarpullido, náusea o vómito, consulte sígolo a un médico. Estos síntomas podrían ser serios.	Instrucciones ■ no consume más de lo que se indica Aditivos y niños (para mayores de 12 años) Permita que se disuelva lentamente una pastilla en la boca. Puede volver a repetir esta cada 2 horas cuando sea necesario o como lo recomiende a indique su médico. Nunca consuma de 12 años.
Consulte con el médico antes de tomar este medicamento si usted padece de ■ tos persistente o crónica como ocurre al fumar, con asma, o con enfisema ■ no acompañada con flemas (mucosidad) excesiva ■ tipo de tener este medicamento y consulte al médico si persiste la tos por más de 1 semana, tiende a ser recurrente o se presenta acompañada por fiebre, sarpullido o con dolor de cabeza persistente. Estos podrían ser señales de una afección seria. ■ si el dolor en la boca no mejora en 7 días.	Otra información ■ 15 calorías por pastilla ■ almacenamiento: consérvese a temperatura de 59°-89°F (15°-30°C) ■ no lo exponga a la humedad y calor
Si el dolor en la boca no mejora en 7 días, ■ la irritación, el dolor o enrojecimiento es persistente o empeora	Ingredientes inactivos sabor cereza, jarabe de maíz, agente de esclatido, rojo FD y C #40, sacarosa
	¿Tiene alguna pregunta o comentario? Lláame al 1-800-634-7680

Conserve la caja para obtener la información completa del producto



Resorder #91525
Manufactured for Medi-First Plus
Fort Myers, FL 33907 USA
1-800-634-7680
www.medicfirstproducts.com

Compare active ingredient to:
HALLS
Registered Trademark of Warner Lambert

Individually Wrapped Cough Drops
Individualmente envuelto pastilla para la tos

Medique Medikoff Label

Medique[®]
Medikoff Drops
Vapor Action

Accion de Vapor

Cough Suppressant/Anesthetic • Menthol 7.6mg

Suprima la tos/anestésico • Mentol 7.6 mg

75
Drops
(75 x 1)



Medique®
Medikoff Drops
Vapor Action
Acción de Vapor

Cough Suppressant/Anesthetic • Menthol 7.6 mg
Suprime la tos/anestésico • Mentol 7.6 mg

Cherry Flavor
Sabor a Cereza



Medique®
Medikoff Drops
Vapor Action
Acción de Vapor

Pull to Open
Tire Para Abrir

✓ Cough Suppressant/Anesthetic • Menthol 7.6 mg
Suprime la tos/anestésico • Mentol 7.6 mg

75 Drops (7.5 x 1)

Cherry Flavor
Sabor a Cereza



Medique®
Medikoff Drops
Vapor Action
Acción de Vapor

Reorder #05022
Manufactured for
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.medicqueproducts.com

Drug Facts

Active ingredient (in each drop) Menthol 7.6 mg. **Purpose** Antitussive (cough suppressant) and anesthetic.

Uses Temporarily relieves:

- coughs that may occur with a cold or inhaled irritants
- occasional minor irritation and sore throat

Warnings **Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be signs.

Ask a doctor before use if you have:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if:

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

Drug Facts (continued)

- sore mouth does not improve in 7 days
- irritation, pain, or redness persists or worsens

Directions

- do not use more than directed

Other information

- 15 calories per drop
- store at 20°-25°C (68°-77°F)
- protect from moisture & heat

Inactive ingredients
cherry flavor, corn syrup, eucalyptus oil, FD&C red #40, sucrose.

Questions or comments? 1-800-634-7680

Información del Medicamento

Ingrediente activo (en cada pastilla) **Propiedad**
Mentol 7.6 mg. Antitusivo (suprime la tos)/anestésico oral.

Usos
Para el alivio temporal:

- de la tos que pudiera ocurrir con un resfriado o al inhalar agentes irritantes
- de esporádicos leves dolores de garganta

Advertencias
Advertencia sobre el dolor de garganta: Si el dolor de la garganta es severo, persiste por más de 2 días, se presenta acompañado por fiebre o si su última aparición posteriormente, dolor de cabeza, sarpullido, náuseas o vómitos, consulte rápido a un médico. Estos síntomas pudieran ser signos.

Deje de tomar este medicamento y consulte al médico si:

- persiste la tos por más de 1 semana, tiende a ser recurrente o se presenta acompañado por fiebre, sarpullido o con dolor de cabeza persistente. Estos pudieran ser señales de una infección seria.
- el dolor en la boca no mejora en 7 días
- la inflamación, el dolor o enrojecimiento es persistente o empeora.

Información del Medicamento (continuación)
Si está usted embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto.
Mantenga esta y todos los demás medicamentos fuera del alcance de los niños.

Instrucciones

- no consuma más de lo que se indica

Adultos y niños (para mayores de 12 años)
Permita que se disuelva lentamente una pastilla en la boca. Puede volver a repetir esto cada 2 horas cuando sea necesario como lo recomienda e indique su médico.
Niños menores de 12 años: consultar al médico.

Otra información

- 15 calorías por pastilla
- almacenamiento: consérvese a temperatura de 20°-25°C (68°-77°F)
- no lo exponga a la humedad y calor

Ingredientes inactivos
sabor cereza, jarabe de maíz, aceite de eucalipto, rojo FD y C #40, sacarosa.

¿Tiene alguna pregunta o comentario?
Lláme al 1-800-634-7680.

MEDIQUE MEDIKOFF DROPS			
menthol lozenge			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-050
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7.6 mg
Inactive Ingredients			
	Ingredient Name	Strength	
	CORN SYRUP (UNII: 9G5L16BK6N)		
	EUCALYPTUS OIL (UNII: 2R04ONI662)		
	FD&C RED NO. 40 (UNII: WZB9127XOA)		
	SUCROSE (UNII: C151H8M554)		
Product Characteristics			
Color	red (red)	Score	no score
Shape	OVAL (OVAL)	Size	22mm
Flavor	CHERRY (CHERRY)	Imprint Code	P
Contains			
Packaging			

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-050-69	6 in 1 BOX; Type 0: Not a Combination Product	12/30/2008	
2	NDC:47682-050-64	24 in 1 BOX; Type 0: Not a Combination Product	12/30/2008	
3	NDC:47682-050-22	75 in 1 BOX; Type 0: Not a Combination Product	12/30/2008	
4	NDC:47682-050-60	600 in 1 BOX; Type 0: Not a Combination Product	12/30/2008	
5	NDC:47682-050-66	601 in 1 BOX; Type 0: Not a Combination Product	12/30/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

MEDI-FIRST CHERRY COUGH DROPS

menthol lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-815
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7.6 mg

Inactive Ingredients

Ingredient Name	Strength
CORN SYRUP (UNII: 9G5L16BK6N)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red (red)	Score	no score
Shape	OVAL (OVAL)	Size	22mm
Flavor	CHERRY (CHERRY)	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-815-50	50 in 1 BOX; Type 0: Not a Combination Product	10/29/2018	
2	NDC:47682-815-25	125 in 1 BOX; Type 0: Not a Combination Product	10/29/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

MEDI FIRST PLUS CHERRY COUGH DROPS

menthol lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-915
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7.6 mg

Inactive Ingredients

Ingredient Name	Strength
CORN SYRUP (UNII: 9G5L16BK6N)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red (red)	Score	no score
Shape	OVAL (OVAL)	Size	22mm
Flavor	CHERRY (CHERRY)	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-915-50	50 in 1 BOX; Type 0: Not a Combination Product	12/30/2008	

2	NDC:47682-915-25	125 in 1 BOX; Type 0: Not a Combination Product	12/30/2008	
---	------------------	---	------------	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation